

# MEM19059 Complete pre-cutting processes for gemstone assemblies

Release: 1

# MEM19059 Complete pre-cutting processes for gemstone assemblies

#### **Modification History**

Release 1. New unit.

#### **Application**

This unit of competency defines the skills and knowledge required to select and prepare gemstones and backing materials for cutting as assemblies. It is based on deleted unit CUVOPA205A Complete pre-cutting processes for opal doublets and triplets.

This unit applies to individuals processing gemstones in a small or large-scale production context. They use and adapt technical knowledge and skills to produce work.

No licensing, legislative or certification requirements apply to this unit at the time of publication.

Band: A

Unit Weight: 3

### Pre-requisite Unit

MEM13015 Work safely and effectively in manufacturing and engineering MEM16006 Organise and communicate information

## **Competency Field**

Jewellery

#### **Elements and Performance Criteria**

Elements	Performance Criteria	
Elements describe the essential outcomes.	Performance criteria describe the performance needed to demonstrate achievement of the element.	
1. Determine job requirements	1.1 Follow standard operating procedures (SOPs) 1.2 Comply with work health and safety (WHS) requirements at all times	
	1.3 Identify job requirements from specifications	
2. Prepare to cut assembly gemstones	2.1 Select materials suitable for cutting as a gemstone assembly based on market requirements and characteristics of the stone	

Approved Page 2 of 5

Elements	Performance Criteria
Elements describe the essential outcomes.	Performance criteria describe the performance needed to demonstrate achievement of the element.
	2.2 Determine best colour and mark that side
	2.3 Check for flaws with a powerful light source and correct if necessary
3. Flatten gemstone and base	3.1 Flatten gemstone on marked side until surface is suitable grinding or sawing equipment
	3.2 Select backing materials and flatten in accordance with job requirements
	3.3 Lap gemstone and base until flat satin finish is achieved
	3.4 Clean and dry gemstone and base sufficient for further processing
4. Adhere components together	4.1 Choose adhesive and mix in line with manufacturers' instructions
	4.2 Ensure stone is cemented with the best colour face down
	4.3 Adhere flattened surfaces together eliminating excess adhesive and air bubbles
	4.4 Allow adhesive to harden following manufacturers' instructions
5. Pre-form gemstones	5.1 Grind stone to expose join between gemstone and backing
	5.2 Grind stone to expose best colour
	5.3 Grind to rough shape to meet job requirements

#### **Foundation Skills**

This section describes those language, literacy, numeracy and employment skills that are essential to performance.

Foundation skills essential to performance are explicit in the performance criteria of this unit of competency.

# **Range of Conditions**

This field allows for different work environments and conditions that may affect performance. Essential operating conditions that may be present (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) are included.

Specifications include one	•	client requirements
- F	•	job sheets

Approved Page 3 of 5

or more of the following:	work instructions.
Suitable materials include	multiple bars of colour with potch between
one or more of the	off-cuts from solid production
following:	• gemstone from unsuitable boulder iron stone
_	• gemstone prone to crack
	• gemstone shell skins
	thin bar of colour in potch
	thin seam gemstone
	• weak colour on a clear base (jelly gemstone)
	• other gemstone minerals.
WHS requirements include:	complying with the safe operating procedures for each machine
	<ul> <li>good housekeeping</li> </ul>
	• using personal protective equipment (PPE).
Equipment includes one or	diamond grinder
more of the following:	• diamond saw
	• free-hand saw
	silicon carbide grinder
	• slab saw
	• trim saw.
Backing materials include	black jade
one or more of the	<ul> <li>black potch</li> </ul>
following:	boulder iron stone
	clear or transparent potch
	dark grey potch
	• glass
	• obsidian (black)
	• vitrolite
	other gemstone materials.
Adhesive includes one or	UV setting
more of the following:	slow setting
<b>8</b>	quick setting
	• epoxies
	polyester resin.
Requirements for	producing a clean and dry gemstone and base
pre-cutting of gemstones	cementing the base and stone
include:	• grinding the stone.

Approved Page 4 of 5

# **Unit Mapping Information**

No equivalent unit.

#### Links

Companion Volume implementation guides are found in VETNet - <a href="https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=b7050d37-5fd0-4740-8f7d-3b7a49c10bb2">https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=b7050d37-5fd0-4740-8f7d-3b7a49c10bb2</a>

Approved Page 5 of 5