

Assessment Requirements for AMPA2046 Trim hindquarter to specification

Release: 1

Assessment Requirements for AMPA2046 Trim hindquarter to specification

Modification History

Release	TP Version	Comment
1	AMPv2.0	Initial release

Performance Evidence

The candidate must trim the hindquarter of the carcase to specification.

The candidate must:

- trim hindquarter to hygiene and sanitation requirements
- trim hindquarter to workplace health and safety requirements
- trim hindquarter to specification according to work instructions
- apply relevant regulatory requirements

Knowledge Evidence

The candidate must demonstrate a basic factual, technical and procedural knowledge of:

- specifications for trimming hindquarter
- steps in trimming hindquarter to specification
- hygiene and sanitation requirements for trimming hindquarter
- workplace health and safety requirements for trimming hindquarter
- relevant regulatory requirements
- sources of contamination and cross-contamination

Assessment Conditions

Assessment must be carried out in an operating meat processing plant.

Competency must be demonstrated at production speed over a period of time.

As a minimum, the following three forms of assessment must be used:

- quiz of underpinning knowledge
- workplace demonstration
- · workplace referee or third-party report of performance over time

Assessors must satisfy the current standards for RTOs.

Approved Page 2 of 3

Links

 $Companion\ \ Volume\ \ implementation\ \ guides\ \ are\ found\ \ in\ \ VETNet-https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=5e2e56b7-698f-4822-84bb-25adbb8443a7$

Approved Page 3 of 3