

CPPCCL3010A Apply odour control

Release: 1



CPPCCL3010A Apply odour control

Modification History

Revised unit

Unit updated and equivalent to PRMCC10A Apply odour control

Unit Descriptor

This unit of competency specifies the outcomes required to remove odours from carpets, upholstery and soft furnishings.

The unit requires the ability to assess the extent of the cleaning task through understanding client requirements and characteristics of the carpet, upholstery and soft furnishings; and to apply company policies and procedures in order to perform the task. Odour control may occur as a single task or more likely in conjunction with other cleaning methods, such as vacuuming and extraction, and after general cleaning. The selection of appropriate equipment, chemicals and methods is essential for performing the task safely and efficiently.

Application of the Unit

This unit of competency supports employees without managerial or supervisory responsibilities. Performance would usually be carried out under routine supervision and within company guidelines.

Licensing/Regulatory Information

No licensing, legislative, regulatory or certification requirements apply to this unit at the time of endorsement.

Pre-Requisites

Not applicable.

Employability Skills Information

This unit contains employability skills.

Approved Page 2 of 17

Elements and Performance Criteria Pre-Content

Elements describe the essential outcomes of a unit of competency.

Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the required skills and knowledge section and the range statement. Assessment of performance is to be consistent with the evidence guide.

Elements and Performance Criteria

- 1 Assess area to be odour controlled.
- 1.1 Area to be treated is assessed and **work order** reviewed according to **company requirements**, and issues are clarified with **appropriate persons**.
- 1.2 *Hazards* are identified and risks controlled in work site according to company, *legislative* and *occupational health and safety* (OHS) *requirements*.
- 1.3 Type, condition and colour-fastness of *carpet*, *upholstery and soft furnishings* are identified by observation and/or *testing* according to company requirements.
- 1.4 Cause of *odour* is identified by observation according to work order and company requirements.
- 1.5 *Odour treatment techniques* are confirmed according to work order and company requirements.
- 1.6 Size and usage pattern of work site are determined to ensure safety of *personnel* and efficient use of *equipment* and *chemicals*.
- 1.7 Pre-existing damage is identified and reported to appropriate persons according to company requirements.
- 2 Select equipment and chemicals.
- 2.1 **Personal protective equipment** (PPE) is selected and used according to **manufacturer specifications**, and OHS and company requirements.
- 2.2 Equipment and chemicals are selected for work order according to OHS and company requirements.
- 2.3 Operational effectiveness of equipment is checked according to manufacturer specifications and company

Approved Page 3 of 17

requirements.

- 2.4 Equipment is adjusted to suit operator's requirements according to manufacturer specifications and OHS requirements.
- 2.5 Chemicals are prepared according to manufacturer specifications, and OHS and company requirements.
- 3 Prepare work site. 3.1 Hazards in work site are confirmed and risks controlled and reassessed according to legislative, OHS and

company requirements.

- 3.2 Furniture and fittings that impede cleaning operation are removed according to work order, and OHS and company requirements.
- 3.3 **Signage and barriers** are installed as required to maximise public safety during cleaning operation according to work order, and OHS and company requirements.
- 3.4 *Work restrictions* affecting completion of work order are identified and appropriate persons are promptly notified.
- 4 Clean work site.
- 4.1 **Soil** and odour are removed using odour treatment techniques, equipment, PPE and chemicals according to manufacturer specifications and legislative, OHS and company requirements.
- 4.2 Odour of treated area is compared with surrounding surface to determine need for further action according to work order and company requirements.
- 4.3 Results are reported to appropriate persons according to company requirements.
- 4.4 Work is performed according to work order, manufacturer specifications and legislative, OHS and company requirements.

Approved Page 4 of 17

- 5 Tidy work site.
- 5.1 Collected soil and *waste* are disposed of according to client specifications, work order, manufacturer specifications and company, legislative, OHS and *environmental requirements*.
- Furniture and fittings are replaced according to client requests, work order and OHS requirements.
- 5.3 Signage and barriers are removed according to work order, and OHS and company requirements.
- 6 Clean and safety check equipment, and store equipment and chemicals.
- 6.1 Equipment and PPE are cleaned according to manufacturer specifications and environmental, OHS and company requirements.
- 6.2 Equipment and PPE are safety checked according to manufacturer specifications and OHS requirements, and required maintenance is recorded according to company requirements.
- 6.3 Equipment and PPE are stored and maintained to allow ready access according to manufacturer specifications, and OHS and company requirements.
- 6.4 Chemicals are stored according to manufacturer specifications, and OHS and company requirements.

Approved Page 5 of 17

Required Skills and Knowledge

This section describes the skills and knowledge required for this unit.

Required skills

- analytical skills to:
 - analyse carpet composition
 - assess surface suitability for odour control
 - classify fibres
 - identify causes of odours
 - identify upholstery and soft furnishing type
 - select chemicals to suit surface type
 - select cleaning strategies
- customer service skills to:
 - establish rapport with clients
 - gain clients' trust
- interpersonal skills to relate to people from a range of backgrounds
- language, literacy and numeracy skills to:
 - · communicate clearly and concisely verbally and in writing
 - explain carpet-cleaning processes and expected outcomes to clients
 - perform mathematical calculations required for diluting and mixing chemicals
 - read and interpret directions and safety instructions, including:
 - chemical labels
 - equipment manuals
 - material safety data sheets (MSDS)
 - request advice or further information
 - seek and receive feedback
 - source, organise and record information
- self-management skills to work alone and in a team
- skills to work safely when:
 - extracting soil and chemicals
 - handling and disposing of chemicals
 - identifying hazards and controlling risks
 - manual handling
 - using spot cleaning techniques

Required knowledge

- carpet, upholstery and soft furnishing characteristics, including:
 - features of fibres
 - range of types
- cleaning options for carpet, upholstery and soft furnishing, including:

Approved Page 6 of 17

- range of cleaning equipment and chemicals, including:
 - encapsulation
 - low environmental-impact chemicals
 - low-moisture
- water-efficient methods
- company management structure and procedures, including:
 - biological and viral control
 - emergency response and evacuation procedures
 - environmental protection procedures
 - injury, dangerous occurrence and incident reporting
 - OHS procedures
 - · quality systems
- legislation, regulations, codes of practice and industry advisory standards that apply to carpet cleaning
- safe work practices for using chemicals and equipment, including PPE

Approved Page 7 of 17

Evidence Guide

The evidence guide provides advice on assessment and must be read in conjunction with the performance criteria, required skills and knowledge, range statement and the Assessment Guidelines for the Training Package.

Overview of assessment	This unit of competency could be assessed by observing practical demonstration of the application of odour control to at least two different types of carpet, upholstery or soft furnishings.
Critical aspects for assessment and evidence required to demonstrate	A person who demonstrates competency in this unit must be able to provide evidence of the required skills and knowledge specified in this unit.
competency in this unit	In particular the person should demonstrate the ability to:
	 identify type and characteristics of carpet, upholstery or soft furnishing classify type of odour
	 comply with company and legislative requirements achieve outcomes in relation to customer work order and company requirements
	apply safe and efficient odour treatment methodsselect cleaning equipment and chemicals.
Context of and specific resources for assessment	Assessment of essential underpinning knowledge may be conducted in an off-site context and must comply with relevant regulatory or Australian standards requirements.
	Resource implications for assessment include access to:
	• suitable work site or venue with carpets, upholstery or soft furnishing
	equipment operating manuals and MSDSPPE
	 suitable equipment and chemicals assessment instruments, including personal planner and assessment record book work order instructions, work plans, schedules and policy documents.
Method of assessment	Assessment methods must:
	 satisfy the endorsed Assessment Guidelines of the Property Services Training Package include direct observation of tasks in real or simulated work conditions, with questioning to confirm the ability to consistently identify and correctly interpret the essential underpinning knowledge required for practical application

Approved Page 8 of 17

	 reinforce the integration of employability skills with workplace tasks and job roles confirm that competency is verified and able to be transferred to other circumstances and environments.
Guidance information for assessment	Reasonable adjustments for people with disabilities must be made to assessment processes where required. This could include access to modified equipment and other physical resources, and the provision of appropriate assessment support.
	Assessment processes and techniques should as far as is practical take into account the language, literacy and numeracy capacity of the candidate in relation to the competency being assessed.
	This unit could be assessed on its own or in combination with other units relevant to the job function, such as:
	CPPCCL3015A Perform advanced stain removal.

Approved Page 9 of 17

Range Statement

The range statement relates to the unit of competency as a whole. It allows for different work environments and situations that may affect performance. Bold italicised wording, if used in the performance criteria, is detailed below. Essential operating conditions that may be present with training and assessment (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) may also be included.

Work order information may include:

- access to work site, including:
 - · access and egress points
 - timing of access
- · budget allocations
- completion times and dates
- human resource requirements to complete work tasks
- job requirements and tasks
- legislative and local government requirements, including environmental protection requirements
- OHS requirements and emergency response procedures
- requirements for working in isolated and remote locations
- resource requirements, such as equipment and materials
- specific client requirements, such as:
 - dress and presentation requirements
 - relationships with other activities
- use of signage and barriers
- work schedules
- work site contact persons.

Company requirements may include:

- business and performance plans
- client communication procedures
- client confidentiality procedures
- client service standards
- communication channels and reporting procedures
- company goals, objectives, plans, systems and processes
- company issued identification badge, card or pass
- company policies and procedures, including:
 - access and equity policy, principles and practice
 - OHS policies and procedures, including control procedures
 - maintenance procedures for equipment and PPE
 - those relating to own role, responsibility and delegation
 - work site access security clearance procedures
- company service standards
- dress and presentation requirements
- duty of care, code of conduct, and code of ethics
- emergency response and evacuation procedures

Approved Page 10 of 17

	employer and employee rights and responsibilities
	environmental protection requirements
	personnel practices and guidelines
	• quality and continuous improvement processes and standards
	records and information systems and processes
	• training materials (induction, refresher and new skills)
	• use of contractors.
Appropriate persons may	• clients
include:	• colleagues
	• managers
	persons in control of work sites
	• supervisors.
Hazards may include:	allergic reactions to chemicals and equipment, including latex allergies
	biological and animal waste
	bites and stings
	blood and blood-stained products
	confined and restricted spaces
	contaminated clothing, materials and equipment
	damaged or inappropriate equipment
	dust and fibres
	electrical hazards arising from:
	• cables
	electrical fittings:
	• switches
	• lights
	untested electrical equipment
	• fatigue
	• fire
	~~~
	<ul><li>gas</li><li>heights</li></ul>
	in demand lighting and constitution
	infertions and annualized in the second
	• Q fever
	• scabies
	mobile equipment and vehicle hazards around plant and vehicles
	moving or unguarded machinery and parts
	• noise
	occupational violence and bullying
	poor personal hygiene practices
	• spill, splash and spray

Approved Page 11 of 17

release of substances with negative environmental impact synergistic chemical reactions, such as: hazardous incompatibility reactivity syringes or other sharps ultraviolet light unsafe manual-handling techniques, including awkward and repetitive postures unsafe underfoot conditions, such as slippery, uneven and rough surfaces unrestricted people access waste and waste disposal work in extremes of temperature work in unfamiliar, isolated or remote environments. Australian standards, quality assurance and certification Legislative requirements requirements may include: award and enterprise agreements industry advisory standards and codes, such as: building codes dangerous goods codes relevant commonwealth, state and territory legislation and local government regulations that affect company operation, including: anti-discrimination and diversity policies chemical controls chemical registers and manifests consumer protection energy conservation environmental protection issues equal employment opportunity freedom of information industrial equipment certificates of competency or licences industrial relations OHS Acts and regulations privacy public health trade practices water conservation workplace consultative arrangements. allergic reactions, such as contact dermatitis Occupational health and communication devices for remote and isolated locations, such

Page 12 of 17 Approved

safety (also known as

workplace health and	as:	
safety) <i>requirements</i> may	<ul> <li>mobile phone</li> </ul>	
relate to:	<ul> <li>two-way radio</li> </ul>	
	<ul> <li>dermatoxicological control and prevention measures</li> </ul>	
	• emergency procedures for eye and skin contact, inhalation	and
	ingestion of toxic substances	
	hazard identification and risk assessment mechanisms	
	<ul> <li>health surveillance and monitoring, such as regular blood to</li> </ul>	esting
	hierarchy of hazard control procedures	
	injury and dangerous occurrence reporting	
	maintaining clear access ways	
	national and industry standards and codes of practice	
	OHS control procedures, such as:	
	health and safety plans	
	• job plans	
	<ul> <li>job safety analyses</li> </ul>	
	<ul> <li>risk assessments</li> </ul>	
	<ul> <li>safe operating practices and procedures</li> </ul>	
	<ul> <li>safe system of work statements</li> </ul>	
	<ul> <li>safe work instructions</li> </ul>	
	<ul> <li>work method statements</li> </ul>	
	<ul> <li>chemical routes of entry</li> </ul>	
	<ul> <li>potential symptoms of exposure to chemicals</li> </ul>	
	<ul> <li>safe work practices for equipment, PPE and chemical storagincluding interpretation of:</li> </ul>	ge,
	• MSDS	
	<ul> <li>hazardous substance information, such as long latency periods</li> </ul>	
	<ul> <li>safety training, induction and refresher training</li> </ul>	
	• selection and use of PPE and clothing appropriate to the ha	zard
	• ultraviolet light	
	<ul> <li>up-to-date electrical test and tag compliance</li> </ul>	
	<ul> <li>use of chemicals according to MSDS</li> </ul>	
	<ul> <li>use of residual current devices</li> </ul>	
	<ul> <li>use, storage and maintenance of equipment according to manufacturer specifications and equipment operating manu</li> </ul>	ıals.
Carpet, upholstery and	carpet, including:	
soft furnishings may	mixed blends	
include:	<ul> <li>natural fibres, such as:</li> </ul>	
	<ul> <li>organic (plant) fibres, such as cotton and sisal</li> </ul>	
	<i>C</i>	

Approved Page 13 of 17

silk

	wool
	• wool
	• synthetic fibres, such as:
	• acrylic
	• nylon
	• polyester
	<ul> <li>polypropylene</li> </ul>
	coir matting
	drapes and blinds
	mats and rugs
	synthetic grass
	upholstery, such as leather or fabric
	• wall hangings.
<b>Testing</b> may include:	• burn test
Testing may merade.	chemical test
	• sink and float test.
Odour may include:	animal or human body odour
Out may merude.	animal waste
	chemical sources
	decaying matter
	• faeces
	fire damage
	• mould
	• urine
	• vomit
	water damage.
Odour treatment	chemical treatment followed by extraction spot cleaning
techniques may include:	chemical treatment followed by heat application process
reconsigues may merade.	• chemical treatment followed by the transfer method using hand
	application
	• floor sealing
	lifting and refitting carpet
	pad removal and replacement.
Personnel may include:	client's staff members
Tersonner may merude.	• colleagues
	general public
	• venue, facility, or shopping centre staff and/or management.
Fauinmant may include	air scrubbers
<b>Equipment</b> may include:	carpet groomers
	carpet repair kits
	chemical hand spray units
	• cloths

Approved Page 14 of 17

	eye droppers
	• foggers
	hair dryers
	nylon bristle brushes
	ozone machines
	scrapers and spatulas
	• sponges
	steam generators
	steam irons.
Chemicals may include:	acid cleaners
Chemicals may merude.	alkaline cleaners
	antimicrobial
	low environmental-impact chemicals
	neutral cleaners
	odour neutralising, masking and destruction agents
	• ozone gas
	• sealers
	• solvent cleaners.
D I ( )	ear muffs and plugs
Personal protective equipment may include:	• gloves, such as non-permeable
equipment may menude.	<ul> <li>high-visibility vests and clothing</li> </ul>
	overalls and other protective clothing
	• respirators
	<ul> <li>safety glasses or goggles</li> </ul>
	• safety shoes
	<ul> <li>splash-proof face masks</li> </ul>
	• sun protection
	• tongs
	ultraviolet protection
	wet-work clothing.
1.5	equipment operating manuals
Manufacturer	instructional guides
specifications may include:	MSDS
merade.	• other resources supplied by the manufacturer, such as:
	laminated cards
	• notices
	• wall posters
	• product labels
	safety instructions pre-printed on equipment.
Signage and barriers may	physical barriers and restraints erected to restrict access to a site
include:	signs complying with legislative requirements and Australian
	I

Approved Page 15 of 17

Work restrictions may include:	standards, warning of danger or adverse conditions, including:  cleaning in progress hazardous chemicals in use or present in work area.  amount of cleaning anticipated client activity employee level of literacy and/or communication skills faulty or inappropriate equipment site accessibility site hazards skills of the work unit or team staffing resources time limitations.
Soil types may be wet or dry and include:	<ul> <li>beverages</li> <li>blood</li> <li>food</li> <li>human and animal waste</li> <li>mould</li> <li>mud and dirt.</li> </ul>
Waste may be either solid or liquid and include:	<ul> <li>chemicals past expiry date</li> <li>litter</li> <li>machine or vehicle exhaust emissions</li> <li>obsolete equipment</li> <li>packaging</li> <li>soil</li> <li>used containers</li> <li>used or contaminated PPE</li> <li>used or unused chemicals.</li> </ul>
Environmental requirements may include:	<ul> <li>clean-up, containment and isolation</li> <li>company policies and guidelines</li> <li>emergency chemical spill control measures</li> <li>environmental protection agency and requirements of government departments, such as: <ul> <li>agriculture</li> <li>emergency services</li> <li>national parks and wildlife</li> </ul> </li> <li>hazardous materials handling</li> <li>local government regulations and by-laws</li> <li>low-energy carpet-cleaning methods</li> <li>low environmental-impact chemicals</li> <li>low-moisture cleaning methods</li> <li>low water-use equipment and other water-efficient cleaning</li> </ul>

Approved Page 16 of 17

	methods
•	non-chemical carpet-cleaning methods.

# **Unit Sector(s)**

Carpet cleaning

# **Custom Content Section**

Not applicable.

Approved Page 17 of 17