

# FPIWPP3201B Produce veneer from debarked logs

Release: 1



#### FPIWPP3201B Produce veneer from debarked logs

# **Modification History**

Not Applicable

## **Unit Descriptor**

#### **Unit descriptor**

This unit describes the outcomes required to operate a specialised peeling lathe or rotary slicer to produce sheets of timber veneer from debarked logs. The unit includes operator maintenance

General workplace legislative and regulatory requirements apply to this unit; however there are no specific licensing or certification requirements at the time of publication

This unit replaces FPIWPP3201A Produce veneer from

debarked logs

# **Application of the Unit**

**Application of the unit** 

The unit involves producing veneer from debarked logs in

a forest products factory

The skills and knowledge required for competent

workplace performance are to be used within the scope of

the person's job and authority

# **Licensing/Regulatory Information**

Refer to Unit Descriptor

# **Pre-Requisites**

Prerequisite units

Approved Page 2 of 12

# **Employability Skills Information**

**Employability skills** This unit contains employability skills

### **Elements and Performance Criteria Pre-Content**

Elements describe the essential outcomes of a unit of competency.

Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the required skills and knowledge section and the range statement. Assessment of performance is to be consistent with the evidence guide.

Approved Page 3 of 12

#### **Elements and Performance Criteria**

#### **ELEMENT**

2. Peel veneer

#### PERFORMANCE CRITERIA

- 1. Prepare for peeling
- 1.1. Applicable *Occupational Health and Safety* (OHS), *environmental*, *legislative* and *organisational requirements* relevant to producing veneer from debarked *logs* are identified and followed
- 1.2. Work order is reviewed and checked with appropriate personnel
- 1.3. Type and quantity of timber species to be *peeled or sliced* is acquired from the *storage location*
- 1.4. **Equipment** is selected appropriate to work requirements and checked for operational effectiveness in line with manufacturer's recommendations
- 1.5. *Veneer* peeling or slicing process and thickness are planned in line with site procedures
- 1.6. *Communication* with others is established and maintained in line with OHS requirements
- 2.1. Size and condition of logs is checked as acceptable and then loaded into the lathe
- 2.2. *Drive logs* are placed to maximise available veneer and waste product removed
- 2.3. Veneer peeling or slicing process is set and commenced to optimise veneer recovery and *grading*
- 2.4. Machine speed and control of veneer cut are constantly adjusted to suit the log characteristics in line with site procedures
- 2.5. Material with *defects* and *log cores* are *disposed of* in line with site procedures and environmental requirements
- 2.6. Processing and equipment faults are *recorded and reported* to the appropriate personnel
- 3. Conduct operator maintenance
- 3.1. Equipment lock-out procedures are followed in line with OHS legislation and site procedures
- 3.2. Cutting blades are checked for blunt or damaged condition in line with site procedures
- 3.3. Cutting blades are removed and replaced in line with manufacturer's recommendations
- 3.4. Machine area is kept clear of dust, off-cuts and debris in line with OHS requirements

Approved Page 4 of 12

## Required Skills and Knowledge

#### REQUIRED SKILLS AND KNOWLEDGE

This describes the essential skills and knowledge and their level required for this unit

#### Required skills

- Technical skills sufficient to use and maintain relevant tools, machinery and equipment; efficiently and safely peel or slice veneer using a rotating lathe or rotary slicer
- Communication skills and interpersonal techniques sufficient to interact appropriately with colleagues and others in the workplace
- Literacy skills sufficient to accurately record and report workplace information, and maintain documentation
- Numeracy skills sufficient to estimate, measure and calculate time required to complete a task
- Problem solving skills sufficient to identify problems and equipment faults and demonstrate appropriate response procedures

#### Required knowledge

- Applicable Commonwealth, State or Territory legislation, regulations, standards, codes of practice and established safe practices relevant to the full range of processes for producing veneer from debarked logs
- Environmental protection requirements, including the safe disposal of waste material and the cleaning of plant, tools and equipment
- Organisational and site standards, requirements, policies and procedures for producing veneer from debarked logs
- Environmental risks and hazards
- Characteristics of logs and timber defects
- Peeling and slicing processes using a rotating lathe or rotary slicer
- Cutting blade condition assessment
- Established communication channels and protocols
- Problem identification and resolution strategies and common fault finding techniques
- Types of tools and equipment and procedures for their use, operation and maintenance
- Appropriate mathematical procedures for estimating and measuring, including calculating time to complete tasks
- Procedures for recording and reporting workplace information

Approved Page 5 of 12

#### **Evidence Guide**

#### **EVIDENCE GUIDE**

The evidence guide provides advice on assessment and must be read in conjunction with the performance criteria, required skills and knowledge, range statement and the Assessment Guidelines for the Training Package.

#### Overview of assessment

A person who demonstrates competency in this unit must be able to provide evidence that they can safely and efficiently produce veneer from debarked logs within organisational requirements

#### Critical aspects for assessment and evidence required to demonstrate competency in this unit

The evidence required to demonstrate competency in this unit must be relevant to and satisfy all of the requirements of the elements of this unit and include demonstration of:

- following applicable Commonwealth, State or Territory legislative and regulatory requirements and codes of practice relevant to producing veneer from debarked logs
- following organisational policies and procedures relevant to producing veneer from debarked logs
- producing veneer from debarked logs in line with the work order and within prescribed organisational tolerances using a rotating lathe or rotary slicer
- conduct operator maintenance on a peeling lathe or rotary slicer

# Context of and specific resources for assessment

- Competency is to be assessed in the workplace or realistically simulated workplace
- Assessment is to occur under standard and authorised work practices, safety requirements and environmental constraints
- Assessment of required knowledge, other than confirmatory questions, will usually be conducted in an off-site context
- Assessment is to follow with relevant regulatory or Australian Standards requirements
- The following resources should be made available:
  - workplace location or simulated workplace
  - materials and equipment relevant to undertaking work applicable to this unit
  - specifications and work instructions

#### Method of assessment

- Assessment must satisfy the endorsed Assessment Guidelines of the FPI11 Training Package
- Assessment methods must confirm consistency and

#### **EVIDENCE GUIDE**

- accuracy of performance (over time and in a range of workplace relevant contexts) together with application of required knowledge
- Assessment must be by direct observation of tasks, with questioning on required knowledge and it must also reinforce the integration of employability skills
- Assessment methods must confirm the ability to access and correctly interpret and apply the required knowledge
- Assessment may be applied under project-related conditions (real or simulated) and require evidence of process
- Assessment must confirm a reasonable inference that competency is able not only to be satisfied under the particular circumstance, but is able to be transferred to other circumstances
- Assessment may be in conjunction with assessment of other units of competency
- The assessment environment should not disadvantage the candidate
- Assessment practices should take into account any relevant language or cultural issues related to Aboriginality, gender or language backgrounds other than English
- Where the participant has a disability, reasonable adjustment may be applied during assessment
- Language and literacy demands of the assessment task should not be higher than those of the work role

# **Range Statement**

#### RANGE STATEMENT

The range statement relates to the unit of competency as a whole. It allows for different work environments and situations that may affect performance. Bold italicised wording, if used in the performance criteria, is detailed below. Essential operating conditions that may be present with training and assessment (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) may also be included.

**OHS** requirements:

are to be in line with applicable Commonwealth, State or Territory legislation and regulations, and

Approved Page 7 of 12

organisational safety policies and procedures, and may include:

- personal protective equipment and clothing
- safety equipment
- first aid equipment
- fire fighting equipment
- hazard and risk control
- fatigue management
- elimination of hazardous materials and substances
- safe forest practices including required actions relating to forest fire
- manual handling including shifting, lifting and carrying
- legislation
- organisational policies and procedures
- workplace practices

#### **Environmental requirements** may include:

#### **Legislative requirements:**

are to be in line with applicable Commonwealth, State or Territory legislation, regulations, certification requirements and codes of practice and may include:

- award and enterprise agreements
- industrial relations
- **Australian Standards**
- confidentiality and privacy
- OHS
- the environment
- equal opportunity
- anti-discrimination
- relevant industry codes of practice
- duty of care

#### **Organisational requirements** may include:

- legal
- organisational and site guidelines
- policies and procedures relating to own role and responsibility
- quality assurance
- procedural manuals
- quality and continuous improvement processes and standards
- OHS, emergency and evacuation procedures

Approved Page 8 of 12

Logs may include:

Work order is to include:

- ethical standards
- recording and reporting requirements
- equipment use and maintenance and storage requirements
- environmental management requirements (waste minimisation and disposal, recycling and re-use guidelines)
- varying species which have been kiln or air-dried and de-barked and are usually consistently round and straight
- instructions for the cutting and grade of timber veneer from debarked logs

#### and may include:

- type
- width
- length
- thickness
- quantity
- instructions for the environmental monitoring of work and procedures
- environmental care requirements relevant to the work

# **Appropriate personnel** may include:

- supervisors
- suppliers
- clients
- colleagues
- managers

#### **Peeling or slicing**

is the process of removing timber in thin sheet form from a rotating lathe or rotary slicer

#### **Storage locations** may include: the use of:

- storage racks
- storage bays
- bins
- stacks
- pallet boxes
- modularised storage components
- temporary stacking bays (stand, frame or ground)

and may be divided into:

Approved Page 9 of 12

- standard product classification
- product designation
- size
- dimension
- stack number
- weight
- grade
- shelf life
- stock rotation position

#### **Equipment** is to include:

- specialised veneer peeling lathes or rotary slicer
- procedures for equipment lock-out, ie protecting operators and co-workers from accidental injury by isolating the machine from the power source

#### Veneer

- is the thin sheet of timber (varying in thickness to suit organisational or customer specifications) used to produce the layers of plywood
- types are usually referred to as quarter sawn, back sawn and radial (or rotary) sawn

#### Communication may include:

- verbal and non-verbal language
- constructive feedback
- active listening
- questioning to clarify and confirm understanding
- use of positive, confident and cooperative language
- use of language and concepts appropriate to individual social and cultural differences
- control of tone of voice
- body language

#### **Drive logs**

is the log set-up and being utilised for veneer peeling to produce rotary (radial) sawn veneer

#### **Grading**

is the process of visually inspecting logs or timber to classify their quality and use

#### **Defects** may include:

- warp
- wane
- cupping
- shakes

Approved Page 10 of 12

- insect defects
- knots
- · resin pockets

Log cores

are the remaining centre (pith) part of the log which is too small to remove further veneer from

**Disposing of** may include:

- recycling material with defects and timber cores
- re-using material with defects and timber cores

**Records and reports** may include:

- product type
- size
- profile
- inspection
- grading and labelling outcomes
- storage locations
- quality outcomes
- hazards
- incidents
- equipment malfunctions

#### and may be:

- manual
- using a computer-based system or other appropriate organisational communication system

# **Unit Sector(s)**

Unit sector No sector assigned

# **Co-requisite units**

Co-requisite units

Approved Page 11 of 12

# **Competency field**

Competency field Wood Panel Products

Approved Page 12 of 12