

Assessment Requirements for HLTPOP016 Provide interventions to clients who are nicotine dependent

Release: 1

Assessment Requirements for HLTPOP016 Provide interventions to clients who are nicotine dependent

Modification History

Release	Comments
Release 1	This version was released in <i>HLT Health Training Package</i> release 3.0 and meets the requirements of the 2012 Standards for Training Packages.
	Minor changes to the elements and performance criteria. New evidence requirements for assessment, including volume and frequency requirements. Minor changes to knowledge evidence.
	Supersedes HLTPOP404C

Performance Evidence

The candidate must show evidence of the ability to complete tasks outlined in the elements and performance criteria of this unit, manage tasks and manage contingencies in the context of the job role. There must be demonstrated evidence that the candidate has:

- followed correct procedures to provide a range of interventions to at least 3 clients who are nicotine dependent including:
 - assessing clients nicotine dependence
 - identifying appropriate intervention for each client
 - monitoring client progress and providing additional support or referrals.

Knowledge Evidence

The candidate must be able to demonstrate essential knowledge required to effectively complete tasks outlined in the elements and performance criteria of this unit, manage tasks and manage contingencies in the context of the work role. This includes knowledge of:

- smoking cessation interventions
- principles and techniques of brief intervention
- contraindications associated with use of nicotine replacement therapies (NRT), including recent cardiac events, unstable angina and pregnancy
- · evidence-based key strategies for smoking cessation
- evidence-based aspects of dosage and duration of use of NRT
- intensive counselling techniques suitable for smoking cessation interventions

Approved Page 2 of 3

- interaction of nicotine with various medications
- interaction of NRT with medications and other drugs, including caffeine, alcohol and insulin
- internationally accepted definitions of nicotine dependence
- · validated nicotine dependence screening methods
- motivational interviewing techniques
- · physiological links between mental illness and nicotine dependence
- process of neuro-adaptation to nicotine
- processes of titration of nicotine dose and smoker compensation practices
- types and use of non-prescription (including NRT) and prescription-only pharmacotherapies
- organisation standards, policies and procedures.

Assessment Conditions

Skills must have been demonstrated in the workplace or in a simulated environment that reflects workplace conditions. Where simulation is used, it must reflect real working conditions by modelling industry operating conditions and contingencies as well as using suitable facilities, equipment and resources.

Assessors must satisfy the Standards for Registered Training Organisations (RTOs) 2015/AQTF mandatory competency requirements for assessors.

Links

Companion Volume implementation guides are found in VETNet - https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=ced1390f-48d9-4ab0-bd50-b015e5485705

Approved Page 3 of 3