



**Australian Government**

**Assessment Requirements for MSFFL2041  
Install impact and sound absorption  
underlay**

**Release: 1**

# Assessment Requirements for MSFFL2041 Install impact and sound absorption underlay

## Modification History

Release 1. Supersedes and is equivalent to MSFFL2025 Install impact and sound absorption underlay.

## Performance Evidence

There must be evidence the candidate has completed the tasks outlined in the elements and performance criteria of this unit, and:

- completed 3 sound absorption underlay installations to complete rooms in accordance with job requirements – jobs should individually or cumulatively involve:
  - obstructions
  - irregular angles.

## Knowledge Evidence

There must be evidence the candidate has knowledge of:

- mathematical procedures for estimation and measurement, including calculation of area and angles, and estimation of material requirements
- impact and sound absorption underlay installation:
  - Australian Standards requirements
  - workplace safety system requirements
  - work flow
  - environmental protection and sustainability requirements
  - how to access manufacturer instructions
  - types, characteristics, uses and limitations of products, including:
    - single fibre
    - composite fibre
    - bonded foam
    - recycled rubber
  - characteristics and requirements of subfloor preparation
  - types, characteristics, uses and limitations of different adhesives, including:
    - solvent and water-based contact
    - acrylic or polyurethane elastomeric
  - types, characteristics, safe use, maintenance and limitations of tools, equipment and materials
  - techniques for set out, laying and cutting, the types of problems that may occur and how to avoid and respond

- quality indicators for completed work
- procedures for the recording, reporting and maintenance of workplace records and information.
- 

## Assessment Conditions

Skills must have been demonstrated in the workplace or in a simulated environment that reflects workplace conditions and contingencies.

The following conditions must be met for this unit:

- use of suitable facilities, equipment and resources, including:
  - location for installation
  - impact and sound absorption underlay
  - equipment, tools and materials to complete tasks in the Performance Evidence, including safety and personal protective equipment
  - work orders
  - workplace procedures.

Assessors must satisfy the NVR/AQTF mandatory competency requirements for assessors.

## Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=0601ab95-583a-4e93-b2d4-cfb27b03ed73>