

NWPTRT035 Operate and control ion exchange and softening processes

Release: 1

NWPTRT035 Operate and control ion exchange and softening processes

Modification History

Release	Comments	
1	This unit was released in NWP Water Training Package release 1.0 and meets the Standards for Training Packages.	
	This unit supersedes and is equivalent to NWP356B Monitor, operate and control ion exchange processes.	
	 Unit code updated Content and formatting updated to comply with the new standards All PC transitioned from passive to active voice Unit title changed to better reflect unit outcomes 	

Application

This unit describes the skills required to monitor, operate and control ion exchange plant, and to measure and report on system performance and process quality control. The ability to identify faults and determine and apply technical adjustments is essential to performance.

This unit applies to those working as operational staff with a specific responsibility for ion exchange processes in treatment plants.

The skills and knowledge described in this unit must be applied within the legislative, regulatory and policy environment in which they are carried out. Organisational policies and procedures must be consulted and adhered to.

Those undertaking this unit would work under supervision within a familiar context while performing routine tasks.

No licensing, legislative or certification requirements apply to unit at the time of publication.

Competency Field

Treatment

Approved Page 2 of 4


Elements and Performance Criteria

ELEMENTS		PERFORMANCE CRITERIA
Elements describe the essential outcomes		Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the range of conditions section.
1.	Monitor ion exchange plant performance	1.1 Monitor test results and processes to maintain the parameters of operation.1.2 Identify and report process faults and the operational condition of plant.
2.	Operate and control ion exchange processes	 2.1 Carry out routine plant inspections. 2.2 Conduct and analyse process tests and determine performance against plant operational requirements. 2.3 Make integrated process adjustments to optimise system performance. 2.4 Collect, interpret and record process data according to organisational and plant requirements. 2.5 Select, fit and use required safety equipment.
3.	Compile process reports	3.1 Compile reports from plant and system data. 3.2 Report observations outside defined parameters for further action.

Foundation Skills

The foundation skills demands of this unit have been mapped for alignment with the Australian Core Skills Framework (ACSF). The following tables outline the performance levels indicated for successful attainment of the unit.

ACSF levels indicative of performance:



Approved Page 3 of 4

Further information on ACSF and the foundation skills underpinning this unit can be found in the Foundation Skills Guide on the GSA website.

Unit Mapping Information

This unit supersedes and is equivalent to NWP356B Monitor, operate and control ion exchange processes.

Links

9b6a0037

Companion Volume implementation guides are found in VETNet - https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=26336bc0-04e5-49d9-8c31-46c4

Companion Volume implementation guides are found in VETNet - https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=26336bc0-04e5-49d9-8c31-46c49b6a0037

Companion Volume implementation guides are found in VETNet - https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=26336bc0-04e5-49d9-8c31-46c49b6a0037

Companion Volume implementation guides are found in VETNet - https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=26336bc0-04e5-49d9-8c31-46c4 9b6a0037

Approved Page 4 of 4