

Assessment Requirements for RIICBS308D Load aggregate using a purpose built loader

Release: 2

Assessment Requirements for RIICBS308D Load aggregate using a purpose built loader

Modification History

Release	Comment
1	This unit replaces RIICBS308A Load aggregate using a purpose built loader
2	Required frequency and volume of evidence amended in Performance evidence.
	Substantial amendments made in Assessment Conditions field, including: references to Industry Sectors, assessor and subject matter expert experience requirements, how assessment should be conducted and what it should confirm.

Performance Evidence

Evidence is required to be collected that demonstrates a candidate's competency in this unit. Evidence must be relevant to the roles within this sector's work operations and satisfy all of the requirements of the performance criteria of this unit and include evidence that the candidate:

- locates and applies applicable legislation, documentation, policies and procedures
- implements the requirements, procedures and techniques for the safe, effective and efficient loading of aggregate using a purpose built loader including:
 - · organise work activities
 - select and use relevant tools and equipment safely
 - identify and report on hazards related to the worksite and work activity
- works effectively with others to undertake and complete the loading of aggregate using a purpose built loader that meets all of the required outcomes including:
 - complying with written and verbal reporting requirements and procedures
 - communicating clearly and concisely with others to receive and clarify work instructions
 - communicating clearly and concisely with others to resolve coordination requirements prior to commencing and during work activities
- demonstrates completion of loading aggregate using a purpose built loader that safely, effectively and efficiently meets all of the required outcomes on more than one (1) occasion including:
 - a minimum of four (4) truckloads of aggregate from two (2) separate stock piles loaded, screened and pre-coated to job specifications

Approved Page 2 of 4

- a minimum of four (4) truckloads of aggregate from two separate stock piles loaded and screened to job specifications
- cleaning up of site in accordance with operational requirements

Knowledge Evidence

The candidate must demonstrate knowledge in loading aggregate using a purpose built loader through:

- applying legislative, organisational and site requirements and procedures for:
 - site and equipment safety requirements
 - aggregate loading
 - · dust control
 - housekeeping
- equipment types, characteristics, technical capabilities and limitations
- understanding aggregate types, characteristics and uses
- understanding aggregate screening and pre-coating procedures
- · understanding silica, its properties and dangers
- understanding the operational, maintenance and basic diagnostic procedures
- · complying with the site isolation and traffic control responsibilities and authorities
- understanding the processes for the calculation of material quantities
- · safety data sheets
- preparing and/or implementing JSAs/JSEA/safe work method statements

Assessment Conditions

- An assessor of this unit must satisfy the requirements of the NVR/AQTF or their successors; and Industry regulations for certification and licensing; and,
- this unit must be assessed in the context of this sector's work environment; and,
- this unit must be assessed in compliance with relevant legislation/regulation and using
 policies, procedures, processes and operational manuals directly related to the industry
 sector for which it is being assessed; and,
- assessment may be conducted in conjunction with the assessment of other Units of Competency; and,
- assessment must confirm consistent performance can be applied in a range of relevant workplace circumstances; and,
- assessors must demonstrate the performance evidence, and knowledge evidence as
 outlined in this Unit of Competency, and through the minimum years of current* work
 experience specified below in an Industry sector relevant to the outcomes of the unit; or,

Approved Page 3 of 4

- where the assessor does not meet experience requirements a co-assessment or partnership arrangement must exist between the qualified assessor and an Industry subject matter expert. The Industry subject matter expert should hold the unit being assessed (or an equivalent unit) and/or demonstrate equivalence of skills and knowledge at the unit level. An Industry technical expert must also demonstrate skills and knowledge from the minimum years of current work experience specified below in the Industry sector, including time spent in roles related to the unit being assessed; and,
- assessor and Industry subject matter expert requirements differ depending on the Australian Qualifications Framework Level (AQF) of the qualification being assessed and/or Industry Sector as follows:

Industry sector	AQF** Level	Required as sessor or Industry subject matter expert experience
Drilling, Metalliferous Mining, Coal Mining, Extractive (Quarrying) and Civil Construction	2	1 Year 2 Years
Drilling, Coal Mining and Extractive (Quarrying)	3-6	3 Years
Metalliferous Mining and Civil Construction	3-6	5 Years
Other sectors	the Resources a assessor and/or experience show standards for the assessed and will	t is being assessed outside of and Infrastructure Sectors Industry subject matter expert ald be in-line with industry se sector in which it is being here no Industry standard is d comply with any relevant

^{*}Assessors can demonstrate current work experience through employment within Industry in a role relevant to the outcomes of the Unit; or, for external assessors this can be demonstrated through exposure to Industry by conducting frequent site assessments across various locations.

Links

Companion Volume implementation guides are found in VETNet - https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=88a61002-9a21-4386-aaf8-69c76e675272

Approved Page 4 of 4

^{**}Where a unit is being delivered outside of a Qualification the first numeric character in the Unit code should be considered to indicate the AQF level