

Assessment Requirements for AMPA2066 Operate a decontamination unit

Release: 1

Assessment Requirements for AMPA2066 Operate a decontamination unit

Modification History

Release	TP Version	Comment
1	AMPv2.0	Initial release

Performance Evidence

The candidate must operate a decontamination unit for carcases coming off the slaughter floor.

The candidate must:

- operate equipment safely
- monitor a decontamination unit's operation
- report equipment faults to supervisor
- use communication skills relevant to work instructions

Knowledge Evidence

The candidate must demonstrate a basic factual, technical and procedural knowledge of:

- function of the decontamination unit
- requirements for monitoring and what corrective action is to be taken if the unit does not function properly
- workplace and/or manufacturer operating requirements

Assessment Conditions

Assessment must be completed in a registered processing plant.

Competency must be demonstrated at normal plant throughput and over a period of time.

As a minimum, the following three forms of assessment must be used:

- quiz of underpinning knowledge
- workplace demonstration
- workplace referee or third-party report of performance over time

Assessors must satisfy the current standards for RTOs.

Approved Page 2 of 3

Links

Companion Volume implementation guides are found in VETNet - https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=5e2e56b7-698f-4822-84bb-25adbb8443a7

Approved Page 3 of 3