



Australian Government

**Assessment Requirements for
CPCCCA3027 Set up, operate and maintain
indirect action powder-actuated power tools**

Release: 1

Assessment Requirements for CPCCCA3027 Set up, operate and maintain indirect action powder-actuated power tools

Modification History

Release 1 This version first released with CPC Construction, Plumbing and Services Training Package Release 5.0.

New unit.

Performance Evidence

To demonstrate competency, a candidate must meet the performance criteria of this unit by setting up, operating and maintaining powder-actuated power tools and attachments to:

- fix steel framing to a steel base
- fix steel framing to a concrete base
- fix timber to a steel base
- fix timber to a concrete base.

Knowledge Evidence

To be competent in this unit, a candidate must demonstrate knowledge of:

- compliance requirements of legislation and codes of practice relevant to setting up, operating and maintaining powder-actuated power tools
- workplace quality policies and standards relevant to setting up, operating and maintaining powder-actuated power tools
- safety requirements for setting up, operating and maintaining powder-actuated power tools
- types and uses of powder-actuated power tools
- powder-actuated power tools materials
- powder-actuated power tools charges and fasteners
- equipment safety manuals and instructions
- security and storage procedures for equipment and charges.

Assessment Conditions

Assessors must meet the requirements for assessors contained in the Standards for Registered Training Organisations.

This unit must be assessed in the workplace or a close simulation reflecting workplace conditions and standards, materials, equipment, activities, responsibilities, procedures, safety requirements and environmental considerations.

Links

Companion volumes to this training package are available at the VETNet website - <https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=7e15fa6a-68b8-4097-b099-030a5569b1ad>