



Australian Government

CPCCD03011 Perform dogging

Release: 2

CPCCDO3011 Perform dogging

Modification History

Release 2 Updated reference to general construction induction training program.

Release 1 This version first released with CPC Construction, Plumbing and Services Training Package Release 5.0.

Supersedes and is equivalent to CPCCDO3011A Perform dogging. Updated to meet the Standards for Training Packages 2012.

Application

This unit specifies the skills and knowledge required to undertake basic dogging work for the purpose of shifting loads mechanically both in sight and out of sight of the crane operator. The unit includes selecting sling types and sizes and maintaining the stability of the load.

It applies to workers using dogging tools and equipment, who would be expected to take responsibility for organising and completing work tasks with a high degree of self direction.

Completion of the general construction induction training program, specified in the Safe Work Australia model Code of Practice: Construction Work, is required by anyone carrying out construction work. Achievement of CPCWHS1001 Prepare to work safely in the construction industry meets this requirement.

Licensing, legislative, regulatory or certification requirements apply to this unit of competency in some states and territories. For further information, check with the relevant regulatory authority.

Pre-requisite Unit

CPCCWHS2001 Apply WHS requirements, policies and procedures in the construction industry

Unit Sector

Dogging

Elements and Performance Criteria

Elements describe the essential outcomes.

Performance criteria describe what needs to be done to demonstrate achievement of the element.

1 Plan and prepare to perform dogging.

1.1 Interpret work order and associated documentation and clarify requirements with relevant persons.

- 1.2 Plan all work to comply with relevant legislation, regulations, standards, codes, work health and safety, environmental and workplace requirements.
 - 1.3 Select tools and equipment required for work tasks, check for serviceability and rectify or report identified faults.
 - 1.4 Confirm task sequencing schedule with relevant persons to ensure coordination.
 - 1.5 Calculate load mass and confirm using load charts and standard calculations.
 - 1.6 Calculate loads in slings and equipment to suit task requirements.
- 2 Sling load.
 - 2.1 Erect required safety signage and barricades and select and fit personal protective equipment (PPE).
 - 2.2 Assemble lifting devices and erect for load movement.
 - 2.3 Sling load to lifting device ready for lifting, using appropriate load slinging method.
- 3 Shift load.
 - 3.1 Shift load to ensure stability, in compliance with safe work method statement (SWMS).
 - 3.2 Direct load to landing position using appropriate communications in accordance with relevant Australian Standards and workplace requirements.
 - 3.3 Land load in required position on packing or bearers.
- 4 Remove dogging equipment from load.
 - 4.1 Dismantle load shifting equipment and inspect for wear. Complete required logbook and site records in accordance with workplace requirements.
 - 4.2 Dismantle load shifting equipment and inspect for wear. Complete required logbook and site records in accordance with workplace requirements.

- | | | | |
|---|-----------|-----|--|
| 5 | Clean up. | 5.1 | Clear work area and dispose of, reuse or recycle materials in accordance with regulatory and workplace requirements. |
| | | 5.2 | Clean, check, maintain and store tools and equipment in accordance with manufacturer and workplace requirements. |

Foundation Skills

As well as the foundation skills explicit in the performance criteria of this unit, candidates require:

- communication skills to interpret non-verbal communication such as hand signals.

Unit Mapping Information

Supersedes and is equivalent to CPCCDO3011A Perform dogging.

Links

Companion volumes to this training package are available at the VETNet website -
<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=7e15fa6a-68b8-4097-b099-030a5569b1ad>