

Assessment Requirements for CPCCPB3010 Manually sand plaster work

Release: 1

Assessment Requirements for CPCCPB3010 Manually sand plaster work

Modification History

Release 1 This version first released with CPC Construction, Plumbing and Services Training Package Release 5.0.

Supersedes and equivalent to CPCCPB3010A Manually sand plaster work. Updated to meet the Standards for Training Packages 2012.

Performance Evidence

To demonstrate competency, a candidate must satisfy all of the elements, performance criteria and foundation skills of this unit by manually sanding plaster work, including a minimum:

- two vertical joints between standard-size plasterboard sheets
- two horizontal joints between standard-size plasterboard sheets
- two vertical corner joints between standard-size plasterboard sheets
- two internal corner joints between standard-size plasterboard wall sheets and ceiling sheets
- two external corner joints between standard-size plasterboard wall sheets and ceiling sheets
- a 300 mm x 300 mm niche.

All work must be performed to the standard required in the workplace and must comply with Commonwealth and state/territory laws and regulations, Australian Standards, work health and safety (WHS) and environmental requirements, manufacturers' specifications, and workplace requirements.

Knowledge Evidence

To be competent in this unit, a candidate must demonstrate knowledge of:

- · compliance requirements of Australian Standards for manually sanding plaster work
- · workplace quality policies and standards for manually sanding plaster work
- safety requirements for manually sanding plaster work, including personal protective equipment (PPE), job safety analyses, safe work method statements and safety data sheets
- reasons for use of P1 rating (protection against mechanically generated particles) or P2 rating (protection against mechanically and thermally generated particles) mask and protective clothing when sanding topcoats
- environmental requirements for manually sanding plaster work
- processes for checking that joints are dry and fully cured
- manufacturers' components and materials

Approved Page 2 of 3

- effects of glancing light on plasterboard joints when paint is applied
- types of tools and equipment for manually sanding plaster work.

Assessment Conditions

Assessors must meet the requirements for assessors contained in the Standards for Registered Training Organisations.

This unit must be assessed:

- in the workplace or a close simulation of the workplace environment, provided that simulated or project-based assessment techniques replicate construction workplace conditions, materials, activities, responsibilities and procedures
- using realistic tasks or simulated tasks, relevant specifications and work instructions, standard work practices, safety requirements and environmental constraints.

Links

Companion volumes to this training package are available at the VETNet website - https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=7e15fa6a-68b8-4097-b099-030a5569b1ad

Approved Page 3 of 3