



**Australian Government**

# **Assessment Requirements for CPCCSH3005 Apply and trim decorative additions to shopfittings and components**

**Release: 1**

# **Assessment Requirements for CPCCSH3005 Apply and trim decorative additions to shopfittings and components**

## **Modification History**

Release 1.

This version first released with CPC Construction, Plumbing and Services Training Package Version 2.

Revised unit of competency. Replaces superseded equivalent CPCCSH3005A Apply and trim decorative finishes.

## **Performance Evidence**

A person who demonstrates competency in this unit must satisfy all of the elements, performance criteria and foundation skills of this unit, and must apply and trim:

- decorative panelling to a section of wall that is at least two square metres in size
- frame or border to a section of a wall that is at least two square metres in size using one of the following:
  - extruded sections
  - mouldings
- one mirror with a frame or border that is at least 1200 mm x 600 mm.

In doing the above work, the person must:

- comply with health and safety requirements applicable to workplace operations
- apply organisational quality procedures and processes in the context of applying decorative additions
- select and use processes, tools and equipment to perform application tasks safely and efficiently
- accurately locate and set out materials required for placement of decorative additions
- adopt safe and effective handling procedures for movement and placement of materials and components
- identify typical faults and problems that occur and action required to rectify them
- communicate with others to ensure safe and effective workplace operations.

## **Knowledge Evidence**

A person demonstrating competency in this unit must demonstrate knowledge of:

- commonly used decorative and ornamental additions to shop components
- fixings and fasteners relevant to affixing decorative additions
- content of and terms and symbols used in drawings and specifications

- contents of and terms used in job safety analyses (JSA) and safe work method statements (SWMS) for tasks
- materials relevant to decorative additions and their characteristics
- organisation's quality assurance requirements relevant to decorative additions to shopfittings and components
- workplace and environment safety requirements relevant to decorative additions to shopfittings and components.

## Assessment Conditions

Suitable assessment of performance requires:

- equipment and tools:
  - as listed in the range of conditions
- materials:
  - decorative additions and finishes as listed in the range of conditions
  - fixing materials as listed in the range of conditions
- specifications:
  - as listed in job requirements in the range of conditions
- physical conditions:
  - shop building and fittings requirements for applying decorative additions
- relationship with client:
  - consultation with client is required
- relationships with team members and supervisor:
  - work may be completed as part of a team
- timeframe:
  - according to job requirements.

### Assessor requirements

As a minimum, assessors must satisfy the assessor requirements in the Standards for Registered Training Organisations (RTOs) current at the time of assessment.

## Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=7e15fa6a-68b8-4097-b099-030a5569b1ad>