



Australian Government

Department of Education, Employment and Workplace Relations

CPCCCM1006A Work safely at heights

Release: 1

CPCCCM1006A Work safely at heights

Modification History

Not applicable.

Unit Descriptor

This unit of competency specifies the outcomes required to work safely on construction sites where the work activity involves working above 1.5 metres from ground level and where fall protection measures are required.

This unit of competency specifies the outcomes required to work safely on construction sites where the work activity involves working above 1.5 metres from ground level and where fall protection measures are required.

Application of the Unit

Construction work is undertaken on domestic and commercial work sites within new construction, renovation or refurbishment, and maintenance.

Construction work is undertaken on domestic and commercial work sites within new construction, renovation or refurbishment, and maintenance.

Licensing/Regulatory Information

Not applicable.

Pre-Requisites

CPCCOHS2001A

Apply OHS requirements, policies and procedures in the construction industry

Employability Skills Information

This unit contains employability skills.

This unit contains employability skills.

Elements and Performance Criteria Pre-Content

Elements describe the essential outcomes of a unit of competency.

Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the required skills and knowledge section and the range statement. Assessment of performance is to be consistent with the evidence guide.

Elements describe the essential outcomes of a unit of competency.

Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the required skills and knowledge section and the range statement. Assessment of performance is to be consistent with the evidence guide.

Elements and Performance Criteria

Elements and Performance Criteria

Element	Performance Criteria
1 Identify work area requirements.	<p>1.1 Site of proposed work at heights is identified from relevant information .</p> <p>1.2 Method of accessing work area is identified.</p> <p>1.3 Tasks to be completed are identified from work orders and supervisor instructions.</p> <p>1.4 Fall protection equipment is identified if required by site job safety (OHS) analysis or statutory and regulatory requirements.</p> <p>1.5 Approved methods of moving tools and equipment to work area are identified to minimise potential of falling objects, removal of scaffold components, inappropriate carrying of materials on ladders, and excessive bending or twisting in pass-up situations.</p>
2 Access work area.	<p>2.1 Fall protection equipment where required is correctly fitted, adjusted and anchored.</p> <p>2.2 Arrangements are made to appropriately install required equipment taking account of all potential hazards .</p> <p>2.3 Appropriate methods are used to access work area for self, tools and equipment , and materials .</p> <p>2.4 Tools and materials are placed to eliminate or at least minimise the risk of items being knocked</p>

down.

- 3 Conduct work tasks.
 - 3.1 Work is conducted following workplace approved procedures.
 - 3.2 Fall protection equipment is kept in place and adjusted appropriately to cater for movement during work.
 - 3.3 Scaffold components and fall barriers are kept in place during work.
 - 3.4 Egress from work area is completed following work site supervisor approved methods for self, tools, materials and **environmental requirements**.

Required Skills and Knowledge

This section describes the skills and knowledge required for this unit.

Required skills

Required skills for this unit are:

communication skills to:

organisational skills, including the ability to plan and set out work

teamwork skills to work with others to action tasks and relate to people from a range of cultural and ethnic backgrounds and with varying physical and mental abilities

technological skills to:

enable clear and direct communication, using questioning to identify and confirm requirements, share information, listen and understand

use language and concepts appropriate to cultural differences

use and interpret non-verbal communication, such as hand signals

use a range of mobile technology, such as two-way radio and mobile phones

voice and hand signals to access and understand site-specific instructions.

Required knowledge

Required knowledge for this unit is:

construction terminology

job safety analysis (JSA) and safe work method statements

material safety data sheets (MSDS)

quality requirements

types, characteristics, uses and limitation of plant, tools and equipment

workplace and equipment safety requirements.

Evidence Guide

The evidence guide provides advice on assessment and must be read in conjunction with the performance criteria, required skills and knowledge, range statement and the Assessment Guidelines for the Training Package.

Overview of assessment

This unit of competency could be assessed in the workplace or a close simulation of the workplace environment, provided that simulated or project-based assessment techniques fully replicate construction workplace conditions, materials, activities, responsibilities and procedures.

Critical aspects for assessment and evidence required to demonstrate competency in this unit

A person who demonstrates competency in this unit must be able to provide evidence of the ability to:

locate, interpret and apply relevant information, standards and specifications

comply with site safety plan, OHS regulations and state and territory legislation applicable to workplace operations

safely and effectively use tools, plant and equipment

communicate and work effectively and safely with others

select and use appropriate height access and fall protection equipment and work methods, including inspecting fall protection equipment, scaffold and fall barriers for faults

apply knowledge of industry products to identify:

modify work activities to cater for variations in work site procedures, contexts and environment and use appropriate behaviour for safe work at heights

use safe handling requirements, based on information provided, for equipment, products and materials.

manual handling risks

types of lifting and support structures

Context of and specific resources for assessment	<p>approved for use</p> <p>This competency is to be assessed using standard and authorised work practices, safety requirements and environmental constraints.</p> <p>Assessment of essential underpinning knowledge will usually be conducted in an off-site context.</p> <p>Assessment is to comply with relevant regulatory or Australian standards' requirements.</p> <p>Resource implications for assessment include:</p> <ul style="list-style-type: none">an induction procedure and requirementrealistic tasks or simulated tasks covering the mandatory task requirementsrelevant specifications and work instructionstools and equipment appropriate to applying safe work practicessupport materials appropriate to activityworkplace instructions relating to safe work practices and addressing hazards and emergenciesmaterial safety data sheetsresearch resources, including industry related systems information. <p>Reasonable adjustments for people with disabilities must be made to assessment processes where required. This could include access to modified equipment and other physical resources, and the provision of appropriate assessment support.</p>
Method of assessment	<p>Assessment methods must:</p> <ul style="list-style-type: none">satisfy the endorsed Assessment Guidelines of the Construction, Plumbing and Services Integrated Framework Training Packageinclude direct observation of tasks in real or simulated work conditions, with questioning to confirm the ability to consistently identify and correctly interpret the essential

underpinning knowledge required for practical application

reinforce the integration of employability skills with workplace tasks and job roles

confirm that competency is verified and able to be transferred to other circumstances and environments.

Validity and sufficiency of evidence requires that:

competency will need to be demonstrated over a period of time reflecting the scope of the role and the practical requirements of the workplace

where the assessment is part of a structured learning experience the evidence collected must relate to a number of performances assessed at different points in time and separated by further learning and practice, with a decision on competency only taken at the point when the assessor has complete confidence in the person's demonstrated ability and applied knowledge

all assessment that is part of a structured learning experience must include a combination of direct, indirect and supplementary evidence.

Assessment processes and techniques should as far as is practical take into account the language, literacy and numeracy capacity of the candidate in relation to the competency being assessed.

Supplementary evidence of competency may be obtained from relevant authenticated documentation from third parties, such as existing supervisors, team leaders or specialist training staff.

Range Statement

RANGE STATEMENT

The range statement relates to the unit of competency as a whole. It allows for different work environments and situations that may affect performance. Bold italicised wording, if used in the performance criteria, is detailed below. Essential operating conditions that may be present with training and assessment (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) may also be included.

Work at heights includes:

assessment of conditions and hazards
determination of work requirements
identification of equipment defects
inspection of work sites.

Information includes:

diagrams or sketches
instructions issued by authorised organisational or external personnel
material safety data sheets (MSDS)
memos
signage
verbal or written and graphical instructions
work bulletins
work schedules, plans and specifications.

Safety (OHS) is to be in accordance with state or territory legislation and regulations, organisational safety policies and procedures, and project safety plan and may include:

emergency procedures, including extinguishing fires, organisational first aid requirements and evacuation
handling of materials
hazard control
hazardous materials and substances
safe operating procedures, including the conduct of operational risk assessment and treatments associated with:
organisational first aid
personal protective clothing and equipment prescribed under legislation, regulations and workplace policies and practices
relevant OHS legislation applying in the jurisdiction where work is carried out,

including:

use of tools and equipment

workplace environment and safety.

earth leakage boxes

lighting

power cables, including overhead service
trays, cables and conduits

restricted access barriers

surrounding structures

traffic control

trip hazards

work site visitors and the public

working in confined spaces

working in proximity to others

working with dangerous materials

AS6001 - 1999 Working platforms for
domestic application

AS1576 - Scaffolding

AS/NZS4576 - 1995 Guidelines for
scaffolding

Statutory and regulatory authorities
include:

federal, state and local authorities
administering applicable Acts, regulations
and codes of practice.

Hazards include:

air temperature

construction activity involving other workers
and contractors

dust and vapours

electrical equipment

energy sources

equipment and materials

hazardous materials

light

manual handling

moisture

noise

stationary and moving plant
work at heights.

Tools and equipment include:

air compressors and hoses
hand and power tools
nail guns
power leads
scaffolding.

Materials include:

materials used on the construction work site.

Environmental requirements include:

clean-up management
noise and dust
vibration
waste management.

Unit Sector(s)

Construction
Construction

Functional Area

empty
empt