

## CPPCCL2004A Use dry absorbent compound

Release: 1



#### CPPCCL2004A Use dry absorbent compound

#### **Modification History**

Revised unit

Unit updated and equivalent to PRMCC04A Use dry absorbent compound

#### **Unit Descriptor**

This unit of competency specifies the outcomes required to use the dry absorbent compound method to remove dirt and soil from carpet. The dry absorbent compound cleaning method can be applied to domestic or commercial carpets.

This unit requires the ability to assess the extent of the cleaning task through understanding client requirements and characteristics of the carpeted floor or fabric upholstery, and to apply company policies and procedures in order to perform the task. Selection of appropriate equipment, chemicals and methods is essential for performing the task safely and efficiently.

#### **Application of the Unit**

This unit of competency supports employees without managerial or supervisory responsibilities. The work may be performed in teams or individually. Performance would usually be carried out under routine supervision and within company guidelines.

#### **Licensing/Regulatory Information**

No licensing, legislative, regulatory or certification requirements apply to this unit at the time of endorsement.

#### **Pre-Requisites**

Not applicable.

#### **Employability Skills Information**

This unit contains employability skills.

Approved Page 2 of 16

#### **Elements and Performance Criteria Pre-Content**

Elements describe the essential outcomes of a unit of competency.

Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the required skills and knowledge section and the range statement. Assessment of performance is to be consistent with the evidence guide.

#### **Elements and Performance Criteria**

- 1 Assess area to be cleaned.
- 1.1 Area to be cleaned is assessed, *work order* is reviewed according to *company requirements*, and issues are clarified with *appropriate persons*.
- 1.2 *Hazards* and risks in work site are identified and controlled according to company, *legislative* and *occupational health and safety* (OHS) *requirements*.
- 1.3 Type, condition and colour-fastness of *carpet* are identified by observation and/or *testing* according to company requirements.
- 1.4 **Soil type** is identified by observation according to work order and company requirements.
- 1.5 *Cleaning techniques* for carpet are selected according to work order and company requirements.
- 1.6 Size and usage pattern of work site are determined to ensure safety of *personnel* and efficient use of *equipment* and *chemicals*.
- 1.7 Pre-existing damage is identified and reported to the appropriate persons according to company requirements.
- 2 Select equipment and chemicals.
- 2.1 **Personal protective equipment** (PPE) is selected and used according to **manufacturer specifications**, and OHS and company requirements.
- 2.2 Equipment and chemicals are selected for the work order according to OHS and company requirements.
- 2.3 Operational effectiveness of equipment is checked according to manufacturer specifications and company requirements.

Approved Page 3 of 16

- 2.4 Equipment is adjusted to suit operator's requirements according to manufacturer specifications and OHS requirements.
- 2.5 Chemicals are prepared according to manufacturer specifications, and OHS and company requirements.
- 3 Prepare work site.
- 3.1 Hazards in work site are confirmed, and risks are controlled and reassessed according to legislative, OHS and company requirements.
- 3.2 Furniture and fittings that impede cleaning operation are removed according to work order, and OHS and company requirements.
- 3.3 **Signage and barriers** are installed as required to maximise public safety during cleaning operation according to work order, and OHS and company requirements.
- 3.4 *Work restrictions* affecting completion of the work order are identified and appropriate persons are promptly notified.
- 4 Clean work site using dry absorbent compound cleaning method.
- 4.1 Soil is removed and carpet is cleaned using cleaning techniques, equipment, PPE and chemicals according to manufacturer specifications and legislative, OHS and company requirements.
- 4.2 Work is performed according to work order, manufacturer specifications and legislative, OHS and company requirements.
- 5 Tidy work site.
- 5.1 Collected soil and *waste* are disposed of according to client specifications, work order, manufacturer specifications and legislative, OHS and company *environmental requirements*.
- Furniture and fittings are replaced according to client requests, work order and OHS requirements.
- 5.3 Signage and barriers are removed according to work order, and OHS and company requirements.

Approved Page 4 of 16

- 6 Clean and safety check equipment, and store equipment and chemicals
- 6.1 Equipment and PPE are cleaned according to manufacturer specifications and environmental, OHS and company requirements.
- 6.2 Equipment and PPE are safety checked according to manufacturer specifications and OHS requirements, and required maintenance is recorded according to company requirements.
- 6.3 Equipment and PPE are stored and maintained to allow ready access according to manufacturer specifications, and OHS and company requirements.
- 6.4 Chemicals are stored according to manufacturer specifications, and OHS and company requirements.

Approved Page 5 of 16

#### Required Skills and Knowledge

This section describes the skills and knowledge required for this unit.

#### Required skills

- customer service skills to:
  - establish rapport with clients
  - gain clients' trust
- analytical skills to:
  - assess surface suitability for dry absorbent compound
  - classify fibres, soil and stains
  - select chemicals to suit surface type
  - select cleaning strategies
- interpersonal skills to relate to people from a range of backgrounds
- language, literacy and numeracy skills to:
  - communicate clearly and concisely verbally and in writing
  - explain carpet-cleaning processes and expected outcomes to clients
  - perform mathematical calculations required for diluting and mixing chemicals
  - read and interpret directions and safety instructions, including:
    - chemical labels
    - equipment manuals
    - material safety data sheets (MSDS)
  - request advice or further information
  - seek and receive feedback
  - source, organise and record information
- problem-solving skills to manage contingencies
- self-management skills to work alone and in a team
- skills to work safely when:
  - handling and disposing of chemicals
  - identifying hazards and controlling risks
  - manual handling
  - using extraction cleaning techniques

#### Required knowledge

- carpet or upholstery characteristics, including:
  - carpet construction
  - features of fibres
- cleaning options, including:

Approved Page 6 of 16

- dry absorbent compound method
- pre-spotting and stain-removal methods
- range of cleaning equipment and chemicals, including:
  - low environmental-impact chemicals
  - low-moisture
- water-efficient methods
- company management structure and procedures, including:
  - biological and viral control
  - emergency response and evacuation procedures
  - environmental protection procedures
  - injury, dangerous occurrence and incident reporting
  - OHS procedures
  - quality systems
- legislation, regulations, codes of practice and industry advisory standards that apply to carpet cleaning
- safe work practices for using:
  - chemicals
  - equipment, including PPE
- testing methods

Approved Page 7 of 16

#### **Evidence Guide**

The evidence guide provides advice on assessment and must be read in conjunction with the performance criteria, required skills and knowledge, range statement and the Assessment Guidelines for the Training Package.

Overview of assessment	This unit of competency could be assessed by observing a practical demonstration of dry absorbent compound on at least two different types of carpet.
Critical aspects for assessment and evidence required to demonstrate competency in this unit	A person who demonstrates competency in this unit must be able to provide evidence of the required skills and knowledge specified in this unit.  In particular the person should demonstrate the ability to:  identify type and characteristics of carpets  select cleaning equipment and chemicals  apply safe and efficient cleaning methods  achieve outcomes in relation to customer work order and company requirements  comply with company and legislative requirements.
Context of and specific resources for assessment	Assessment of essential underpinning knowledge may be conducted in an off-site context and must comply with relevant regulatory or Australian standards requirements.
	Resource implications for assessment include access to:  • suitable work site or venue with carpet  • equipment operating manuals and MSDS  • PPE  • suitable equipment and chemicals  • assessment instruments, including personal planner and assessment record book  • work order instructions, work plans and schedules.
Method of assessment	<ul> <li>Assessment methods must:</li> <li>satisfy the endorsed Assessment Guidelines of the Property Services Training Package</li> <li>include direct observation of tasks in real or simulated work conditions, with questioning to confirm the ability to consistently identify and correctly interpret the essential underpinning knowledge required for practical application</li> <li>reinforce the integration of employability skills with workplace tasks and job roles</li> <li>confirm that competency is verified and able to be transferred to other circumstances and environments.</li> </ul>
Guidance information for	Reasonable adjustments for people with disabilities must be made to

Approved Page 8 of 16

assessment	assessment processes where required. This could include access to modified equipment and other physical resources, and the provision of appropriate assessment support.
	Assessment processes and techniques should as far as is practical take into account the language, literacy and numeracy capacity of the candidate in relation to the competency being assessed.
	This unit could be assessed on its own or in combination with other units relevant to the job function, such as:
	CPPCCL2007A Perform basic stain removal.

•

#### **Range Statement**

The range statement relates to the unit of competency as a whole. It allows for different work environments and situations that may affect performance. Bold italicised wording, if used in the performance criteria, is detailed below. Essential operating conditions that may be present with training and assessment (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) may also be included.

Work order information may include:	access to work site, including:
	<ul> <li>access and egress points</li> </ul>
	<ul> <li>timing of access</li> </ul>
	budget allocations
	completion times and dates
	human resource requirements to complete the work tasks
	job requirements and tasks
	legislative and local government requirements, including environmental protection requirements
	OHS requirements and emergency response procedures
	• requirements for working in isolated and remote locations
	resource requirements, such as equipment and materials
	• specific client requirements, such as:
	<ul> <li>dress and presentation requirements</li> </ul>
	<ul> <li>relationships with other activities</li> </ul>
	use of signage and barriers
	work schedules
	work site contact persons.
Company requirements	business and performance plans
may include:	client communication procedures
	client confidentiality procedures
	client service standards
	communication channels and reporting procedures

Approved Page 9 of 16

	company goals, objectives, plans, systems and processes
	company issued identification badge, card or pass
	company policies and procedures, including:
	<ul> <li>access and equity policy, principles and practice</li> </ul>
	<ul> <li>OHS policies and procedures, including control procedures</li> </ul>
	<ul> <li>maintenance procedures for equipment and PPE</li> </ul>
	those relating to own role, responsibility and delegation
	work site access security clearance procedures
	company service standards
	dress and presentation requirements
	duty of care, code of conduct, and code of ethics
	emergency response and evacuation procedures
	employer and employee rights and responsibilities
	environmental protection requirements
	personnel practices and guidelines
	• quality and continuous improvement processes and standards
	records and information systems and processes
	• training materials (induction, refresher and new skills)
	• use of contractors.
Appropriate persons may	• clients
include:	• colleagues
merade.	• managers
	persons in control of work sites
	• supervisors.
Hazards may include:	allergic reactions to chemicals and equipment, including latex
	allergies
	biological and animal waste
	bites and stings
	blood and blood-stained products
	confined and restricted spaces
	contaminated clothing, materials and equipment
	damaged or inappropriate equipment  duet and films
	dust and fibres
	electrical hazards arising from:
	• cables
	electrical fittings:
	• switches
	• lights
	untested electrical equipment
	• fatigue
	• fire

Approved Page 10 of 16

- gas
- heights
- inadequate lighting and ventilation
- infectious and zoonotic diseases, such as:
  - O fever
  - scabies
- mobile equipment and vehicle hazards around plant and vehicles
- moving or unguarded machinery and parts
- noise
- occupational violence and bullying
- poor personal hygiene practices
- spill, splash and spray
- release of substances with negative environmental impact
- synergistic chemical reactions, such as:
  - hazardous incompatibility
  - reactivity
- syringes or other sharps
- ultraviolet light
- unsafe manual-handling techniques, including awkward and repetitive postures
- unsafe underfoot conditions, such as slippery, uneven and rough surfaces
- unrestricted people access
- waste and waste disposal
- work in extremes of temperature
- work in unfamiliar, isolated or remote environments.

### Legislative requirements may include:

- Australian standards, quality assurance and certification requirements
- award and enterprise agreements
- industry advisory standards and codes, such as:
  - building codes
  - dangerous goods codes
- relevant commonwealth, state and territory legislation and local government regulations that affect company operation, including:
  - anti-discrimination and diversity policies
  - chemical controls
  - chemical registers and manifests
  - consumer protection
  - · energy conservation
  - environmental protection

Approved Page 11 of 16

- equal employment opportunity
- freedom of information
- industrial equipment certificates of competency or licences
- industrial relations
- OHS Acts and regulations
- privacy
- · public health
- trade practices
- water conservation
- workplace consultative arrangements.

# Occupational health and safety (also known as workplace health and safety) requirements may relate to:

- allergic reactions, such as contact dermatitis
- communication devices for remote and isolated locations, such as:
  - mobile phone
  - two-way radio
- dermatoxicological control and prevention measures
- emergency procedures for eye and skin contact, inhalation and ingestion of toxic substances
- hazard identification and risk assessment mechanisms
- health surveillance and monitoring, such as regular blood testing
- hierarchy of hazard control procedures
- injury and dangerous occurrence reporting
- maintaining clear access ways
- national and industry standards and codes of practice
- OHS control procedures, such as:
  - health and safety plans
  - job plans
  - job safety analyses
  - risk assessments
  - safe operating practices and procedures
  - safe system of work statements
  - safe work instructions
  - work method statements
- chemical routes of entry
- potential symptoms of exposure to chemicals
- safe work practices for equipment, PPE and chemical storage, including interpretation of:
  - MSDS
  - hazardous substance information, such as long latency periods
- safety training, induction and refresher training

Approved Page 12 of 16

	selection and use of PPE and clothing appropriate to the hazard
	ultraviolet light
	• up-to-date electrical test and tag compliance
	use of chemicals according to MSDS
	use of residual current devices
	use, storage and maintenance of equipment according to manufacturer specifications and equipment operating manuals.
Carpet may include	mixed blends
carpet, mats and rugs	• natural fibres, such as:
made from:	<ul> <li>organic (plant) fibres, such as cotton and sisal</li> </ul>
	• silk
	• wool
	• synthetic fibres, such as:
	• acrylic
	• nylon
	• polyester
	<ul><li>polyester</li><li>polypropylene.</li></ul>
<b>Testing</b> may include:	• burn test
	• chemical test
	sink and float test.
Soil types may be wet or	• beverages
dry and include:	• candle wax
	chewing gum
	• cigarette butts
	• dust
	• dye stuffs
	• food
	• grease
	heavy dirt build-up
	hospital waste
	hydrocarbons     industrial and alternate
	industrial and chemical waste  linguisle.
	• lipstick
	<ul><li>nail polish</li><li>oil</li></ul>
	• paper
	<ul><li>plant stains</li><li>rainwater</li></ul>
	• shoe polish
	• tar.
Cleaning techniques may	• agitation

Approved Page 13 of 16

include:	•	assisted drying
	•	dwell time
	•	grooming
	•	neutralisation
	•	pre-treatment chemical application
	•	removal by absorption
	•	vacuuming to prepare work site.
Personnel may include:	•	client's staff members
-	•	colleagues
	•	general public
	•	venue, facility, or shopping centre staff and/or management.
<b>Equipment</b> may include:	•	carpet-cleaning bonnets and hand bonnets
	•	carpet-drying equipment, such as:
		• air movers
		<ul> <li>drying bonnets</li> </ul>
	•	carpet groomers
	•	carpet spot-cleaning kits
	•	cloths, such as towelling
	•	extraction units, such as:
		<ul> <li>self-contained</li> </ul>
		<ul> <li>vehicle-mounted</li> </ul>
		garbage bins
		measuring equipment, such as jugs and cups
		plastic coasters or polystyrene blocks
		respirators
		rotary or cylindrical scrubbing machines
		safety signage
		scrapers and spatulas
	•	selected tools and hand tools
	•	sponges
	•	spray equipment (pressurised or unpressurised)
		steam irons
	•	trigger sprayers
	•	vacuum cleaners, such as:
		• upright
		<ul> <li>vehicle-mounted</li> </ul>
		waste recovery tank.
Chamiant		acid cleaners
Chemicals may include:		alkaline cleaners
		low environmental-impact chemicals
		neutral cleaners
		nound Clouners

Approved Page 14 of 16

	solvent cleaners.
Dang on all amoto office	ear muffs and plugs
Personal protective equipment may include:	• gloves, such as non-permeable
equipment may metade.	high-visibility vests and clothing
	overalls and other protective clothing
	• respirators
	safety glasses or goggles
	• safety shoes
	splash-proof face masks
	• sun protection
	• tongs
	ultraviolet protection
	wet-work clothing.
Manufacturer	equipment operating manuals
specifications may	instructional guides
include:	• MSDS
	other resources supplied by the manufacturer, such as:
	laminated cards
	<ul> <li>notices</li> </ul>
	wall posters
	• product labels
	• safety instructions pre-printed on equipment.
Signage and barriers may	physical barriers and restraints restricting access to a site
include:	• signs complying with legislative requirements and Australian
	standards, warning of danger or adverse conditions, including:
	<ul> <li>cleaning in progress</li> </ul>
	<ul> <li>hazardous chemicals in use or present in work area.</li> </ul>
Work restrictions may	amount of cleaning anticipated
include:	• client activity
	employee level of literacy and communication skills
	faulty or inappropriate equipment
	site accessibility
	site hazards
	skills of work unit or team
	staffing resources
	time limitations.
Waste may be either solid	chemicals past expiry date
or liquid and include:	• litter
_	machine or vehicle exhaust emissions
	obsolete equipment
	• packaging

Approved Page 15 of 16

	• soil
	• used containers
	used or contaminated PPE
	used or unused chemicals.
Environmental	clean-up, containment and isolation
requirements may	<ul> <li>company policies and guidelines</li> </ul>
include:	<ul> <li>emergency chemical spill control measures</li> </ul>
	<ul> <li>environmental protection agency and requirements of government departments, such as:</li> </ul>
	agriculture
	emergency services
	<ul> <li>national parks and wildlife</li> </ul>
	hazardous materials handling
	<ul> <li>local government regulations and by-laws</li> </ul>
	low-energy carpet-cleaning methods
	low environmental-impact chemicals
	low-moisture cleaning methods
	<ul> <li>low water-use equipment and other water-efficient cleaning methods</li> </ul>
	<ul> <li>non-chemical carpet-cleaning methods.</li> </ul>

#### **Unit Sector(s)**

Carpet cleaning

#### **Custom Content Section**

Not applicable.

Approved Page 16 of 16