

CPPCCL3012A Perform carpet colour repair and restoration

Release: 1



CPPCCL3012A Perform carpet colour repair and restoration

Modification History

Revised unit

Unit updated and equivalent to PRMCC12A Perform carpet colour repair and restoration

Unit Descriptor

This unit of competency specifies the outcomes required to clean and neutralise colour-damaged carpet and restore colour to appropriate areas of damage.

The unit requires the ability to assess the extent of the task through understanding client requirements and the characteristics of the carpet, and to apply company policies and procedures in order to perform the task.

Performing colour repair and restoration may occur as a single task, although more likely in conjunction with other cleaning methods such as vacuuming, extraction, patrolling and general cleaning. The selection of appropriate equipment, chemicals and methods is essential for performing the task safely and efficiently.

Application of the Unit

This unit of competency supports employees without managerial or supervisory responsibilities. Performance would usually be carried out under routine supervision and within company guidelines.

Licensing/Regulatory Information

No licensing, legislative, regulatory or certification requirements apply to this unit at the time of endorsement.

Pre-Requisites

Not applicable.

Employability Skills Information

This unit contains employability skills..

Approved Page 2 of 15

Elements and Performance Criteria Pre-Content

Elements describe the essential outcomes of a unit of competency.

Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the required skills and knowledge section and the range statement. Assessment of performance is to be consistent with the evidence guide.

Elements and Performance Criteria

- 1 Assess area to be cleaned.
- 1.1 Area to be treated is assessed, *work order* is reviewed according to *company requirements*, and issues are clarified with *appropriate persons*.
- 1.2 *Hazards* and risks in work site are identified and controlled according to company, *legislative* and *occupational health and safety* (OHS) *requirements*.
- 1.3 Type, condition and colour-fastness of *carpet* are identified by observation and/or *testing* according to work order and company requirements.
- 1.4 **Agent** causing colour damage is identified by observation and testing according to work order and company requirements.
- 1.5 Size and usage pattern of work site are determined to ensure safety of *personnel* and efficient use of *equipment* and *chemicals*.
- 1.6 Extent of damage is identified and reported to appropriate persons according to company requirements.
- 2 Select equipment and chemicals.
- 2.1 **Personal protective equipment** (PPE) is selected and used according to **manufacturer specifications**, and OHS and company requirements.
- 2.2 Equipment and chemicals are selected for work order according to OHS and company requirements.
- 2.3 Operational effectiveness of equipment is checked according to manufacturer specifications and company requirements.

Approved Page 3 of 15

- 2.4 Equipment is adjusted to suit operator's requirements according to manufacturer specifications and OHS requirements.
- 2.5 Chemicals are prepared according to manufacturer specifications, and OHS and company requirements.
- 3 Prepare work site. 3.1 Hazards in the work site are confirmed and risks controlled and reassessed according to legislative, OHS

and company requirements.

- 3.2 Furniture and fittings that impede cleaning operation are removed according to work order, and OHS and company requirements.
- 3.3 **Signage and barriers** are installed as required to maximise public safety during cleaning operation according to work order, and OHS and company requirements.
- 3.4 *Work restrictions* affecting completion of work order are identified and appropriate persons are promptly notified.
- 4 Treat work site. 4.1 Carpet is cleaned using equipment, *neutralisation method* and PPE according to manufacturer

method and PPE according to manufacturer specifications and legislative, OHS and company requirements.

- 4.2 Treated area is compared with surrounding surface to determine need for further action according to work order and company requirements.
- 4.3 Spot dye baths are prepared and applied according to manufacturer specifications and company requirements.
- 4.4 Results are reported to appropriate persons according to company requirements.
- 4.5 Work is performed according to work order, manufacturer specifications and legislative, OHS and company requirements.

Approved Page 4 of 15

- 5 Tidy work site.
- 5.1 Collected *waste* is disposed of according to client specifications, work order, manufacturer specifications and company, legislative, OHS and *environmental requirements*.
- Furniture and fittings are replaced according to client requests, work order and OHS requirements.
- 5.3 Signage and barriers are removed according to work order, and OHS and company requirements.
- 6 Clean and safety check equipment, and store equipment and chemicals.
- 6.1 Equipment and PPE are cleaned according to manufacturer specifications and environmental, OHS and company requirements.
- 6.2 Equipment and PPE are safety checked according to manufacturer specifications and OHS requirements, and required maintenance is recorded according to company requirements.
- 6.3 Equipment and PPE are stored and maintained to allow ready access according to manufacturer specifications, and OHS and company requirements.
- 6.4 Chemicals are stored according to manufacturer specifications, and OHS and company requirements.

Approved Page 5 of 15

Required Skills and Knowledge

This section describes the skills and knowledge required for this unit.

Required skills

- correct work skills to:
 - use extraction cleaning techniques
 - use spot cleaning techniques
- customer service skills to:
 - establish rapport with clients
 - gain clients' trust
- analytical skills to:
 - identify fibres and carpet type
 - select chemicals for colour repair and restoration
- interpersonal skills to relate to people from a range of backgrounds
- language, literacy and numeracy skills to:
 - communicate clearly and concisely verbally and in writing
 - explain carpet repair processes and expected outcomes to clients
 - perform mathematical calculations required for:
 - calculating areas
 - diluting and mixing chemicals
 - read and interpret directions and safety instructions, including:
- chemical labels
- equipment manuals
- material safety data sheets (MSDS)
 - request advice or further information
 - seek and receive feedback
 - source, organise and record information
- self-management skills to work alone and in a team
- skills to work safely when:
 - · handling and disposing of chemicals and safely
 - identifying hazards and controlling risks
 - manual handling

Required knowledge

- characteristics of:
 - carpet types
 - fibres

Approved Page 6 of 15

- colour theory and range of dyes
- company management structure and procedures, including:
 - emergency response and evacuation procedures
 - environmental protection procedures
 - injury and dangerous occurrence reporting
 - OHS procedures
 - quality systems
 - standard precautions for biological hazards
- legislation, regulations, codes of practice and industry advisory standards that apply to carpet colour repair and reinstallation
- safe work practices for using:
 - chemicals
 - neutralising equipment
 - PPE

•

Evidence Guide

The evidence guide provides advice on assessment and must be read in conjunction with the performance criteria, required skills and knowledge, range statement and the Assessment Guidelines for the Training Package.

| Overview of assessment | This unit of competency could be assessed by observing practical demonstration of carpet colour repair and restoration on at least two different types of carpet. |
|--|---|
| Critical aspects for assessment and evidence required to demonstrate competency in this unit | A person who demonstrates competency in this unit must be able to provide evidence of the required skills and knowledge specified in this unit. In particular the person should demonstrate the ability to: identify type and characteristics of carpet classify type of colour damage comply with company and legislative requirements achieve outcomes in relation to customer work order and company requirements apply safe and efficient treatment methods select appropriate cleaning equipment and chemicals. |
| Context of and specific resources for assessment | Assessment of essential underpinning knowledge may be conducted in an off-site context and must comply with relevant regulatory or Australian standards' requirements. Resource implications for assessment include access to: |

Approved Page 7 of 15

| | , |
|-------------------------------------|---|
| | suitable work site or venue with carpet equipment operating manuals and MSDS PPE suitable equipment and chemicals assessment instruments, including personal planner and assessment record book work order instructions, work plans, schedules and policy documents. |
| Method of assessment | Assessment methods must: satisfy the endorsed Assessment Guidelines of the Property Services Training Package include direct observation of tasks in real or simulated work conditions, with questioning to confirm the ability to consistently identify and correctly interpret the essential underpinning knowledge required for practical application reinforce the integration of employability skills with workplace tasks and job roles confirm that competency is verified and able to be transferred to other circumstances and environments. |
| Guidance information for assessment | Reasonable adjustments for people with disabilities must be made to assessment processes where required. This could include access to modified equipment and other physical resources, and the provision of appropriate assessment support. Assessment processes and techniques should as far as is practical take into account the language, literacy and numeracy capacity of the candidate in relation to the competency being assessed. This unit could be assessed on its own or in combination with other units relevant to the job function, such as: CPPCCL3011A Perform carpet repair and reinstallation CPPCCL3015A Perform advanced stain removal. |

Approved Page 8 of 15

Range Statement

The range statement relates to the unit of competency as a whole. It allows for different work environments and situations that may affect performance. Bold italicised wording, if used in the performance criteria, is detailed below. Essential operating conditions that may be present with training and assessment (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) may also be included.

| Work order information | access to work site, including: |
|------------------------|---|
| may include: | access and egress points |
| | timing of access |
| | budget allocations |
| | completion times and dates |
| | human resource requirements to complete the work tasks |
| | job requirements and tasks |
| | legislative and local government requirements |
| | OHS requirements and emergency response procedures |
| | requirements for working in isolated and remote locations |
| | resource requirements, such as equipment and materials |
| | specific client requirements such as: |
| | dress and presentation requirements |
| | relationships with other activities |
| | use of signage and barriers |
| | work schedules |
| | work site contact persons. |
| Company requirements | business and performance plans |
| may include: | client communication procedures |
| · | client confidentiality procedures |
| | client service standards |
| | communication channels and reporting procedures |
| | company goals, objectives, plans, systems and processes |
| | company issued identification badge, card or pass |
| | company policies and procedures, including: |
| | access and equity policy, principles and practice |
| | OHS policies and procedures, including control procedures |
| | maintenance procedures for equipment and PPE |
| | those relating to own role, responsibility and delegation |
| | work site access security clearance procedures |
| | company service standards |
| | dress and presentation requirements |
| | 1 |

Approved Page 9 of 15

duty of care, code of conduct, and code of ethics emergency response and evacuation procedures

| | employer and employee rights and responsibilities |
|-------------------------|---|
| | environmental protection requirements |
| | personnel practices and guidelines |
| | • quality and continuous improvement processes and standards |
| | records and information systems and processes |
| | • training materials (induction, refresher and new skills) |
| | • use of contractors. |
| Appropriate persons may | • clients |
| include: | • colleagues |
| | • managers |
| | persons in control of work sites |
| | • supervisors. |
| Hazards may include: | allergic reactions to chemicals and equipment, including latex allergies |
| | biological and animal waste |
| | bites and stings |
| | blood and blood-stained products |
| | confined and restricted spaces |
| | contaminated clothing, materials and equipment |
| | damaged or inappropriate equipment |
| | dust and fibres |
| | electrical hazards arising from: |
| | • cables |
| | electrical fittings: |
| | • switches |
| | • lights |
| | untested electrical equipment |
| | • fatigue |
| | • fire |
| | • gas |
| | • heights |
| | inadequate lighting and ventilation |
| | • infectious and zoonotic diseases, such as: |
| | • Q fever |
| | • scabies |
| | |
| | mobile equipment and vehicle hazards around plant and vehicles moving or unquarded machinery and parts. |
| | moving or unguarded machinery and partsnoise |
| | a connection of sciologica and builting |
| | |
| | poor personal hygiene practices prill colors and array. |
| | spill, splash and spray |

Approved Page 10 of 15

release of substances with negative environmental impact synergistic chemical reactions, such as: hazardous incompatibility reactivity syringes or other sharps ultraviolet light unsafe manual-handling techniques, including awkward and repetitive postures unsafe underfoot conditions, such as slippery, uneven and rough surfaces unrestricted people access waste and waste disposal work in extremes of temperature work in unfamiliar, isolated or remote environments. Australian standards, quality assurance and certification Legislative requirements requirements may include: award and enterprise agreements industry advisory standards and codes, such as: building codes dangerous goods codes relevant commonwealth, state and territory legislation and local government regulations that affect company operation, including: anti-discrimination and diversity policies chemical controls chemical registers and manifests consumer protection energy conservation environmental protection equal employment opportunity freedom of information industrial equipment certificates of competency or licences industrial relations OHS Acts and regulations privacy public health trade practices water conservation workplace consultative arrangements. allergic reactions, such as contact dermatitis Occupational health and communication devices for remote and isolated locations, such

Page 11 of 15 Approved

safety (also known as

workplace health and as: safety) *requirements* may mobile phone relate to: two-way radio dermatoxicological control and prevention measures emergency procedures for eye and skin contact, inhalation and ingestion of toxic substances hazard identification and risk assessment mechanisms health surveillance and monitoring, such as regular blood testing hierarchy of hazard control procedures injury and dangerous occurrence reporting maintaining clear access ways national and industry standards and codes of practice OHS control procedures such as: health and safety plans job plans job safety analysis risk assessments safe operating practices and procedures safe system of work statements safe work instructions work method statements chemical routes of entry potential symptoms of exposure to chemicals safe work practices for equipment, PPE and chemical storage, including interpretation of: **MSDS** hazardous substance information, such as long latency periods safety training, induction and refresher training selection and use of PPE and clothing appropriate to the hazard ultraviolet light up-to-date electrical test and tag compliance use of chemicals according to MSDS use of residual current devices use, storage and maintenance of equipment according to manufacturer specifications and equipment operating manuals. mixed blends Carpet may include natural fibres, such as: carpet, mats and rugs made from: organic (plant) fibres, such as cotton and sisal silk wool

Approved Page 12 of 15

| | • synthetic fibres, such as: |
|------------------------|--|
| | • acrylic |
| | • nylon |
| | • polyester |
| | polypropylene. |
| Testing may include: | • burn test |
| | chemical test |
| | sink and float test. |
| Agents causing colour | airborne pollutants |
| damage may include: | • bleaches |
| | dye strippers and/or reducing agents |
| | • fluorocarbons |
| | • hydrocarbons |
| | • oxidising agents |
| | • pesticides |
| | pharmaceutical preparations |
| | • ultraviolet light from sunlight and artificial light. |
| Personnel may include: | client's staff members |
| a orsonner may menuc. | • colleagues |
| | general public |
| | • venue, facility, or shopping centre staff and/or management. |
| Equipment may include: | carpet rakes |
| | chemical hand spray units |
| | • cloths |
| | • extraction units, such as: |
| | self-contained |
| | vehicle-mounted |
| | eye droppers |
| | hair dryers |
| | nylon bristle brushes |
| | • sponges |
| | steam generators |
| | steam irons. |
| Chemicals may include: | acid cleaners |
| Chemicals may merade. | alkaline cleaners |
| | • dyes |
| | low environmental-impact chemicals |
| | neutralisation chemicals |
| | reducing agents. |
| Dangonal protective | ear muffs and plugs |
| Personal protective | r |

Approved Page 13 of 15

| a mariness and | alarias arah as non na marini -1.1. |
|-----------------------------------|--|
| equipment may include: | • gloves, such as non-permeable |
| | high-visibility vests and clothing |
| | overalls and other protective clothing |
| | • respirators |
| | safety glasses or goggles |
| | safety shoes |
| | splash-proof face masks |
| | • sun protection |
| | • tongs |
| | ultraviolet protection |
| | wet-work clothing. |
| Manufacturer | equipment operating manuals |
| specifications may | instructional guides |
| include: | • MSDS |
| | other resources supplied by the manufacturer, such as: |
| | laminated cards |
| | • notices |
| | wall posters |
| | • product labels |
| | safety instructions pre-printed on equipment. |
| C: 11 · | physical barriers and restraints erected restricting access to a site |
| Signage and barriers may include: | signs complying with legislative requirements and Australian |
| iliciude. | standards, warning of danger or adverse conditions, including: |
| | cleaning in progress |
| | hazardous chemicals in use or present in work area. |
| | • |
| Work restrictions may | amount of cleaning anticipated client activity |
| include: | client activity mulayed level of literacy and communication skills |
| | employee level of literacy and communication skills foulty or incomment against a gaving and |
| | • faulty or inappropriate equipment |
| | • site accessibility |
| | • site hazards |
| | • skills of the work unit or team |
| | • staffing resources |
| | time limitations. |
| Neutralisation methods | chemical application followed by extraction |
| may include: | chemical application followed by heat transfer. |
| Waste may be either solid | chemicals past expiry date |
| or liquid and include: | • litter |
| 1 | machine or vehicle exhaust emissions |
| | obsolete equipment |
| | 7 T T |

Approved Page 14 of 15

| | • packaging |
|------------------|--|
| | • soil |
| | used containers |
| | used or contaminated PPE |
| | used or unused chemicals. |
| Environmental | clean-up, containment and isolation |
| requirements may | company policies and guidelines |
| include: | emergency chemical spill control measures |
| | environmental protection agency and requirements of |
| | government departments, such as: |
| | • agriculture |
| | emergency services |
| | national parks and wildlife |
| | hazardous materials handling |
| | local government regulations and by-laws |
| | low-energy carpet-cleaning methods |
| | low environmental-impact chemicals |
| | low-moisture cleaning methods |
| | low water-use equipment and other water-efficient cleaning methods |
| | non-chemical carpet-cleaning methods. |

Unit Sector(s)

Carpet cleaning

Custom Content Section

Not applicable.

Approved Page 15 of 15