

CPPCLO3002A Restore hard floor surfaces

Release: 1



CPPCLO3002A Restore hard floor surfaces

Modification History

Revised unit

Unit updated and equivalent to PRMCLO2B Restore a hard floor surface

Unit Descriptor

This unit of competency specifies the outcomes required to restore hard floor surfaces. The unit applies to both manual and mechanical methods of hard floor surface restoration. It requires the ability to assess the extent of the restoration task through understanding client requirements and applying company policies and procedures. Selecting the appropriate equipment, chemicals and methods is essential to performing the task safely and efficiently.

Application of the Unit

This unit of competency supports employees without managerial or supervisory responsibilities. Performance would usually be carried out under routine supervision and within company guidelines.

Licensing/Regulatory Information

No licensing, legislative, regulatory or certification requirements apply to this unit at the time of endorsement.

Pre-Requisites

Not applicable.

Employability Skills Information

This unit contains employability skills.

Approved Page 2 of 17

Elements and Performance Criteria Pre-Content

Elements describe the essential outcomes of a unit of competency.

Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the required skills and knowledge section and the range statement. Assessment of performance is to be consistent with the evidence guide.

Elements and Performance Criteria

- 1 Assess area to be cleaned.
- 1.1 Area to be cleaned is assessed, *work order* is reviewed according to *company requirements*, and issues are clarified with *appropriate persons*.
- 1.2 *Hazards* in work area are identified and associated risks assessed according to company, *legislative*, and *occupational health and safety* (OHS) *requirements*.
- 1.3 Surface type of *hard floor* is identified by observation according to work order and company requirements.
- 1.4 **Surface texture** is identified by observation according to work order and company requirements.
- 1.5 *Embedded soil* is identified by observation according to company requirements.
- 1.6 Size and usage pattern of work site are determined to ensure safety of *personnel* and efficient use of *equipment* and *chemicals*.
- 1.7 **Restoration cleaning techniques** for surface of hard floor are selected according to work order and company requirements.
- 1.8 Pre-existing damage is identified and reported to appropriate persons according to company requirements.
- 2 Select equipment and chemicals.
- 2.1 Suitable *personal protective equipment* (PPE) is selected and used according to *manufacturer specifications*, and OHS and company requirements.
- 2.2 Equipment and chemicals are selected for work order according to OHS and company requirements.

Approved Page 3 of 17

- 2.3 Operational effectiveness of equipment is checked according to manufacturer specifications and company requirements.
- 2.4 Equipment is adjusted to suit operator's requirements according to manufacturer specifications and OHS requirements.
- 2.5 Chemicals are prepared according to manufacturer specifications, and OHS and company requirements.
- 3 Prepare work site. 3.1
- .1 Hazards in work site are confirmed and risks are controlled and reassessed according to legislative, OHS and company requirements.
 - 3.2 Furniture and fittings that impede cleaning operation are removed according to work order, and OHS and company requirements.
 - 3.3 **Signage and barriers** are installed as required during cleaning operation according to work order, and OHS and company requirements.
 - 3.4 *Work restrictions* affecting the completion of work order are identified and appropriate persons are promptly notified.
- 4 Restore hard floor 4.1 surface.
- Hard floor surface is restored using equipment, PPE, chemicals and restoration cleaning techniques according to work order, manufacturer specifications, and OHS and company requirements.
- 5 Tidy work site.
- 5.1 Collected soil and *waste* are disposed of according to client specifications, work order, manufacturer specifications and legislative, OHS, company and *environmental requirements*.
- Furniture and fittings are replaced according to client requests, work order and OHS requirements.
- 5.3 Signage and barriers are removed according to work order, and OHS and company requirements.

Approved Page 4 of 17

- 6 Clean and safety check equipment, and store equipment and chemicals.
- 6.1 Equipment and PPE are cleaned according to manufacturer specifications and environmental, OHS and company requirements.
- 6.2 Equipment and PPE are safety checked according to manufacturer specifications and OHS requirements, and required maintenance is recorded according to company requirements.
- 6.3 Equipment and PPE are stored and maintained to allow ready access according to manufacturer specifications, and OHS and company requirements.
- 6.4 Chemicals are stored according to manufacturer specifications, and OHS and company requirements.

Approved Page 5 of 17

Required Skills and Knowledge

This section describes the skills and knowledge required for this unit.

Required skills

- correct working skills for:
 - applying sealer finish
 - buffing and spray buffing
 - machine scrubbing or scrubbing with deck scrubber
 - mopping
- customer service skills to:
 - establish rapport with clients
 - gain clients' trust
 - identify client expectations
- interpersonal skills to relate to people from a range of backgrounds
- language, literacy and numeracy skills to:
 - communicate clearly and concisely verbally and in writing
 - perform mathematical calculations required for:
 - diluting and mixing chemicals as specified on product labels
 - measuring area
 - read and interpret directions and safety instructions, including:
 - · chemical labels
 - equipment manuals
 - material safety data sheets (MSDS)
 - request advice or further information
 - seek and receive feedback
 - source, organise and record information
- planning and organising skills to:
 - manage time
 - sequence tasks
- problem-solving skills to manage contingencies
- skills to work safely when:
 - handling and disposing of chemicals
 - handling and disposing of contaminated and toxic waste
 - · identifying hazards and controlling risks
 - manual handling
- self-management skills to work alone and in a team

Approved Page 6 of 17

Required knowledge

- cleaning chemicals and equipment and their applications for hard floor surfaces
- company management structure and procedures, including:
 - biological and viral control
 - emergency response and evacuation procedures
 - environmental protection procedures
 - · injury, dangerous occurrence and incident reporting
 - OHS procedures
 - · quality systems
- legislation, regulations, codes of practice and industry advisory standards that apply to restoring hard floor surfaces, including OHS legislation
- routes of entry and potential symptoms of exposure to chemicals
- safe work practices for using chemicals and equipment, including PPE
- types of hard floor surfaces, including:
 - characteristic of surfaces
 - restoration methods, such as applying surface finishes

Approved Page 7 of 17

Evidence Guide

The evidence guide provides advice on assessment and must be read in conjunction with the performance criteria, required skills and knowledge, range statement and the Assessment Guidelines for the Training Package.

Overview of assessment	This unit of competency could be assessed by observing practical demonstrations of restoring hard floor surfaces involving at least two different surfaces and two different work site environments.
Critical aspects for assessment and evidence required to demonstrate competency in this unit	A person who demonstrates competency in this unit must be able to provide evidence of the required skills and knowledge specified in this unit. In particular the person should demonstrate the ability to: identify type and condition of hard floor surface and soil type use safe and efficient restoration methods select cleaning equipment comply with company, legislative and regulatory requirements achieve outcomes in relation to customer work order and company requirements.
Context of and specific resources for assessment	Assessment of essential underpinning knowledge may be conducted in an off-site context. It is to comply with relevant regulatory or Australian standards' requirements.
	Resource implications for assessment include access to: • suitable work site or venue • suitable equipment and chemicals • PPE • equipment operating manuals and MSDS • work order instructions, work plans and schedules • assessment instruments, including personal planner and assessment record book.
Method of assessment	 Assessment methods must: satisfy the endorsed Assessment Guidelines of the Property Services Training Package include direct observation of tasks in real or simulated work conditions, with questioning to confirm the ability to consistently identify and correctly interpret the essential underpinning knowledge required for practical application reinforce the integration of employability skills with workplace tasks and job roles confirm that competency is verified and able to be transferred to other circumstances and environments.
Guidance information for	Reasonable adjustments for people with disabilities must be made to

Approved Page 8 of 17

assessment assessment processes where required. This could include access to modified equipment and other physical resources, and the provision of appropriate assessment support. Assessment processes and techniques should as far as is practical take into account the language, literacy and numeracy capacity of

the candidate in relation to the competency being assessed.

This unit could be assessed on its own or in combination with other units relevant to the job function, such as:

• CPPCLO2001A Maintain hard floor surfaces.

Approved Page 9 of 17

Range Statement

The range statement relates to the unit of competency as a whole. It allows for different work environments and situations that may affect performance. Bold italicised wording, if used in the performance criteria, is detailed below. Essential operating conditions that may be present with training and assessment (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) may also be included.

access to work site, including: Work order information access and egress points may include: timing of access budget allocations completion times and dates human resource requirements to complete the work tasks job requirements and tasks legislative and local government requirements OHS requirements and emergency response procedures requirements for working in isolated and remote locations resource requirements, such as equipment and materials specific client requirements, such as: dress and presentation requirements relationships with other activities use of signage and barriers work schedules work site contact persons work site requirements for specific industries, such as: hospitals and medical centres nursing homes retail food courts schools tourism and hospitality. business and performance plans Company requirements client communication procedures may include: client confidentiality procedures client service standards communication channels and reporting procedures company goals, objectives, plans, systems and processes company issued identification badges, cards or passes company policies and procedures, including: access and equity policy, principles and practice

Approved Page 10 of 17

OHS policies and procedures, including control procedures

maintenance procedures for equipment and PPE

	those relating to own role, responsibility and delegation
	work site access security clearance procedures
	company service standards
	dress and presentation requirements
	duty of care, code of conduct, and code of ethics
	emergency response and evacuation procedures
	employer and employee rights and responsibilities
	environmental protection procedures
	 personnel practices and guidelines
	 quality and continuous improvement processes and standards
	records and information systems and processes
	• training materials (induction, refresher and new skills)
	• using contractors.
Annyonviata navgang may	• clients
Appropriate persons may include:	• colleagues
merade.	• managers
	 persons in control of work sites
	• supervisors.
	allergic reactions to chemicals or equipment, including latex
Hazards may include:	allergies
	biological and animal waste
	bites and stings
	 blood and blood-stained products
	 confined or restricted spaces
	contaminated clothing, materials or equipment
	damaged or inappropriate equipment
	• dust and fibres
	electrical hazards arising from:
	• cables
	electrical fittings:
	switches
	• lights
	untested electrical equipment c ::
	• fatigue
	• fire
	• gas
	• heights
	inadequate lighting and ventilation
	infectious and zoonotic diseases, such as:
	• Q fever
	• scabies

Approved Page 11 of 17

- mobile equipment and vehicle hazards around plant and vehicles
- moving or unguarded parts
- noise
- occupational violence and bullying
- poor personal hygiene practices
- spill, splash and spray
- release of substances with negative environmental impact
- synergistic chemical reactions, such as:
 - hazardous incompatibility
 - reactivity
- syringes or other sharps
- temperature extremes
- ultraviolet light
- unsafe manual-handling techniques, including awkward and repetitive postures
- unsafe underfoot conditions, such as slippery, uneven and rough surfaces
- work in unfamiliar isolated or remote environments.

Legislative requirements may include:

- Australian standards, quality assurance and certification requirements
- award and enterprise agreements
- industry advisory standards and codes, such as:
 - building codes
 - dangerous goods codes
- relevant commonwealth, state and territory legislation and local government regulations affecting company operation, including:
 - anti-discrimination and diversity policies
 - chemical controls
 - chemical registers and manifests
 - consumer protection
 - energy conservation
 - environmental protection
 - equal employment opportunity
 - freedom of information
 - industrial equipment certificates of competency or licences
 - industrial relations
 - OHS Acts and regulations
 - privacy
 - public health
 - trade practices
 - water conservation

Approved Page 12 of 17

Occupational health and safety (also known as workplace health and safety) requirements may relate to:

- workplace consultative arrangements.
- allergic reactions, such as contact dermatitis
- communication devices for remote and isolated locations, such as:
 - · mobile phone
 - · two-way radio
- dermatoxicological control and prevention measures
- emergency procedures for eye and skin contact, and inhalation and ingestion of toxic substances
- hazard identification and risk assessment mechanisms
- health surveillance and monitoring, such as regular blood testing
- hierarchy of hazard control procedures
- maintaining clear access
- national and industry standards and codes of practice
- OHS control procedures, such as:
 - health and safety plans
 - job plans
 - job safety analyses
 - risk assessments
 - safe operating practices and procedures
 - safe system of work statements
 - safe work instructions
 - work method statements
- reporting injury and dangerous occurrences
- routes of entry and potential symptoms of exposure to chemicals
- safe work practices for equipment, PPE and chemical storage, including interpretation of:
 - MSDS
 - hazardous substance information, such as long latency periods
- safety training, induction and refresher training
- selection and use of PPE and clothing appropriate to the hazard
- ultraviolet light
- up-to-date electrical test and tag compliance
- use of chemicals according to MSDS
- use of residual current devices
- use, storage and maintenance of equipment according to manufacturer specifications and equipment operating manuals.

Hard floors may include:

- brick
- ceramic tiles
- concrete

pproved Page 13 of 17

	Τ .
	• cork
	• marble
	• parquetry
	• pavers
	polished wood
	proprietary flooring encompassing new technologies
	quarry tiles
	• rubber
	• slate
	• terrazzo
	• vinyl
	• wood.
Surface texture may	non-slip surface
include:	porous or non-porous
	sealed or non-sealed
	smooth or textured.
Embedded soil types can	• chemical
be wet or dry and may	food and beverages
include:	• gravel
	• grease
	heavy dirt build-up
	• industrial
	• liquid
	• oil
	• paint
	• tar.
Personnel may include:	client's staff members
Tersonner may merude.	• colleagues
	general public
	• venue, facility, building or shopping centre staff and
	management.
Equipment may include:	bassine brushes
Zquipment may merade.	bristle scrubbing brooms, such as:
	deck scrubber
	stiff nylon
	tynex for concrete
	buckets, including ergonomic and split systems
	• cleaning trolleys
	• cloths
	 cotton and anti-static mops
	cotton and polycotton mops

Approved Page 14 of 17

	 doodle bag holders
	 dust control mops
	 insta-lock pad holders
	 mechanical scrubbers
	 microfibre products
	 range of floor pads for scrubbing and buffing
	 rotary brushes
	 scouring pads, scrapers and steel wool
	 vertical drum scrubbers and cylindrical brushes.
Chemicals may include:	acid cleaners
	alkaline cleaners
	 low environmental-impact chemicals
	 neutral cleaners
	 sealer finish
	• solvent cleaners.
Restoration cleaning	applying floor sealer finishes
techniques may include:	 dry buffing
	 dust mopping
	 low-water techniques, such as using microfibre cleaning
	products
	• scrubbing
	 spray buffing
	 sweeping
	• wet mopping.
Personal protective	• ear muffs or plugs
equipment may include:	• gloves, such as non-permeable
	• goggles
	 high-visibility vests and clothing
	 overalls and other protective clothing
	 respirators
	• safety glasses
	• safety shoes
	 splash-proof face masks
	• sun protection
	• tongs
	• ultraviolet protection
	wet-work clothing.
Manufacturor	equipment operating manuals
	 instructional guides
include:	• MSDS
	• other resources supplied by the manufacturer, such as:
Manufacturer specifications may include:	 wet-work clothing. equipment operating manuals instructional guides MSDS

Approved Page 15 of 17

1
laminated cards
• notices
wall posters
product labels
safety instructions pre-printed on equipment.
physical barriers and restraints erected to restrict access to a site
• signs complying with legislative requirements and Australian standards warning of danger or adverse conditions, including:
 cleaning in progress
 hazardous chemicals in use or present in work area.
amount of cleaning anticipated
• client activity
employee level of literacy and communication skills
faulty or inappropriate equipment
site accessibility
site hazards
skills of work unit or team
staffing resources
time limitations.
chemicals past expiry date
obsolete equipment
• packaging
sweeping detritus
used containers
used or contaminated PPE
used or unused chemicals.
clean-up, containment and isolation
company policies and guidelines
emergency chemical spill control measures
environmental protection agency and requirements of
government departments, such as:
agriculture
emergency services
hazardous materials handling
local government regulations and by-laws
low-energy cleaning methods
low environmental-impact chemicals
low-moisture cleaning methods
low water-use equipment and water-efficient cleaning methods
non-chemical cleaning methods.

Approved Page 16 of 17

Unit Sector(s)

Cleaning operations

Custom Content Section

Not applicable.

Approved Page 17 of 17