

# FDFGR2007A Operate a scratch and sizing process

**Revision Number: 1** 



## FDFGR2007A Operate a scratch and sizing process

## **Modification History**

Not applicable.

## **Unit Descriptor**

Unit descriptor	This unit of competency covers the skills and knowledge
	required to set up, operate, adjust and shut down a separation process to ensure as little bran as possible is in the remaining endosperm.

## **Application of the Unit**

Application of the unit	This unit has application in a stockfeed production environment. It typically targets the production worker responsible for applying basic operating principles to the operation and monitoring of scratch and sizing equipment and processes.
	When batch or product changeover procedures are part of this work process, the procedures should be used to customise the application of this unit. Where more detailed changeovers are carried out, FDFOP2011A Conduct routine maintenance, should be considered.

## **Licensing/Regulatory Information**

Not applicable.

## **Pre-Requisites**

Prerequisite units	

Approved Page 2 of 11

# **Employability Skills Information**

Employability skills	This unit contains employability skills.
----------------------	--

## **Elements and Performance Criteria Pre-Content**

Elements describe the essential outcomes of a unit of competency.	Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the required skills and knowledge section and the range statement. Assessment of performance is to be consistent with the evidence guide.
	with the evidence guide.

Approved Page 3 of 11

## **Elements and Performance Criteria**

ELEMENT	PERFORMANCE CRITERIA
Prepare the scratch and sizing	1.1. Materials are confirmed and available to meet operating requirements
equipment and process for operation	1.2. Cleaning and maintenance requirements and status are identified and confirmed
	1.3. Machine components and related attachments are fitted and adjusted to meet operating requirements
	1.4. Processing/operating parameters are entered as required to meet safety and production requirements
	1.5. Equipment performance is checked and adjusted as required
	1.6. Pre-start checks are carried out as required by workplace requirements
2. Operate and monitor the scratch and	2.1. The process is started and operated according to workplace procedures
sizing process	2.2. Equipment is monitored to identify variation in operating conditions
	2.3. Variation in equipment operation is identified and maintenance requirements are reported according to workplace reporting requirements
	2.4. The process is monitored to confirm that particle size and quantity of stock meet specifications
	2.5. Out-of-specification product/process outcomes are identified, rectified and/or reported to maintain the process within specification
	2.6. The work area is maintained according to housekeeping standards
	2.7. Work is conducted in accordance with workplace environmental guidelines
	2.8. Workplace records are maintained according to workplace recording requirements
3. Shut down the	3.1. The appropriate shutdown procedure is identified
scratch and sizing process	3.2. The process is shut down according to workplace procedures
	3.3. Maintenance requirements are identified and reported according to workplace reporting requirements

Approved Page 4 of 11

### Required Skills and Knowledge

#### REQUIRED SKILLS AND KNOWLEDGE

This section describes the skills and knowledge required for this unit.

#### Required skills

#### Ability to:

- access workplace information to identify scratch and sizing process requirements
- select, fit and use personal protective clothing and/or equipment
- confirm supply of necessary materials and services
- conduct pre-start checks, such as inspecting equipment condition to identify any
  signs of wear, selecting appropriate settings and/or related parameters, cancelling
  isolation or lock outs as required, confirming that related equipment is clean and
  correctly configured for scratch and sizing process requirements, positioning
  sensors and controls correctly, ensuring any scheduled maintenance has been
  carried out, and confirming that all safety guards are in place and operational
- start, operate, monitor and adjust scratch and sizing process equipment to achieve required outcomes, including monitoring control points and conducting inspections as required to confirm that the process remains within specification, such as:
  - correct product type/quantity
  - roll releases
  - even spread of feed across rolls
  - mill balance
  - even grind/correct particle size
- monitor supply and flow of materials to and from the scratch and sizing process
- take corrective action in response to out-of-specification results
- respond to and/or report equipment failure within level of responsibility
- locate emergency stop functions on equipment
- follow isolation and lock out/tag out procedures as required to take scratch and sizing process and related equipment off-line in preparation for cleaning and/or maintenance within level of responsibility
- demonstrate batch/product changeovers
- complete workplace records as required
- maintain work area to meet housekeeping standards
- use process control systems according to enterprise procedures
- collect samples and conduct tests according to enterprise procedures
- conduct routine maintenance according to enterprise procedures
- clean and sanitise equipment according to enterprise procedures
- use oral communication skills/language competence to fulfil the job role as specified by the organisation, including questioning, active listening, asking for clarification and seeking advice from supervisor
- work cooperatively within a culturally diverse workforce

Approved Page 5 of 11

#### REQUIRED SKILLS AND KNOWLEDGE

#### Required knowledge

#### Knowledge of:

- purpose and basic principles of the scratch and sizing process
- basic operating principles of equipment, such as main equipment components, status and purpose of guards, equipment operating capacities and applications, and the purpose and location of sensors and related feedback instrumentation
- services required and action to take if services are not available
- the flow of the scratch and sizing process and the effect of outputs on downstream flour milling processes
- quality characteristics to be achieved by the scratch and sizing process
- quality requirements of materials and effect of variation on scratch and sizing process performance
- operating requirements and parameters and corrective action required where operation is outside specified operating parameters
- typical equipment faults and related causes, including signs and symptoms of faulty equipment and early warning signs of potential problems
- methods used to monitor the scratch and sizing production process, such as inspecting, measuring and testing as required by the process
- inspection or test points (control points) in the scratch and sizing process and the related procedures and recording requirements
- contamination/food safety risks associated with the scratch and sizing process and related control measures
- common causes of variation and corrective action required
- occupational health and safety (OHS) hazards and controls, including the limitations of protective clothing and equipment relevant to the work process
- requirements of different shutdowns as appropriate to the scratch and sizing
  process and workplace production requirements, including emergency and routine
  shutdowns and procedures to follow in the event of a power outage
- isolation, lock out and tag out procedures and responsibilities
- product/process changeover procedures and responsibilities
- procedures and responsibility for reporting production and performance information
- environmental issues and controls relevant to the scratch and sizing process, including waste/rework collection and handling procedures related to the process
- basic operating principles of process control, where relevant, including the relationship between control panels and systems and the physical equipment
- sampling and testing associated with process monitoring and control where relevant
- routine maintenance procedures where relevant
- cleaning and sanitation procedures where relevant

Approved Page 6 of 11

Approved Page 7 of 11

# **Evidence Guide**

EVIDENCE GUIDE
_

The Evidence Guide provides advice on assessment and must be read in conjunction with the

The Evidence Guide provides advice on assessment and must be read in conjunction with the performance criteria, required skills and knowledge, range statement and the Assessment Guidelines for the Training Package.		
Overview of assessment	Assessment must be carried out in a manner that recognises the cultural and literacy requirements of the assessee and is appropriate to the work performed. Competence in this unit must be achieved in accordance with food safety standards and regulations.	
Critical aspects for assessment and evidence required to demonstrate competency in this unit	<ul> <li>Evidence of ability to:</li> <li>conduct pre-start checks on machinery used for scratching and sizing</li> <li>start, operate, monitor and adjust process equipment to achieve required quality outcomes</li> <li>take corrective action in response to typical faults and inconsistencies</li> <li>complete workplace records as required</li> <li>apply safe work practices and identify OHS hazards and controls</li> <li>safely shut down equipment</li> <li>apply food safety procedures to work practices.</li> </ul>	
Context of and specific resources for assessment	Assessment must occur in a real or simulated workplace where the assessee has access to:  • personal protective clothing and equipment • work procedures, including advice on safe work practices, food safety, quality and environmental requirements • information on equipment capacity and operating parameters • production schedule/batch instructions • specifications, control points and processing parameters • scratch and sizing process and related equipment and services • stock required for the scratch and sizing process • sampling schedules and test procedures and equipment as required • documentation and recording requirements and procedures • cleaning procedures, materials and equipment as	

Page 8 of 11

EVIDENCE GUIDE		
	required.	
Method of assessment	This unit should be assessed together with core units and other units of competence relevant to the function or work role. Examples could be:	
	<ul> <li>FDFOP2004A Clean and sanitise equipment</li> <li>FDFOP2011A Conduct routine maintenance</li> <li>FDFOP2013A Apply sampling procedures</li> <li>FDFOP2030A Operate a process control interface</li> <li>MSL973001A Perform basic tests.</li> </ul>	
Guidance information for assessment	To ensure consistency in one's performance, competency should be demonstrated on more than one occasion over a period of time in order to cover a variety of circumstances, cases and responsibilities, and where possible, over a number of assessment activities.	

Approved Page 9 of 11

## **Range Statement**

#### RANGE STATEMENT

The range statement relates to the unit of competency as a whole. It allows for different work environments and situations that may affect performance. Bold italicised wording, if used in the performance criteria, is detailed below. Essential operating conditions that may be present with training and assessment (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) may also be included.

Policies and procedures	Work is carried out according to company policies and procedures, regulatory and licensing requirements, legislative requirements, and industrial awards and agreements	
Legislative requirements	Legislative requirements are typically reflected in procedures and specifications. Legislation relevant to this industry includes:	
	<ul> <li>the Food Standards Code, including labelling, weights and measures legislation</li> <li>legislation covering food safety, environmental management, occupational health and safety, anti-discrimination and equal opportunity</li> </ul>	
Workplace information	<ul> <li>Workplace information may include:</li> <li>standard operating procedures (SOPs)</li> <li>specifications</li> <li>production schedules and instructions</li> <li>manufacturers' advice</li> <li>standard forms and reports</li> </ul>	
Equipment	Equipment used in the scratch and sizing process may include:  • reduction rolls  • plainsifters  • purifiers  • flake disruptors  • detachers  • mechanical/pneumatic stock transfer equipment	
Stock	Stock for the scratch and sizing is supplied from the scalping and grading process	
Operation of equipment and processes	Operation of equipment and processes may require  • the use of process control panels and systems	

Approved Page 10 of 11

RANGE STATEMENT	
Shutdown procedures	Shutdown procedures may include:  • cleaning (in some cases cleaning may be carried out by a dedicated cleaning crew)
Services	Services may need to be confirmed. These depend on the nature of the process. Typical examples include:
	<ul><li>power</li><li>vacuum</li><li>compressed and instrumentation air</li></ul>

## **Unit Sector(s)**

Unit sector	Grain processing
-------------	------------------

# **Competency field**

Competency field		
Competency Held		

# **Co-requisite units**

Co-requisite units	

Approved Page 11 of 11