

## FPIHAR3217A Conduct skidder operations

Release: 1



## FPIHAR3217A Conduct skidder operations

## **Modification History**

Not Applicable

## **Unit Descriptor**

## **Unit descriptor**

This unit describes the outcomes required to conduct skidder operations including planning and preparation for work, conducting operational checks, the safe and effective operation of the skidder for a range of mandatory tasks, the use of attachments and operator maintenance activities

Compliance with licensing, legislative, regulatory or certification requirements may be required in various

jurisdictions

This unit replaces FPIHAR3204B Conduct skidder operations

## **Application of the Unit**

## **Application of the unit**

The unit involves conducting skidder operations in a forest environment

The skills and knowledge required for competent

workplace performance are to be used within the scope of

the person's job and authority

## Licensing/Regulatory Information

Refer to Unit Descriptor

## **Pre-Requisites**

Not Applicable

Approved Page 2 of 12

## **Employability Skills Information**

**Employability skills** This unit contains employability skills

## **Elements and Performance Criteria Pre-Content**

Elements describe the essential outcomes of a unit of competency.

Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the required skills and knowledge section and the range statement. Assessment of performance is to be consistent with the evidence guide.

Approved Page 3 of 12

## **Elements and Performance Criteria**

#### **ELEMENT**

### PERFORMANCE CRITERIA

1. Plan and prepare for *skidder* operations

2. Operate skidder

- 1.1. Applicable *Occupational Health and Safety* (OHS), *environmental*, *legislative* and *organisational requirements* relevant to conducting *skidder* operations are identified and followed
- 1.2. Site *environmental protection measures* are adhered to in line with relevant legislation and regulations
- 1.3. Work order is reviewed and checked with appropriate personnel
- 1.4. Type and quantity of material to be moved with a skidder is assessed and prepared
- 1.5. **Equipment** is selected appropriate to work requirements and checked for operational effectiveness in line with manufacturer's recommendations
- 1.6. Skidder operations are planned in line with site procedures and *environmental and heritage concerns*
- 1.7. *Communication* with others is established and maintained in line with OHS requirements
- 2.1. All work is conducted in line with work order, environmental and OHS requirements
- 2.2. *Pre start-up checks* are carried out on equipment in line with manufacturer's recommendations and site requirements
- 2.3. Skidder controls and functions, including implements, brakes and manoeuvrability are checked for serviceability and any faults are rectified or reported
- 2.4. Site *hazards* associated with skidder operations are detected and safe operating techniques are used to minimise risk
- 2.5. Operating techniques for the skidder are applied to achieve optimum efficiency in line with manufacturer's' design specifications
- 2.6. Skidder is operated to work instructions in line with company operating procedures
- 2.7. Emergency plan procedures are followed in line with OHS, environmental, legal and site requirements
- 3. Attach, secure, lift, carry and place
- 3.1. Communication practices associated with transportation and lifting of materials are conducted

Approved Page 4 of 12

#### **ELEMENT**

#### PERFORMANCE CRITERIA

materials

- in line with site procedures and continued between parties
- 3.2. Log control methods are established
- 3.3. *Lifting or towing gear* is selected, attached and used in line with safe working load requirements and OHS legislation
- 3.4. Machinery is positioned ensuring *stability* and located to effectively shift materials in line with job specifications
- 3.5. Load is shifted safely and effectively in line with industry safety standards and manufacturer's' specifications
- 3.6.Load is moved in line with conventional hand and audible signals that meet OHS legislation and/or site procedures
- 4. Carry out machine operator maintenance
- 4.1. Skidder is safely parked, shut-down and prepared for maintenance in line with manufacturer's manual and organisational requirements
- 4.2. Visual inspection and fault finding processes are conducted in line with manufacturer's recommendations and organisational requirements
- 4.3. Defective parts are removed and replaced safely and effectively in line with manufacturer's manual and organisational requirements
- 4.4. Regular programmed maintenance tasks are carried out in line with manufacturer's and organisational requirements
- 4.5. Work area is cleared and waste materials are disposed of or recycled in line with site environmental management plan
- 4.6. Plant, tools and equipment are cleaned, checked, maintained and stored in line with manufacturer's recommendations and standard work practices
- 4.7. Skidder operational *records and reports* are completed accurately and processed in line with site procedures

# **Required Skills and Knowledge REQUIRED SKILLS AND KNOWLEDGE**

Approved Page 5 of 12

## REQUIRED SKILLS AND KNOWLEDGE

This describes the essential skills and knowledge and their level required for this unit

### Required skills

- Technical skills sufficient to use and maintain relevant tools, machinery and equipment and efficiently and safely operate a skidder
- Communication skills sufficient to use appropriate communication and interpersonal techniques with colleagues and others
- Literacy skills sufficient to accurately record and report workplace information, and maintain documentation
- Problem solving skills sufficient to identify problems and equipment faults and demonstrate appropriate response procedures

## Required knowledge

- Applicable Commonwealth, State or Territory legislation, regulations, standards, codes of practice and established safe practices relevant to the full range of processes for conducting skidder operations
- Environmental protection requirements, including the safe disposal of waste material and the cleaning of plant, tools and equipment
- Organisational and site standards, requirements, policies and procedures for conducting skidder operations
- Skidder operating techniques
- Skidder capabilities
- Established communication channels and protocols
- Problem identification and resolution strategies and common fault finding techniques
- Types of tools and equipment and procedures for their safe use and maintenance including equipment safety requirements
- Appropriate mathematical procedures for estimating and measuring, including calculating time to complete tasks
- Procedures for recording and reporting workplace records and information

Approved Page 6 of 12

## **Evidence Guide**

#### **EVIDENCE GUIDE**

The evidence guide provides advice on assessment and must be read in conjunction with the performance criteria, required skills and knowledge, range statement and the Assessment Guidelines for the Training Package.

#### Overview of assessment

A person who demonstrates competency in this unit must be able to provide evidence that they can safely and efficiently conduct skidder operations in line with organisational requirements

## Critical aspects for assessment and evidence required to demonstrate competency in this unit

The evidence required to demonstrate competency in this unit must be relevant to, and satisfy, all of the requirements of the elements of this unit and include demonstration of:

- following applicable Commonwealth, State or Territory legislative and regulatory requirements and codes of practice relevant to conducting skidder operations
- following organisational policies and procedures relevant to conducting skidder operations
- following applicable licensing or certification requirements
- communicating effectively and working safely with others in the work area
- conducting skidder operations in line with site requirements

## Context of and specific resources for assessment

- Competency is to be assessed in the workplace or realistically simulated workplace
- Assessment is to occur under standard and authorised work practices, safety requirements and environmental constraints
- Assessment of required knowledge, other than confirmatory questions, will usually be conducted in an off-site context
- Assessment is to follow relevant regulatory or Australian Standards requirements
- The following resources should be made available:
  - workplace location or simulated workplace
  - materials and equipment relevant to undertaking work applicable to this unit
  - specifications and work instructions
- Assessment must satisfy the endorsed Assessment Guidelines of the FPI05 Training Package

#### Method of assessment

Approved Page 7 of 12

#### **EVIDENCE GUIDE**

- Assessment methods must confirm consistency and accuracy of performance (over time and in a range of workplace relevant contexts) together with application of required knowledge
- Assessment must be by direct observation of tasks, with questioning on required knowledge and it must also reinforce the integration of employability skills
- Assessment methods must confirm the ability to access and correctly interpret and apply the required knowledge
- Assessment may be applied under project-related conditions (real or simulated) and require evidence of process
- Assessment must confirm a reasonable inference that competency is able not only to be satisfied under the particular circumstance, but is able to be transferred to other circumstances
- Assessment may be in conjunction with assessment of other units of competency
- The assessment environment should not disadvantage the candidate
- Assessment practices should take into account any relevant language or cultural issues related to Aboriginality, gender or language backgrounds other than English
- Where the participant has a disability, reasonable adjustment may be applied during assessment
- Language and literacy demands of the assessment task should not be higher than those of the work role

## **Range Statement**

## RANGE STATEMENT

The range statement relates to the unit of competency as a whole. It allows for different work environments and situations that may affect performance. Bold italicised wording, if used in the performance criteria, is detailed below. Essential operating conditions that may be present with training and assessment (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) may also be included.

Skidder

is a self-propelled wheeled and articulated

Approved Page 8 of 12

purpose designed machine used to haul timber over rough terrain. The skidder moves timber from the forest to the landing

## **OHS** requirements:

are to be in line with applicable Commonwealth, State or Territory legislation and regulations, and organisational safety policies and procedures, and may include:

- personal protective equipment and clothing
- safety equipment
- first aid equipment
- fire fighting equipment
- · hazard and risk control
- fatigue management
- elimination of hazardous materials and substances
- safe forest practices including required actions relating to forest fire
- manual handling including shifting, lifting and carrying

## **Environmental requirements** may include:

- legislation
- organisational policies and procedures
- workplace practices

## **Legislative requirements:**

are to be in line with applicable Commonwealth, State or Territory legislation, regulations, certification requirements and codes of practice and may include:

- award and enterprise agreements
- industrial relations
- Australian Standards
- confidentiality and privacy
- OHS
- the environment
- equal opportunity
- anti-discrimination
- relevant industry codes of practice
- duty of care
- heritage and traditional land owner issues

## Organisational requirements

may include:

- legal
- organisational and site guidelines
- policies and procedures relating to own role

Approved Page 9 of 12

- and responsibility
- quality assurance
- procedural manuals
- quality and continuous improvement processes and standards
- OHS, emergency and evacuation procedures
- ethical standards
- recording and reporting requirements
- equipment use and maintenance and storage requirements
- environmental management requirements (waste disposal, recycling and re-use guidelines)

## **Environmental protection** measures

may include action to limit the impact to:

- ground growth and canopy
- soil and water

may include action to limit the impact of:

- general forest lean
- wind speed and direction
- fallen trees
- density of trees
- ground slope
- ground hazards
- obstacles

### Work order is to include:

instructions for the operation of a skidder and its respective tasks

## and may include:

- instructions for the environmental monitoring of work and procedures
- environmental care requirements relevant to the work

## **Appropriate personnel** may include:

- supervisors
- suppliers
- clients
- colleagues
- managers

## **Equipment** is to include:

- grapple or cable skidders
- relevant maintenance equipment
- procedures for equipment lock-out such as

Approved Page 10 of 12

protecting operators and co-workers from accidental injury by isolating the machine

## **Environmental and heritage concerns** may include:

- dust
- noise
- water
- flora and fauna
- heritage legislation
- culturally sensitive sites and artefacts
- plantations
- native forest

## **Communication** may include:

- verbal and non-verbal language
- hand or other agreed signals
- eye contact with other operators or personnel
- active listening
- questioning to clarify and confirm understanding
- use of electronic communication devices

## Pre start-up checks

#### are conducted to ensure:

- equipment has been set-up correctly
- plant is operating to optimum performance

## Hazards may include:

- uneven/unstable terrain
- trees
- fires
- overhead and underground services
- bridges
- buildings
- excavations
- traffic
- embankments
- cuttings
- structures and hazardous materials

## Emergency plan may include:

- notification of authorities
- evacuation procedures
- isolation procedures
- equipment shut-down procedures
- clean up
- first aid
- use of personal protective equipment and clothing
- guarding

Approved Page 11 of 12

access and exit

Log control

is the balance and control of logs while carrying or towing as prescribed by the manufacturer, not exceeding the allowable capacity of the skidder

Lifting or towing gear may

include:

grapples

cables

**Stability** 

include:

is to ensure the skidder is positioned and operates so as not to topple over during operations

Tasks may include:

**Records and reports** may

• extraction of logs to the landing

ancillary forestry activities

• end of shift documentation

work log

· Work log

and may be:

manual

using a computer-based system or another appropriate organisational communication system

## **Unit Sector(s)**

Not Applicable

## **Competency field**

Competency field Harvesting and Haulage

Approved Page 12 of 12