

Australian Government

Assessment Requirements for FWPCOT3232 Operate heat plant

Release: 1

Assessment Requirements for FWPCOT3232 Operate heat plant

Modification History

Release	Comment
1	Replaces equivalent unit FPICOT3232B Operate heat plant, which was first released with FPI11 Forest and Forest Products Training Package Version 2.2. This is the first release of this unit in the new standards format.
	Assessment requirements now specify the performance and knowledge evidence, as well as assessment conditions for this unit of competency. These sections simplify and replace components used in the previous unit format, including 'Required Skills and Knowledge, Evidence Guide and Range Statement

Performance Evidence

A person demonstrating competency in this unit must satisfy all of the elements, performance criteria and foundation skills of this unit. If a specific volume or frequency is not stated below, then evidence must be provided that the following requirements have been performed on at least one occasion:

- operate a heat plant, in line with operating orders for each period prescribing different energy generation requirements
- after the above jobs:
 - complete operating logs and fuel efficiency records
 - maintain cleanliness of plant and plant room.

Knowledge Evidence

A person competent in this unit must be able to demonstrate knowledge of:

- environmental protection practices for heat plant operations:
- · cleaning plant, tools and equipment
- disposing of hazardous substances
- characteristics and dangers of heat and energy generated by heat plants
- purpose, features and operation of energy generating heat plants
- processes for heat plant startup, shutdown, cleaning and storage
- range of data used to evaluate heat plant performance:
 - heat levels
 - pressure levels
 - energy generation levels
 - heat build-up

- system overload information
- monitor fuel usage
- past performance records
- methods used to:
 - remove valves and fittings
 - clean plant and plant room
- organisational procedures specific to operating heat plants:
 - workplace health and safety with particular emphasis on equipment lock out and use of personal protective equipment
 - communication reporting lines
 - recording and reporting operating logs, fuel efficiency records, equipment faults and maintenance requirements.

Assessment Conditions

The following resources must be made available:

- energy generating heat plant
- personal protective equipment suitable for operating heat plants
- manufacturers' instructions for use and maintenance of equipment
- operational order with specific instructions for required heat generation levels and quantities and operating times
- template documents:
 - operating logs
 - fuel efficiency records
- records of equipment faults and maintenance requirements
- organisational procedures for operating heat plants.

Competency is to be assessed in the workplace or a simulated environment that accurately reflects performance in a real workplace setting.

Assessor requirements

Assessors must:

- hold the appropriate assessor competency standards as outlined in regulations; and
- be able to demonstrate vocational competencies at least to the level being assessed; and
- be able to demonstrate how they are continuing to develop their VET knowledge and skills as well as maintaining their industry currency and assessor competence.

Links

Companion Volume implementation guides are found in VETNet https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=0d96fe23-5747-4c01-9d6f-3509ff8d3d47