



Australian Government

Assessment Requirements for FWPWPP3223 Immunise veneer

Assessment Requirements for FWPWPP3223 Immunise veneer

Modification History

Release	Comment
1	<p>Replaces equivalent unit FPIWPP3223B Immunise veneer, which was first released with FPI11 Forest and Forest Products Training Package Version 2.2. This is the first release of this unit in the new standards format.</p> <p>Assessment requirements now specify the performance and knowledge evidence, as well as assessment conditions for this unit of competency. These sections simplify and replace components used in the previous unit format, including Required Skills and Knowledge, Evidence Guide and Range Statement.</p>

Performance Evidence

A person demonstrating competency in this unit must satisfy all of the elements, performance criteria and foundation skills of this unit. If a specific volume or frequency is not stated below, then evidence must be provided that the following requirements have been performed on at least one occasion:

- prepare the work area for the veneer immunisation process according to work health and safety (WHS) requirements and site requirements
- prepare chemicals and immunise veneer according to standard operating procedure
- load and unload at least three cycles of veneer
- visually assess immunised veneer for faults and dispose of according to standard operating procedure and environmental requirements
- record veneer immunisation process and faults according to workplace procedures
- store chemicals according to statutory requirements.

Knowledge Evidence

A person competent in this unit must be able to demonstrate knowledge of:

- procedures for environmental protection requirements, including the safe disposal of waste material, the safe use and storage of chemicals and safe cleaning of plant and work area
- safe work procedures for immunising veneer
- hazards and risks associated with immunising veneer and how to control them according to hierarchy of risk control
- veneer immunising techniques
- procedures for fault finding during visual inspection of veneer to determine suitability for packing

- safety data sheets relevant to chemicals used to immunise veneer
- characteristics of veneer (quarter sawn, back sawn, radial/rotary sawn)
- storage locations and stock rotation positions
- procedures for packing and labelling dried veneer panels
- procedures for checking condition of treating mechanisms
- procedures for recording and reporting veneer immunisation process and faults using manual or electronic recording systems
- procedures for equipment lock-out
- statutory requirements for the safe storage and handling of chemicals.

Assessment Conditions

The following resources must be made available:

- work order
- chemicals or chemical solutions used to immunise veneer which must include one or more of the following:
 - insecticides
 - solvents
 - preservative oils
 - waterborne preservatives
- types of veneers including quarter sawn, back sawn or radial/rotary sawn
- equipment used to immunise veneer: chemical solution tanks, chemical mixing and transfer equipment, veneer transfer equipment
- documents, spreadsheets and commonly used proforma documents
- relevant personnel for the purposes of communicating information
- personal protective equipment:
 - safety glasses
 - protective footwear
 - high visibility clothing.

Competency is to be assessed in the workplace or a simulated environment that accurately reflects performance in a real workplace setting.

Assessor requirements

Assessors must:

- hold the appropriate assessor competency standards as outlined in regulations; and
- be able to demonstrate vocational competencies at least to the level being assessed; and
- be able to demonstrate how they are continuing to develop their VET knowledge and skills as well as maintaining their industry currency and assessor competence.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=0d96fe23-5747-4c01-9d6f-3509ff8d3d47>