

Assessment Requirements for HLTAID004 Provide an emergency first aid response in an education and care setting

Release: 3



Assessment Requirements for HLTAID004 Provide an emergency first aid response in an education and care setting

Modification History

Release	Comments
Release 1.1	Minor corrections to formatting to improve readability. Equivalent competency outcome.
Release 1.0	This new was released in <i>HLT Health Training Package release 1.0</i> and meets the requirements of the New Standards for Training Packages.

Approved Page 2 of 7

Performance Evidence

The candidate must show evidence of the ability to complete tasks outlined in elements and performance criteria of this unit, manage tasks and manage contingencies in the context of the job role.

There must be demonstrated evidence that the candidate has completed the following tasks at least once in line with state/territory regulations, first aid codes of practice, ARC guidelines and workplace procedures:

- located and interpreted workplace policies and procedures
- conducted a hazard assessment and identified strategies to minimise risk
- demonstrated safe manual handling techniques
- · assessed airway, breathing and responsiveness of casualty
- performed at least four minutes of uninterrupted CPR on an infant, a child and an adult resuscitation manikin placed on the floor, demonstrating the following techniques on each:
 - checking for response and normal breathing
 - · recognising abnormal breathing
 - opening and clearing the airway
 - using correct hand location, compression depth rate in line with the ARC recommended ratio of compressions and ventilations
 - acting in the event of regurgitation or vomiting
 - following single rescuer procedure, including the demonstration of a rotation of operators with minimal interruptions to compressions
- followed prompts of an Automated External Defibrillator (AED)
- conducted a verbal secondary survey
- applied first aid procedures for the following:
 - · allergic reactions
 - anaphylaxis
 - asthma
 - basic wound care
 - severe bleeding
 - burns
 - cardiac arrest
 - choking and airway obstruction
 - convulsions, including febrile convulsions
 - envenomation (using pressure immobilisation)
 - epilepsy and seizures
 - fractures, sprains and strains (using arm slings, roller bandages or other appropriate immobilisation techniques)
 - head injuries
 - poisoning
 - respiratory distress
 - shock
- followed workplace procedures for reporting details of the incident, including:
 - providing an accurate verbal report of the incident
 - completing an incident, injury, trauma and illness record

Approved Page 3 of 7

• responded to at least three simulated first aid scenarios contextualised to the candidate's workplace/community setting, and involving infants and children of varying ages.

Approved Page 4 of 7

Knowledge Evidence

The candidate must be able to demonstrate essential knowledge required to effectively complete tasks outlined in elements and performance criteria of this unit, manage tasks and manage contingencies in the context of the work role. This includes knowledge of:

- state/territory regulations, first aid codes of practice and workplace procedures including:
 - · ARC Guidelines for provision of CPR and first aid to infants, children and adults
 - guidelines from Australian national peak clinical bodies
 - safe work practices to minimise risks and potential hazards
 - first aid requirements for services under the Education and Care Services National Law
 - infection control principles and procedures
 - · requirements for currency of skill and knowledge
- legal, workplace and community considerations, including:
 - need for stress-management techniques and available support following an emergency situation, including the psychological impact on children
 - duty of care requirements
 - respectful behaviour towards a casualty
 - own skills and limitations
 - consent, including situations in which parental/caregiver consent is required
 - privacy and confidentiality requirements
 - importance of debriefing
- considerations when providing first aid including:
 - airway obstruction due to body position
 - appropriate duration and cessation of CPR
 - appropriate use of an AED, including placement of pads for adults and children aged older than 8 years
 - specific considerations when using an AED on children aged between 1 and 8 years, including identification of AED with paediatric capability, paediatric voltage and use of paediatric pads
 - chain of survival
 - · standard precautions and infection control
- principles and procedures for application of first aid in the following scenarios:
 - abdominal injuries
 - allergic reactions, including severe reactions
 - anaphylaxis
 - bleeding control
 - burns
 - cardiac conditions
 - · choking and airway obstruction
 - cold and crush injuries
 - diabetes
 - dislocations
 - drowning
 - envenomation

Approved Page 5 of 7

- environmental impact (including hypothermia, hyperthermia, dehydration and heat stroke)
- epilepsy
- eye and ear injuries
- fractures
- head, neck and spinal injuries
- minor skin injuries
- needle stick injuries
- poisoning and toxic substances
- respiratory distress, including asthma and other respiratory conditions
- seizures
- shock
- soft tissue injuries
- · unconsciousness, abnormal breathing or not breathing
- basic anatomy and physiology relating to:
 - absence of normal breathing
 - anatomy of the external chest
 - specific anatomy of infant respiratory systems, including trachea, and implications for provision of CPR
 - basic anatomical differences between adults and children, and the implications for provision of first aid
 - · normal clinical values for children
 - physiology relating to response/consciousness
 - symptoms and triggers of anaphylaxis
 - symptoms and triggers of asthma
 - upper airway anatomy and effect of positional change.

Approved Page 6 of 7

Assessment Conditions

Skills must be demonstrated working individually:

• in an environment that provides realistic in-depth, industry-validated scenarios and simulations to assess candidates' skills and knowledge.

Assessment resources must include:

- infant, child and adult resuscitation manikins in line with ARC Guidelines for the purpose of assessment of CPR procedures
- first aid equipment including:
 - roller bandages
 - triangular bandages
 - trauma dressings
 - at least two different types of placebo bronchodilators and a spacer device
 - emergency rescue blanket
 - at least two different types of adrenalin auto-injector training device (e.g. EpiPen and AnaPen)
 - an AED training device
 - an incident, injury, trauma and illness record, or other appropriate workplace incident report form.

Simulated assessment environments must simulate the real-life working environment where these skills and knowledge would be performed, with all the relevant equipment and resources of that working environment.

Assessors must satisfy the NVR/AQTF mandatory competency requirements for assessors.

In addition, assessors must hold:

a current advanced first aid certificate

OR

• at least three years' experience as a health professional, nurse or emergency services provider.

Links

Companion volumes from the CS&HISC website - http://www.cshisc.com.au

Approved Page 7 of 7