

MEA352 Maintain basic rotary wing aircraft systems

Release: 2

MEA352 Maintain basic rotary wing aircraft systems

Modification History

Release 2. Equivalent to MEA352 Maintain basic rotary wing aircraft systems with amended prerequisite codes.

Application

This unit of competency requires application of hand skills and the use of system/component knowledge and applicable maintenance publications and test equipment to inspect, test and troubleshoot, and replace components of rotor, rotor control systems and airframe systems of basic rotary wing aircraft during the performance of scheduled or unscheduled maintenance. Maintenance may be performed individually or as part of a team.

Applications include rotary wing aircraft that have mechanical control systems, either skids or floats and a normally aspirated engine.

This unit of competency is part of the Mechanical Certificate IV (Aircraft Maintenance Stream) training pathway.

Where a Civil Aviation Safety Authority (CASA) licensing outcome is sought this unit forms part of the CASA requirement for the granting of the chosen maintenance certification licence under Civil Aviation Safety Regulation (CASR) Part 66, in accordance with the licensing provisions in the Companion Volume Implementation Guide.

Pre-requisite Unit

MEA107	Interpret and use aviation maintenance industry manuals and specifications
MEA154	Apply work health and safety practices in aviation maintenance
MEA155	Plan and organise aviation maintenance work activities
MEA156	Apply quality standards during aviation maintenance activities
MEA157	Complete aviation maintenance industry documentation
MEA158	Perform basic hand skills, standard trade practices and fundamentals in aviation maintenance

Competency Field

Aviation maintenance

Approved Page 2 of 8

Unit Sector

Elements and Performance Criteria

Elements	describe	the
essential	outcomes.	,

Performance criteria describe the performance needed to demonstrate achievement of the element.

- Inspect rotor and rotor control systems and components
- 1.1 Isolation and warning signs are fitted/installed to the system or related systems and the aircraft configured for safe system inspection and operation in accordance with relevant aircraft publications/maintenance regulations orders and standards and practices
- 1.2 Rotor and rotor control system is visually or physically checked/inspected for external signs of defects in accordance with relevant aircraft publications maintenance regulations/orders and standards and practices while observing all relevant work health and safety (WHS) requirements, including the use of material safety data sheets (MSDS) and items of personal protective equipment (PPE)
- 1.3 Defects are identified and recorded in accordance with standard enterprise procedures
- 2. Inspect basic rotary wing airframe systems
- 2.1 Relevant maintenance documentation and modification status, including system defect reports, where relevant, are used to identify specific inspection requirements
- 2.2 Isolation tags are checked and aircraft configured for safe system inspection and operation in accordance with the applicable maintenance manual
- 2.3 Airframe system components are visually or physically checked for external signs of defects in accordance with applicable maintenance manual while observing all relevant WHS requirements, including the use of MSDS and items of PPE
- 2.4 Defects are correctly identified and reported
- 3. Ground test rotor and rotor control systems
- 3.1 Aircraft and system are prepared in accordance with relevant aircraft publications/maintenance regulations orders and standards and practices for the operation of engine and rotor system
- 3.2 Rotor and rotor control system are functionally tested in accordance with relevant aircraft publications maintenance regulations/orders and standards and

Approved Page 3 of 8

			practices for evidence of malfunction
		3.3	System calibration or adjustments are performed in accordance with relevant aircraft publications/maintenance regulations/orders and standards and practices
4.	Test/adjust basic rotary wing airframe systems and components	4.1	Aircraft and system are prepared in accordance with applicable maintenance manual for the application of power/system operation
		4.2	Airframe system is functionally tested in accordance with maintenance manual for evidence of serviceability or malfunction
		43	System adjustment is performed in accordance with maintenance manual
5.	Troubleshoot rotor and rotor control systems	5.1	Available information from aircraft maintenance documentation, inspection and test results is used to assist in fault determination
		5.2	Relevant aircraft publication fault diagnosis guide and logical processes are used to ensure efficient and accurate troubleshooting to line replacement level
		5.3	Specialist advice is obtained to assist with the troubleshooting process
		5.4	Rotor and rotor control system faults are located and the causes of the faults are clearly identified and recorded in aircraft maintenance documentation in accordance with standard enterprise procedures
		5.5	Fault rectification requirements are determined
6.	Troubleshoot basic rotary wing airframe systems	6.1	Available information from maintenance documentation, inspection and test results is used, where necessary, to assist in fault determination
		6.2	Maintenance manual fault diagnosis guides and logic processes are used to ensure efficient and accurate troubleshooting
		6.3	Specialist advice is obtained, where required, to assist with the troubleshooting process
		6.4	Airframe system faults are located and the causes of the faults are clearly identified and correctly recorded in

Approved Page 4 of 8

- maintenance documentation, where required, in accordance with standard enterprise procedures
- 6.5 Rectification requirements are determined
- 7. Remove and install rotary wing rotor and rotor system components
- 7.1 System is rendered safe and prepared in accordance with relevant aircraft publications/maintenance regulations/orders and standards and practices, and isolation and warning signs are installed/fitted to ensure personnel safety
- 7.2 Rotor and rotor system component removal is carried out in accordance with relevant aircraft publications/maintenance regulations/orders and standards and practices while observing all relevant WHS requirements, including the use of MSDS and items of PPE
- 7.3 Required aircraft maintenance documentation is completed and processed in accordance with standard enterprise procedures
- 7.4 Removed components are labelled, sealed and packaged in accordance with relevant aircraft publications/maintenance regulations/orders and standards and practices
- 7.5 Rotor or rotor system component to be installed is checked to confirm correct part or model numbers, modification status and serviceability
- 7.6 Mass balance of rotor blades/head is checked in accordance with relevant aircraft publications/maintenance regulations/orders and standards and practices
- 7.7 Installation is carried out in accordance with relevant aircraft publications/maintenance regulations/orders and standards and practices
- 7.8 Support/safety equipment is removed at the appropriate time to ensure personnel safety and freedom from structural damage
- 8. Remove and install rotor control system components
- 8.1 System is rendered safe and prepared in accordance with relevant aircraft publications/maintenance regulations/orders and standards and practices, and isolation and warning signs are installed/fitted to ensure personnel safety

Approved Page 5 of 8

- 8.2 Rotary wing flight control system component removal is carried out in accordance with relevant aircraft publications/maintenance regulations/orders and standards and practices while observing all relevant WHS requirements, including the use of MSDS and items of PPE
- 8.3 Required aircraft maintenance documentation is completed and processed in accordance with standard enterprise procedures
- 8.4 Removed components are labelled, sealed and packaged in accordance with relevant aircraft publications/maintenance regulations/orders and standards and practices
- 8.5 Rotary wing flight control system components to be installed are checked to confirm correct part or model numbers, modification status and serviceability
- 8.6 Installation is carried out in accordance with relevant aircraft publications/maintenance regulations/orders and standards and practices
- 8.7 Support/safety equipment is removed at the appropriate time to ensure personnel safety and freedom from structural damage
- 8.8 Required aircraft maintenance documentation is completed and processed in accordance with standard enterprise procedures
- 9. Remove and install basic rotary wing airframe system components
- 9.1 System is rendered safe in accordance with the applicable maintenance manual and isolation tags are fitted, where necessary, to ensure personnel safety
- 9.2 Airframe system component removal is carried out in accordance with the applicable maintenance manual while observing all relevant WHS requirements, including the use of MSDS and items of PPE
- 9.3 Required maintenance documentation is accurately completed and correctly processed
- 9.4 Removed components are tagged, sealed and packaged in accordance with specified procedures
- 9.5 Components to be installed are checked to confirm

Approved Page 6 of 8

correct part numbers, serviceability and modification status

- 9.6 Mass balance of control surfaces to be installed is checked in accordance with the applicable maintenance manual, if required
- 9.7 Installation is carried out in accordance with the applicable maintenance manual
- 9.8 Required maintenance documentation is completed and processed in accordance with standard enterprise procedures

Foundation Skills

Foundation skills essential to performance are explicit in the performance criteria of this unit of competency.

Range of Conditions

This field allows for different work environments and conditions that may affect performance. Essential operating conditions that may be present (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) are included.

Rotor and rotor control system components include:

- Main rotor blades and tail rotor blades
- Rotor heads, swash plates and tail rotor pitch control assemblies
- Mechanical flight control components (collective and cyclic pitch levers, rudder pedals, cables, pulleys, guides, fairleads, bellcranks, rods, torque tubes, chains and sprockets)
- Main rotor, intermediate or tail rotor gearboxes
- Drive shafts and couplings
- Must be performed by a qualified pilot

Engine and rotor system operation:

Airframe systems include:

- Fuel systems
- Cabin heating systems

Airframe system components include:

- Rigid or flexible fuel tanks, selector/shutoff valves and rigid or flexible plumbing
- Cabin heater ducting and control valves

Procedures and

Industry standard procedures specified by manufacturers,

Approved Page 7 of 8

requirements include: regulatory authorities or the enterprise

Unit Mapping Information

Release 2. Equivalent to MEA352 Maintain basic rotary wing aircraft systems

Links

Companion Volume implementation guides are found in VETNet - https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=ce216c9c-04d5-4b3b-9bcf-4e81d0950371

Approved Page 8 of 8