

MEA380 Repair and/or overhaul aircraft hydraulic system components

Release: 2

MEA380 Repair and/or overhaul aircraft hydraulic system components

Modification History

Release 2. Equivalent to MEA380 Repair and/or overhaul aircraft hydraulic system components with amended prerequisite codes.

Application

This unit of competency requires application of hand skills, theory knowledge and maintenance publication procedures to repair and overhaul hydraulic system components from fixed and rotary wing aircraft in workshops during the performance of scheduled or unscheduled maintenance. Maintenance may be performed individually or as part of a team.

The unit is part of the Mechanical Certificate IV (Component Workshop Maintenance Stream) training pathway. It is used in workplaces that operate under the airworthiness regulatory systems of the Australian Defence Force (ADF) and the Civil Aviation Safety Authority (CASA).

Pre-requisite Unit

MEA107	Interpret and use aviation maintenance industry manuals and specifications
MEA154	Apply work health and safety practices in aviation maintenance
MEA155	Plan and organise aviation maintenance work activities
MEA156	Apply quality standards during aviation maintenance activities
MEA157	Complete aviation maintenance industry documentation
MEA158	Perform basic hand skills, standard trade practices and fundamentals in aviation maintenance

Competency Field

Aviation maintenance

Approved Page 2 of 5

Unit Sector

Elements and Performance Criteria

Elements	describe	the
essential	outcomes.	

Performance criteria describe the performance needed to demonstrate achievement of the element.

- 1. Determine requirements
- 1.1 Component defect reports (removal tags) or customer order are correctly interpreted and matched by part and serial numbers
- 1.2 Hydraulic components are inspected and/or operated through prescribed test procedures to establish serviceability or confirm defects, as required
- 1.3 Modification status is clearly established to assist in determining the overhaul requirements for the components
- 1.4 Extent of overhaul or repair is identified and documented in accordance with standard enterprise procedures
- 2. Troubleshoot hydraulic components
- 2.1 Available information from maintenance records and test results is used, where necessary, to assist in fault determination
- 2.2 Logical processes are used to ensure efficient and accurate troubleshooting
- 2.3 Specialist advice is obtained, where required, to assist with, or confirm, the fault and rectification requirement
- 2.4 Hydraulic component faults are located and the causes of the faults are clearly identified
- 2.5 Fault rectification requirements are determined to assist in planning the repair
- 3. Dismantle and inspect 3.1 hydraulic component parts
- Hydraulic component parts are dismantled in accordance with maintenance manuals while observing all relevant work health and safety (WHS) requirements, including the use of material safety data sheets (MSDS) and items of personal protective equipment (PPE)
 - 3.2 Component parts are assessed for serviceability in accordance with the relevant maintenance documentation

Approved Page 3 of 5

- 3.3 Parts requiring specialist repair are tagged and repair instructions are specified in accordance with standard enterprise procedures
- 3.4 Parts requiring non-destructive testing are prepared for testing in accordance with the relevant maintenance documentation
- 3.5 Parts lists are compiled and processed in accordance with standard enterprise procedures
- 4. Repair and/or modify hydraulic components or parts
- 4.1 Component parts are repaired or replaced in accordance with the relevant maintenance documentation
- 4.2 Modification of components or parts is undertaken, where required, by relevant manufacturer's bulletins or procedures
- 5. Assemble, test and adjust hydraulic components
- 5.1 Hydraulic component parts are assembled within specified tolerances and in accordance with the appropriate maintenance documents while observing all relevant WHS requirements, including the use of MSDS and items of PPE
- 5.2 Components are adjusted, tested or calibrated to operate within prescribed specifications
- 5.3 Finished components are tagged, sealed and packaged in accordance with standard enterprise procedures
- 5.4 Required maintenance documentation and modification records are completed and processed in accordance with standard enterprise procedures

Foundation Skills

Foundation skills essential to performance are explicit in the performance criteria of this unit of competency.

Range of Conditions

This field allows for different work environments and conditions that may affect performance. Essential operating conditions that may be present (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) are included.

Approved Page 4 of 5

Hydraulic components include:

- Valves, pumps, motors, actuators, regulators, struts/oleos and brake units
- Accumulators, filters and reservoirs
- Rigid and flexible pipelines, hoses and fittings

Repair of component parts include:

- Finishing or re-finishing of metal surfaces through processes, such as polishing and lapping
- Removal of corrosion within maintenance manual limits
- Replacement of seals and backing rings
- Replacement of bearings
- Application of surface treatments, such as alodining
- Restoration of paint finishes

Testing and adjustment includes:

Complex testing and adjusting of components, where required, will be carried out under supervision at the appropriate level

Procedures and requirements include:

Industry standard procedures specified by manufacturers, regulatory authorities or the enterprise

Unit Mapping Information

Release 2. Equivalent to MEA380 Repair and/or overhaul aircraft hydraulic system components

Links

Companion Volume implementation guides are found in VETNet https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=ce216c9c-04d5-4b3b-9bcf-4e81d 0950371

Page 5 of 5 Approved Innovation and Business Skills Australia