

Assessment Requirements for MEA514 Maintain and pack escape slides

Release: 2

Assessment Requirements for MEA514 Maintain and pack escape slides

Modification History

Release 2. Equivalent to MEA514 Maintain and pack escape slides with amended prerequisite codes.

Performance Evidence

Evidence required to demonstrate competency in this unit must be relevant to and satisfy all of the requirements of the elements and performance criteria under the specified conditions of assessment, and must include:

- applying WHS practices relating to escape slide maintenance processes, including the selection and correct use of PPE, where applicable
- using MSDS
- using maintenance publications, drawings and documentation relating to escape slide maintenance
- handling, storing and organising transport of equipment
- delivering briefings to personnel in relation to operating escape slides
- inflating/deflating escape slides for maintenance
- using applicable testing and measuring equipment, tools and maintenance documentation.
- tying various types of knots, including:
 - reef knot
 - bowline
 - thumb knot
 - half hitch
- hand sewing
- cleaning and maintenance of equipment and tools.

The underlying skills inherent in this unit should be transferable across a range of aircraft life support equipment maintenance activities. It is essential that escape slide testing and inspection procedures, cleanliness requirements and safety precautions are fully observed, understood and complied with. Ability to interpret maintenance and packing procedures and apply them in practice is critical.

This is to be demonstrated through demonstration of the ability to recognise faults and replace components that are within the bounds of the individual's authority, and through the demonstration of correct packing procedures.

Knowledge Evidence

Evidence required to demonstrate competency in this unit must be relevant to and satisfy all of the requirements of the elements and performance criteria and include knowledge of:

Approved Page 2 of 4

- relevant regulations, standards, enterprise procedures and maintenance publications
- WHS procedures relating to survival inflatable life raft and escape slide maintenance, including the selection and use of PPE
- how to obtain MSDS
- relevant safety precautions including storage and handling of compressed gas cylinders
- · critical nature of maintaining and packing survival inflation devices, i.e. risk of death
- search and rescue procedures
- approved cleaning methods for aviation life support equipment
- environmental conditions that may affect survival inflation devices, including UV degradation
- types of corrosion and contamination that may affect survival inflation devices
- handling, storage and transit procedures relating to survival inflation devices
- survival inflation devices and methods of operation
- principles of operation of inflation mechanisms
- components of an escape slide and their function
- repair limitations for escape slides
- modification requirements for escape slides
- requirements for a survival inflation device servicing facility
- packing tools and measuring equipment required to pack survival inflatable devices
- use of escape slides.

Assessment Conditions

- Competency should be assessed in the workplace or simulated workplace using materials, tools and equipment specified in the maintenance manuals and applicable procedures. It is also expected that general and special-purpose tools and ground support equipment would be used where appropriate.
- The work plan should take account of applicable safety and quality requirements in accordance with the industry and regulatory standards.
- The following conditions of assessment represent the requirements of the Regulators (ADF and CASA) and maintenance stakeholders and must be rigorously observed.
- A person cannot be assessed as competent until it can be demonstrated to the satisfaction of the workplace assessor that the relevant elements and performance criteria of the unit of competency are being achieved under routine supervision on the following range of tasks:
 - completing a minimum of three (3) inflation tests without the need for corrective action by the supervisor
 - recognising the limits of own authority
 - testing cylinder weight and determining if it is within tolerance
 - correctly packing a minimum of three (3) escape slides without the need for corrective action by the supervisor
 - recognising a range of faults and their serviceability limits (faults must include incorrect manufacture and verifying expiry date of escape slide.

Approved Page 3 of 4

- This shall be established via the records in the Log of Industrial Experience and Achievement or, where appropriate, an equivalent Industry Evidence Guide (for details refer to the Companion Volume Assessment Guidelines).
- Assessors must satisfy the requirements of the National Vocational Education and Training Regulator (Australian Skills Quality Authority, or its successors).

Links

Approved Page 4 of 4