



Australian Government

Assessment Requirements for MSFFL3123

Edge sand timber floors

Release: 1

Assessment Requirements for MSFFL3123 Edge sand timber floors

Modification History

Release 1. Supersedes and is equivalent to MSFFL3096 Edge sand timber flooring. Changes to title, application, elements and performance criteria to improve clarity and consistency across MSFFL units. Changes to assessment requirements.

Performance Evidence

There must be evidence the candidate has completed the tasks in the elements and performance criteria of this unit of competency and has demonstrated the ability to complete according to job instructions at least two timber flooring preparations requiring edge sanding:

- to grade the surface
- to remove any cupping, ridges, high points or deep scratches along the edges of the room, in corners or areas of reduced access
- to blend the floorboards into the body of a coarse and a fine-sanded timber floor.

Knowledge Evidence

There must be evidence the candidate has knowledge of:

- manufacturer instructions for the use of sanding belts and paper and other materials required by job instructions
- the safe and correct use of, and maintenance requirements for tools and equipment for, edge sanding timber floors including factors that affect wear on sanding machines, belts and papers
- the most common issues that can arise when edge sanding timber floors and how to avoid and respond to them
- workplace policies and procedures relevant to their job role and responsibilities including for:
 - edge sanding timber floors
 - communication and reporting
 - environmental protection and sustainability, including maximising resource utilisation and minimising waste
 - quality indicators for completed work and process improvements
 - work health and safety, including the use of personal protective equipment, safety data sheets and dust and/or vacuum systems
 - work planning
- how to identify if a timber floor is prepared, clean and otherwise suitable for edge sanding
- how to identify if a timber floor has been edge sanded correctly.
-

Assessment Conditions

Skills must have been demonstrated in the workplace or in a simulated environment that reflects workplace conditions and contingencies. The following conditions must be met for this unit:

- use of suitable facilities, equipment and resources, including:
 - timber floors needing edge sanding
 - sanding belts and papers and other materials required by job instructions
 - equipment and tools required for the activities set out in the elements and performance criteria, including those to control hazards
 - job instructions and workplace procedures.

Assessors must satisfy the NVR/AQTF mandatory competency requirements for assessors.

Links

Companion Volume Implementation Guides are found in VETNet – -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=0601ab95-583a-4e93-b2d4-cfb27b03ed73>