

MSFSF3004 Construct Roman-style blinds

Release: 1

MSFSF3004 Construct Roman-style blinds

Modification History

Release 1 - New unit of competency

Application

This unit of competency covers constructing and sewing Roman-style blinds to workplace requirements.

No licensing, legislative or certification requirements apply to this unit at the time of publication.

Pre-requisite Unit

Competency Field

Unit Sector

Soft Furnishing

Elements and Performance Criteria

Elements describe the essential outcomes.		Performance criteria describe the performance needed to demonstrate achievement of the element.	
1	Establish work requirements and prepare for work	1.1	Work health and safety (WHS) requirements, including ergonomic criteria and personal protection needs, are observed throughout the work
		1.2	Work order requirements are checked are confirmed
		1.3	Correct side of fabric, naps, direction of pattern and pattern matches are identified
		1.4	Fabric is checked for flaws
		1.5	Appropriate needle types for the fabric are selected and threaded
2	Lay out work to be sewn	2.1	Linings and interlining materials are laid out and folded ready for sewing

Approved Page 2 of 6

2.2 Lining materials patterns are matched and secured 2.3 Face fabric is folded bringing edges to be seamed together to check any pattern matching and to maintain an appropriate finished length 2.4 Pattern matches are kept uniform within drops and across matching sets of blinds 2.5 Measuring and marking out of fold or stitching lines for batten placement is even and matches the work order or workplace requirements 2.6 Fabric is held together and, where required, supported with pins or other workplace approved methods Stitch seams and 3.1 Fabrics are held to allow for the personal right-hand or 3 left-hand preference of the sewer, and manipulation form corners requirements for the bulk and slipperiness of the materials 3.2 Machine sewing operations are completed correctly 3.3 Linings and interlinings are attached to the back of blind 3.4 Finished length and width of each panel are measured and checked against work order and adjusted where required 3.5 Batten pockets are inserted and fixed following workplace procedures 3.6 Hems are completed using any required weights, stitch type and appropriate sewing method 3.7 Corners are stitched and finished and threads trimmed 4 Apply quality checks 4.1 Finished blinds are checked ensuring stitch length, end finishing and final length of finished blinds match work requirements 4.2 Work is pressed for the next work stage 4.3 Rings are attached correctly 4.4 Parts of the work which do not comply with work order are repaired 5 Install blinds 5.1 Headboard is painted, stained or covered with fabric fixed along the board length, corners are mitred and fixed. reducing bulk and ensuring a neat finish

Approved Page 3 of 6

- 5.2 Blinds are fitted to headboard or track, threading completed and blind folded using appropriate methods
- 6 Complete work
- 6.1 Finished work is protected and despatched to next process following workplace procedures
- 6.2 Workplace documentation or reporting is completed

Foundation Skills

Foundation skills essential to performance are explicit in the performance criteria of this unit of competency. Detail on appropriate performance levels for each furnishing unit of competency in reading, writing, oral communication and numeracy utilising the Australian Core Skills Framework (ACSF) are provided in the Furnishing Training Package Implementation Guide.

Range of Conditions

Specifies different work environments and conditions that may affect performance. Essential operating conditions that may be present (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) are included. Range is restricted to essential operating conditions and any other variables essential to the work environment.

Unit context includes:

- WHS requirements including legislation, building codes, material safety management systems, hazardous and dangerous goods codes and local safe operating procedures or equivalent
- work is carried out in accordance with legislative obligations, environmental legislation, relevant health regulations, manual handling procedures and organisation insurance requirements
- work requires individuals to demonstrate some discretion, judgement and problem solving skills

Roman-style blind types include:

- straight or relaxed
- bonded
- oriental
- cascade
- staggered
- kooped

Machine sewing operations include:

- straight stitching along seam lines from the top to the lower edge of the material or vice versa
- securing of beginning and end of threads of the stitching

Approved Page 4 of 6

with even and appropriate seam stitch type, length and visibility

- seams are flat
- finished components match work requirements

Machines include:

- industrial sewing machines
- pressing equipment
- staplers
- drills
- saws

Materials to be machined include:

- lining
- interlining and curtain fabrics
- fasteners
- threads
- headboard or track

Work order requirements include:

- widths and numbers of finished blinds
- seam allowances and types
- number and widths of panels
- mounting style
- headboard or track requirements
- lining and any interlining
- required fasteners

Personal protective equipment includes:

• that prescribed under legislation, regulations and enterprise policies and practices

Information and procedures include:

- workplace procedures relating to the use of tools and equipment
- work instructions, including job sheets, cutting lists, plans, drawings and designs
- workplace procedures relating to reporting and communication
- manufacturer specifications and operational procedures

Unit Mapping Information

Supersedes and is equivalent to LMFSF3004B Construct Roman style blinds.

Links

Companion Volume implementation guides are found in VETNet - https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=0601ab95-583a-4e93-b2d4-cfb27b03ed73

Approved Page 5 of 6

Page 6 of 6 Approved Innovation and Business Skills Australia