



Australian Government

Assessment Requirements for MSS402062 Use SCADA systems in operations

Release: 1

Assessment Requirements for MSS402062 Use SCADA systems in operations

Modification History

Release1. Unit code changed. Application changed. Performance Criteria changed. Foundation Skills populated. Range of Conditions removed. Assessment Requirements changed. Supersedes and is equivalent to MSS402061 Use SCADA systems in operations.

Performance Evidence

There must be evidence the candidate has completed the tasks outlined in the elements and performance criteria of this unit, and demonstrated the ability to:

- access SCADA type system and enter and retrieve information relevant to own work at least 3 times
- use information from system to make at least 3 adjustments to production and/or processes within own work and according to procedures.

Knowledge Evidence

There must be evidence the candidate has knowledge of:

- hierarchy of SCADA type system and operation
- available information from, and controls exercised by, SCADA type system
- indicators, from SCADA type system, of normal performance and variations relevant to own work
- adjustments within own scope of responsibility and related procedures.

Assessment Conditions

Skills must have been demonstrated in the workplace or in a simulated environment that reflects workplace conditions and contingencies. The following conditions must be met for this unit:

- use of suitable facilities, equipment and resources, including:
 - functioning SCADA type system
- modelling of industry operating conditions.

Assessors must satisfy the NVR/AQTF mandatory competency requirements for assessors.

Links

Companion Volume Implementation Guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=5b04f318-804f-4dc0-9463-c3fb9a3fe998>