



Australian Government

Assessment Requirements for PMAOPS410 Operate remote production facilities

Release: 1

Assessment Requirements for PMAOPS410 Operate remote production facilities

Modification History

Release 1. Supersedes and is equivalent to PMAOPS410B Monitor remote production facilities

Performance Evidence

Evidence required to demonstrate competence in this unit must be relevant to and satisfy the requirements of the elements and performance criteria, and include the ability to:

- interpret and respond to panel messages and alarms
- obtain and interpret data from the control system to minimise variation and maximise performance
- predict impact of a change in one unit/area on other plant units/areas and take action
- apply process knowledge to monitor and predict the need for adjustments to system components
- identify early warning signs of equipment/processes needing attention or with potential problems and take action
- identify hazards and risks and apply risk control procedures.

Knowledge Evidence

Evidence must be provided that demonstrates knowledge of:

- all items on a schematic of the remote system and the function of each
- remote terminal unit, functions, operation and problems
- nature/condition of materials entering and leaving each stage of the process
- changes which have occurred in that stage and why they have occurred
- methods of changing production rates and the advantages and disadvantages of each
- effect of specific climatic and environmental factors
- process parameters and limits (e.g. temperature, pressure, flow and pH)
- principles of operation of plant/equipment
- physics and chemistry relevant to the process unit and the fluids involved
- local lease and well operations requirements and constraints
- corrective action appropriate to the problem cause
- function and troubleshooting of major components and their problems
- hierarchy of control
- hazards that may arise in the job/work environment, and:
 - their possible causes
 - potential consequences
 - appropriate risk controls.

Assessment Conditions

- The unit should be assessed holistically and the judgement of competence based on a holistic assessment of the evidence.
- The collection of performance evidence:
 - should occur over a range of situations which include typical disruptions to normal, smooth operations
 - will typically include a supervisor/third-party report focusing on consistent performance and problem recognition and solving. A supervisor/third-party report must be prepared by someone who has a direct, relevant, current relationship with the person being assessed and who is in a position to form a judgement on workplace performance relevant to the unit of competency
 - must include the use of industrial type remote facilities allowing operation
 - may use industry-based simulation for all of the unit particularly where safety, lack of opportunity or significant cost is an issue.
- Assessment should occur in operational workplace situations. Where this is not possible, or where personal safety or environmental damage are limiting factors, assessment must occur in a sufficiently rigorous simulated environment reflecting realistic operational workplace conditions. This must cover all aspects of workplace performance, including environment, task skills, task management skills, contingency management skills and job role environment skills.
- Assessment in a simulated environment should use evidence collected from one or more of:
 - walk-throughs
 - pilot plant operation
 - demonstration of skills
 - industry-based case studies/scenarios
 - 'what ifs'.
- Knowledge evidence may be collected concurrently with performance evidence (provided a record is kept) or through an independent process, such as workbooks, written assessments or interviews (provided a record is kept).
- Assessment processes and techniques must be appropriate to the language, literacy and numeracy requirements of the work being performed and the needs of the candidate.
- Conditions for assessment must include access to all tools, equipment, materials and documentation required, including relevant workplace procedures, product and manufacturing specifications associated with this unit.
- The regulatory framework will be reflected in workplace policies and procedures and is not required to be independently assessed.
- Foundation skills are integral to competent performance of the unit and should not be assessed separately.
- Assessors must satisfy the assessor competency requirements that are in place at the time of the assessment as set by the VET regulator.

- In addition, the assessor or anyone acting in subject matter expert role in assessment must demonstrate both technical competency and currency. If the assessor cannot demonstrate technical competency and currency they must assess with a subject matter expert who does meet these requirements.
- Technical competence can be demonstrated through one or more of:
 - relevant VET or other qualification/Statement of Attainment
 - appropriate workplace experience undertaking the type of work being assessed under routine and non-routine conditions
 - appropriate workplace experience supervising/evaluating the type of work being assessed under routine and non-routine conditions
- Currency can be demonstrated through one or more of:
 - being currently employed undertaking the type of work being assessed
 - being employed by the organisation undertaking the type of work being assessed and having maintained currency in accordance with that organisation's policies and procedures
 - having consulted/had contact with an organisation undertaking the type of work being assessed within the last twelve months, the consultation/contact being related to assessment
 - conducting on-the-job training/assessments of the type of work being assessed
 - being an active member of a relevant professional body and participating in activities relevant to the assessment of this type of work.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=9fc2cf53-e570-4e9f-ad6a-b228ffdb6875>