

Australian Government

PMBPROD280 Operate resin-glass depositor equipment

Release: 1

PMBPROD280 Operate resin-glass depositor equipment

Modification History

Release 1. Supersedes and is equivalent to PMBPROD280B Operate resin-glass depositor equipment

Application

This unit of competency covers the skills and knowledge required to operate automated resin-glass depositor (chopper gun) equipment for composite products.

This unit of competency applies to operators who are required to check the requirements for the job; perform pre-operational checks; monitor equipment operations, moulds, product quality and conformity; and recognise routine and non-routine problems and take appropriate action.

This unit of competency applies to an individual working alone or as part of a team or group and working in liaison with other shift team members, team leader and supervisor, as appropriate.

No licensing, legislative or certification requirements apply to this unit at the time of publication.

Pre-requisite Unit

Nil

Competency Field

Production

Unit Sector

Not applicable

Elements and Performance Criteria

Elements describe the essential outcomes.		Performance criteria describe the performance needed to demonstrate achievement of the element.		
1	Check work requirements	1.1	Identify work requirements from production plan or request	
		1.2	Check product, materials and equipment requirements for job	
		1.3	Recognise requirements which may not be in accordance	

2

3

with usual practice

	1.4	Ask questions of appropriate person to confirm non-standard job specifications
	1.5	Ensure housekeeping is to requirements
	1.6	Identify hazards associated with the job and take appropriate action
	1.7	Perform other pre-operational checks in accordance with workplace procedures
Check process set-up	2.1	Check safety equipment and guards are in position and working
	2.2	Check operation of resin-glass depositor equipment
	2.3	Check moulds for cracks, chips, marks and cleanliness
	2.4	Check materials, including fibre preforms, resins, additives and release agents are correct
	2.5	Complete pre-start checks
Operate	3.1	Start equipment safely and correctly when required
equipment to procedures	3.2	Check process is operating within required limits
	3.3	Collect products and store as required
	3.4	Check product/process is in specification/to required quality standard
	3.5	Maintain supply of materials as required
	3.6	Complete logs and records as required

- 3.7 Collect and segregate scrap, waste and other materials as required
- 3.8 Keep equipment and work area clean
- 3.9 Pause equipment cycle and perform emergency stop, as required

4	Respond to routine problems	4.1	Recognise known faults that occur during the operation
	in accordance	4.2	Identify and take action on causes of routine faults
	with procedures	4.3	Log problems as required
		4.4	Identify non-routine process and quality problems and take appropriate action

Foundation Skills

This section describes those required skills (language, literacy and numeracy) that are essential to performance.

Foundation skills essential to performance are explicit in the performance criteria of this unit of competency.

Range of Conditions

This field allows for different work environments and conditions that may affect performance. Essential operating conditions that may be present (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) are included.

Regulatory framework The latest version of all legislation, regulations, industry codes of practice and Australian/international standards, or the version specified by the local regulatory authority, must be used.

Applicable legislation, regulations, standards and codes of practice include:

- health, safety and environmental (HSE) legislation, regulations and codes of practice relevant to the workplace, equipment and production processes and hazardous materials
- Australian/international standards relevant to the materials being used and products being made
- any relevant licence and certification requirements.

All operations to which this unit applies are subject to stringent HSE requirements, which may be imposed through state/territory or federal legislation, and these must not be compromised at any time. Where there is an apparent conflict between performance criteria and such requirements the legislative requirements take precedence.

Procedures All operations must be performed in accordance with relevant procedures.

Procedures are written, verbal, visual, computer-based or in some other form, and include one or any combination of:

- emergency procedures
- work instructions
- standard operating procedures (SOPs)
- safe work method statements (SWMS)
- formulas/recipes
- batch sheets
- temporary instructions
- any similar instructions provided for the smooth running of the plant.

Additional tools and equipment will be selected as required from:

- programmable logic controllers (PLC) if fitted
- hand tools used in the process
- hoists/lifting equipment not requiring any special permits or licences
- manual handling aids, such as hand carts and trolleys
- relevant personal protective equipment (PPE).
- **Hazards** Hazards must be identified and controlled. Identifying hazards requires consideration of:
 - weight, shape, volume of materials to be handled
 - hazardous products and materials
 - sharp edges, protrusions or obstructions
 - slippery surfaces, spills or leaks
 - rotational equipment or vibration
 - high temperatures
 - smoke, dust, vapours or other atmospheric hazards
 - electricity
 - structural hazards
 - equipment failures
 - machinery, equipment and product mass

• other hazards that might arise.

Routine Routine problems must be resolved by applying known solutions. **problems**

Routine problems are predictable and include one or more of:

- equipment malfunction
- variations in process conditions
- variations in materials or contamination of materials
- equipment, tool or mould damage
- routine product faults
- machine malfunction/failure
- mould/tooling problems.

Known solutions are drawn from one or more of:

- procedures
- training
- remembered experience.

Non-routine problems must be reported according to according to relevant procedures.

Unit Mapping Information

Release 1. Supersedes and is equivalent to PMBPROD280B Operate resin-glass depositor equipment

Links

Companion Volume implementation guides are found in VETNet https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=932aacef-7947-4c80-acc6-593719fe4090