

# PUADEFEO503C Conduct explosive ordnance packaging inspection

**Revision Number: 1** 



# PUADEFEO503C Conduct explosive ordnance packaging inspection

# **Modification History**

Not applicable.

# **Unit Descriptor**

**Unit Descriptor** 

This unit covers the competency required to conduct an inspection of explosive ordnance packaging and to process the packaging for further action that may be required.

# **Application of the Unit**

**Application of the Unit** 

This competency normally applies to the individual who is required to conduct an inspection of explosive ordnance packaging and to process the packaging for further action that may be required.

The inspection of the packaging is carried out in a logical sequence while adhering to all relevant occupational health and safety (OH&S) requirements. Processing the packaging is subject to the outcomes of the inspection and may result in damaged or defective packaging being rejected, disposed of, returned to the

manufacturer or sent for maintenance.

# **Licensing/Regulatory Information**

Not applicable.

# **Pre-Requisites**

**Pre-requisite Unit/s** Nil

Page 2 of 9 Approved

# **Employability Skills Information**

**Employability Skills** 

This unit contains employability skills.

# **Elements and Performance Criteria Pre-Content**

Elements describe the essential outcomes of a Unit of Competency.

Performance Criteria describe the required performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the Required Skills and Knowledge and/or the Range Statement. Assessment of performance is to be consistent with the Evidence Guide.

#### **Elements and Performance Criteria**

#### **ELEMENT**

#### PERFORMANCE CRITERIA

1. Prepare for Inspection

- 1.1 Requirement for explosive ordnance packaging *inspection* is identified from work requests/instructions and is confirmed
- 1.2 OH&S requirements, including those contained in *organisational* procedures, are applied throughout the operation
- 1.3 *Technical references*, tools and equipment required for the inspection are identified, acquired and prepared in accordance with organisation procedures
- 1.4 *Packaging* is acquired, identified and accounted for, and moved or pre-positioned in preparation for inspection
- 2. Inspect explosive ordnance
- 2.1 Packaging is inspected in a logical set sequence to ensure that *defects or damage* are not overlooked in accordance with organisation policy and procedures, and technical specifications
- 2.2 Damage or other defects are identified and recorded in accordance with organisation procedures

Approved Page 3 of 9

#### **ELEMENT**

#### PERFORMANCE CRITERIA

- 3. Carry out post inspection procedures
- 3.1 Packaging is processed in accordance with organisation procedures
- 3.2 *Documentation and records* are maintained in accordance with statutory, organisation and workshop requirements

# Required Skills and Knowledge

### REQUIRED SKILLS AND KNOWLEDGE

This describes the essential skills and knowledge and their level, required for this unit.

#### **Required Skills**

- apply OH&S requirements
- communicate orally and in writing
- identify faults, markings and labels
- maintain documentation
- process explosive ordnance packaging
- read, access, interpret and apply technical instructions and drawings related to packaging inspections

#### Required Knowledge

- characteristics and limitations of packaging to be inspected
- inspection procedures
- organisational documentation requirements
- organisationalOH&S requirements

## **Evidence Guide**

**EVIDENCE GUIDE** 

Approved Page 4 of 9

#### **EVIDENCE GUIDE**

Critical aspects for assessment and evidence required to demonstrate competency in this unit Assessment must confirm the ability to comply with:

- organisational safety requirements
- appropriate legislative and regulatory requirements.

Assessment must also confirm the ability to work safely within a workshop environment and to:

- identify packaging
- identify labelling and marking
- process explosive ordnance packaging
- maintain documentation.

#### **Consistency in performance**

Competency should be demonstrated in a range of actual or simulated reconditioning contexts.

# Context of and specific resources for assessment

#### Context of assessment

Competency should be assessed in the workplace or in a simulated work environment, in accordance with all relevant legislation and organisational requirements.

#### Specific resources for assessment

Access is required to:

 facilities and resources used in the reconditioning of explosive ordnance packaging.

Approved Page 5 of 9

#### **EVIDENCE GUIDE**

#### Method of assessment

In a public safety environment assessment is usually conducted via direct observation in a training environment or in the workplace via subject matter supervision and/or mentoring, which is typically recorded in a competency workbook.

Assessment is completed using appropriately qualified assessors who select the most appropriate method of assessment.

Assessment may occur in an operational environment or in an industry-approved simulated work environment. Forms of assessment that are typically used include:

- direct observation
- interviewing the candidate
- journals and workplace documentation
- third party reports from supervisors
- written or oral questions.

Approved Page 6 of 9

# **Range Statement**

#### RANGE STATEMENT

The Range Statement relates to the Unit of Competency as a whole. It allows for different work environments and situations that may affect performance. *Bold italicised* wording in the Performance Criteria is detailed below.

Packaging inspections may be conducted

As part of a work program

On direction

On receipt

Prior to maintenance

Prior to or post any activity

Organisation may include

Defence organisation

Enterprises that work with explosive ordnance

Other government departments or instrumentalities that

work with explosive ordnance

**Technical references may** include

Technical drawings

Technical reference pamphlets

Orders and instructions

Other publications

Packaging may be constructed from

Aluminium

**Bakelite** 

Cardboard

Fibreglass

Plastic

Polystyrene

Rubber

Steel

Tin

Wood

**Inspections may include** 

Closing devices

Desiccant indicators

Handles

Hinges

Approved Page 7 of 9

#### RANGE STATEMENT

Internal/external fitments

Internal packaging

Labels such as:

- free from explosives certification
- warning labels
- security seals
- special markings
- hazard labels
- contents labels
- un serial number
- shipping labels
- fraction label
- model/mark of packaging

Pressure release valves

Seals

Inspection may result in packaging being

Passed for use

Recommended for sentencing

Rejected

**Explosive ordnance defects** or damage may include

Corrosion

Dents

Fire damage

Holes

Non-compliance with technical specifications

**Tears** 

Processing may include

Disposal

Rejection

Retention for return or maintenance

**Documentation and records** may include

Receipt and issue records

Timesheets

Work records

Approved Page 8 of 9

# **Unit Sector(s)**

Not applicable.

Approved Page 9 of 9