



**Australian Government**

**Assessment Requirements for  
RIIMPG201D Connect and disconnect  
reefer refrigeration units**

**Release: 3**

## Assessment Requirements for RIIMPG201D Connect and disconnect reefer refrigeration units

### Modification History

| Release | Comment  |
|---------|--|
| 1       | This unit replaces RIIMPG201A Connect and disconnect reefer refrigeration units  |
| 2       | Performance Criteria amended to include Plan and Prepare element; requirements made more explicit; inserted modification history   |
| 3       | Required frequency and volume of evidence amended in Performance evidence. Substantial amendments made in Assessment Conditions field, including: references to Industry Sectors, assessor and subject matter expert experience requirements, how assessment should be conducted and what it should confirm. |

### Performance Evidence

Evidence is required to be collected that demonstrates a candidate's competency in this unit. Evidence must be relevant to the roles within this sector's work operations and satisfy all of the requirements of the performance criteria of this unit and include evidence that the candidate:

- locates and applies applicable documentation, policies and procedures
- implements requirements, procedures and techniques for the safe, effective connection and disconnection of reefer refrigeration units including:
  - applying, organisation and site requirements and procedures
  - establishing work plans
  - assessing operational capability and limitation of equipment used
  - assessing capability and limitation of work processes selected
- demonstrates completion of connecting and disconnecting reefer refrigeration units that safely, effectively and efficiently meets all of the required outcomes on more than one (1) occasion including:
  - planning and preparing for connect/disconnect reefer refrigeration unit
  - completing activity systematically with attention to detail without damage to goods, equipment or personnel
  - assessing need for tagging of unserviceable or damaged units

## Knowledge Evidence

The candidate must demonstrate knowledge in connecting and disconnecting reefer refrigeration units through:

- applying legislative, organisation and site requirements and procedures for:
  - risk assessment and management
  - statutory compliance
  - work health and safety
- identifying hazards and risks associated with power sources
- identifying and reporting improvements opportunities to processes
- applying safety precautions relevant to the task
- identifying site layout and location of reefer refrigeration units
- identifying problems in the operations of reefer refrigeration units
- identifying reefer refrigeration units requiring clip on units
- identifying problems in the operation of reefer refrigeration units
- identifying units using marking and number systems
- identifying the requirements of work systems, equipment, management and site operating systems
- identifying the relationships of work activities and operating systems

## Assessment Conditions

- An assessor of this unit must satisfy the requirements of the NVR/AQTF or their successors; and Industry regulations for certification and licensing; and,
- this unit must be assessed in the context of this sector's work environment; and,
- this unit must be assessed in compliance with relevant legislation/regulation and using policies, procedures, processes and operational manuals directly related to the industry sector for which it is being assessed; and,
- assessment may be conducted in conjunction with the assessment of other Units of Competency; and,
- assessment must confirm consistent performance can be applied in a range of relevant workplace circumstances; and,
- assessors must demonstrate the performance evidence, and knowledge evidence as outlined in this Unit of Competency, and through the minimum years of current\* work experience specified below in an Industry sector relevant to the outcomes of the unit; or,
- where the assessor does not meet experience requirements a co-assessment or partnership arrangement must exist between the qualified assessor and an Industry subject matter expert. The Industry subject matter expert should hold the unit being assessed (or an equivalent unit) and/or demonstrate equivalence of skills and knowledge at the unit level. An Industry technical expert must also demonstrate skills and knowledge from the minimum years of current work experience specified below in the Industry sector, including time spent in roles related to the unit being assessed; and,
- assessor and Industry subject matter expert requirements differ depending on the Australian Qualifications Framework Level (AQF) of the qualification being assessed and/or Industry Sector as follows:

| Industry sector  | AQF** Level  | Required assessor or Industry subject matter expert experience |
|--|--|--|
| Drilling, Metalliferous Mining, Coal Mining, Extractive (Quarrying) and Civil Construction | 1  | 1 Year   |
|  | 2  | 2 Years  |
| Drilling, Coal Mining and Extractive (Quarrying)   | 3-6  | 3 Years  |
| Metalliferous Mining and Civil Construction  | 3-6  | 5 Years  |
| Other sectors  | Where this Unit is being assessed outside of the Resources and Infrastructure Sectors assessor and/or Industry subject matter expert experience should be in-line with industry standards for the sector in which it is being assessed and where no Industry standard is specified should comply with any relevant regulation. |  |

\*Assessors can demonstrate current work experience through employment within Industry in a role relevant to the outcomes of the Unit; or, for external assessors this can be demonstrated through exposure to Industry by conducting frequent site assessments across various locations.

\*\*Where a unit is being delivered outside of a Qualification the first numeric character in the Unit code should be considered to indicate the AQF level

## Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=88a61002-9a21-4386-aaf8-69c76e675272>