

# RIIOGD302D Trip casing

Release: 2



# RIIOGD302D Trip casing

## **Modification History**

Release	Comment
1	This unit replaces RIIOGD302A Trip casing
2	Required frequency and volume of evidence amended in Performance evidence.  Substantial amendments made in Assessment Conditions field, including: references
	to Industry Sectors, assessor and subject matter expert experience requirements, how assessment should be conducted and what it should confirm.

# **Application**

This unit describes a participant's skills and knowledge required to apply trip casing in Drilling.

This unit is appropriate for those working in operational roles.

Licensing, legislative, regulatory and certification requirements that apply to this unit can vary between states, territories, and industry sectors. Relevant information must be sourced prior to application of the unit.

#### **Unit Sector**

Drilling

Approved Page 2 of 4

# **Elements and Performance Criteria**

1.3 Identify and address potential risks, hazards and environmental issues and implement control measures  1.4 Select the personal protective equipment appropriate for the work activity  1.5 Identify, locate and apply correct personal protective equipment  1.6 Resolve coordination requirements with others at the site prit to commencing, during and on completion of the work activities and ensure briefings/handover details are read/passed on  1.7 Confirm availability and status of necessary permits to work in accordance with operational and legislative requirements  1.8 Confirm availability of necessary third party utilities  2. Prepare to trip  2.1 Check grade or grades of casing  2.2 Supervise crew in correctly positioning casing on racks  2.3 Measure and record in writing casing  2.4 Identify joint by the numerical order in which it will be run in the hole and its measured length  2.5 Supervise crew to remove thread protectors, rabbit casing, clean and lubricate threads  2.6 Check casing shoe and hanger joints for damage to threads, sealing surfaces and flapper valves where fitted  2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes  2.8 Line up pumps to fill casing during running operation  3. Operate derrick  3.1 Steady casing during stabbing				
1.3 Identify and address potential risks, hazards and environmental issues and implement control measures  1.4 Select the personal protective equipment appropriate for the work activity  1.5 Identify, locate and apply correct personal protective equipment  1.6 Resolve coordination requirements with others at the site prise to commencing, during and on completion of the work activities and ensure briefings/handover details are read/passed on  1.7 Confirm availability and status of necessary permits to work in accordance with operational and legislative requirements  1.8 Confirm availability of necessary third party utilities  2. Prepare to trip casing  2.1 Check grade or grades of casing  2.2 Supervise crew in correctly positioning casing on racks  2.3 Measure and record in writing casing  2.4 Identify joint by the numerical order in which it will be run in the hole and its measured length  2.5 Supervise crew to remove thread protectors, rabbit casing, clean and lubricate threads  2.6 Check casing shoe and hanger joints for damage to threads, sealing surfaces and flapper valves where fitted  2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes  2.8 Line up pumps to fill casing during running operation  3. Operate derrick  3.1 Steady casing during stabbing				
environmental issues and implement control measures  1.4 Select the personal protective equipment appropriate for the work activity  1.5 Identify, locate and apply correct personal protective equipment  1.6 Resolve coordination requirements with others at the site prise to commencing, during and on completion of the work activities and ensure briefings/handover details are read/passed on  1.7 Confirm availability and status of necessary permits to work in accordance with operational and legislative requirements  1.8 Confirm availability of necessary third party utilities  2. Prepare to trip casing  2.1 Check grade or grades of casing  2.2 Supervise crew in correctly positioning casing on racks  2.3 Measure and record in writing casing  2.4 Identify joint by the numerical order in which it will be run in the hole and its measured length  2.5 Supervise crew to remove thread protectors, rabbit casing, clean and lubricate threads  2.6 Check casing shoe and hanger joints for damage to threads, sealing surfaces and flapper valves where fitted  2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes  2.8 Line up pumps to fill casing during running operation  3. Operate derrick  3.1 Steady casing during stabbing		1.2 Obtain, read, interpret, clarify and confirm work requirements		
work activity  1.5 Identify, locate and apply correct personal protective equipment  1.6 Resolve coordination requirements with others at the site price to commencing, during and on completion of the work activities and ensure briefings/handover details are read/passed on  1.7 Confirm availability and status of necessary permits to work in accordance with operational and legislative requirements  1.8 Confirm availability of necessary third party utilities  2. Prepare to trip  casing  2.1 Check grade or grades of casing  2.2 Supervise crew in correctly positioning casing on racks  2.3 Measure and record in writing casing  2.4 Identify joint by the numerical order in which it will be run in the hole and its measured length  2.5 Supervise crew to remove thread protectors, rabbit casing, clean and lubricate threads  2.6 Check casing shoe and hanger joints for damage to threads, sealing surfaces and flapper valves where fitted  2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes  2.8 Line up pumps to fill casing during running operation  3. Operate derrick  3.1 Steady casing during stabbing		• • • • • • • • • • • • • • • • • • •		
equipment  1.6 Resolve coordination requirements with others at the site prict to commencing, during and on completion of the work activities and ensure briefings/handover details are read/passed on  1.7 Confirm availability and status of necessary permits to work in accordance with operational and legislative requirements  1.8 Confirm availability of necessary third party utilities  2. Prepare to trip  2.1 Check grade or grades of casing  2.2 Supervise crew in correctly positioning casing on racks  2.3 Measure and record in writing casing  2.4 Identify joint by the numerical order in which it will be run in the hole and its measured length  2.5 Supervise crew to remove thread protectors, rabbit casing, clean and lubricate threads  2.6 Check casing shoe and hanger joints for damage to threads, sealing surfaces and flapper valves where fitted  2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes  2.8 Line up pumps to fill casing during running operation  3. Operate derrick  3.1 Steady casing during stabbing				
to commencing, during and on completion of the work activities and ensure briefings/handover details are read/passed on  1.7 Confirm availability and status of necessary permits to work in accordance with operational and legislative requirements  1.8 Confirm availability of necessary third party utilities  2. Prepare to trip  2.1 Check grade or grades of casing  2.2 Supervise crew in correctly positioning casing on racks  2.3 Measure and record in writing casing  2.4 Identify joint by the numerical order in which it will be run in the hole and its measured length  2.5 Supervise crew to remove thread protectors, rabbit casing, clean and lubricate threads  2.6 Check casing shoe and hanger joints for damage to threads, sealing surfaces and flapper valves where fitted  2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes  2.8 Line up pumps to fill casing during running operation  3. Operate derrick  3.1 Steady casing during stabbing				
in accordance with operational and legislative requirements  1.8 Confirm availability of necessary third party utilities  2. Prepare to trip casing  2.1 Check grade or grades of casing 2.2 Supervise crew in correctly positioning casing on racks 2.3 Measure and record in writing casing 2.4 Identify joint by the numerical order in which it will be run in the hole and its measured length 2.5 Supervise crew to remove thread protectors, rabbit casing, clean and lubricate threads 2.6 Check casing shoe and hanger joints for damage to threads, sealing surfaces and flapper valves where fitted 2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes 2.8 Line up pumps to fill casing during running operation  3. Operate derrick 3.1 Steady casing during stabbing		to commencing, during and on completion of the work activities and		
2. Prepare to trip casing  2.1 Check grade or grades of casing 2.2 Supervise crew in correctly positioning casing on racks 2.3 Measure and record in writing casing 2.4 Identify joint by the numerical order in which it will be run in the hole and its measured length 2.5 Supervise crew to remove thread protectors, rabbit casing, clean and lubricate threads 2.6 Check casing shoe and hanger joints for damage to threads, sealing surfaces and flapper valves where fitted 2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes 2.8 Line up pumps to fill casing during running operation  3. Operate derrick 3.1 Steady casing during stabbing		, , , , , , , , , , , , , , , , , , ,		
2.2 Supervise crew in correctly positioning casing on racks 2.3 Measure and record in writing casing 2.4 Identify joint by the numerical order in which it will be run in the hole and its measured length 2.5 Supervise crew to remove thread protectors, rabbit casing, clean and lubricate threads 2.6 Check casing shoe and hanger joints for damage to threads, sealing surfaces and flapper valves where fitted 2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes 2.8 Line up pumps to fill casing during running operation 3. Operate derrick 3.1 Steady casing during stabbing		1.8 Confirm availability of necessary third party utilities		
2.3 Measure and record in writing casing  2.4 Identify joint by the numerical order in which it will be run in the hole and its measured length  2.5 Supervise crew to remove thread protectors, rabbit casing, clean and lubricate threads  2.6 Check casing shoe and hanger joints for damage to threads, sealing surfaces and flapper valves where fitted  2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes  2.8 Line up pumps to fill casing during running operation  3. Operate derrick  3.1 Steady casing during stabbing	2. Prepare to trip	2.1 Check grade or grades of casing		
2.4 Identify joint by the numerical order in which it will be run in the hole and its measured length  2.5 Supervise crew to remove thread protectors, rabbit casing, clean and lubricate threads  2.6 Check casing shoe and hanger joints for damage to threads, sealing surfaces and flapper valves where fitted  2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes  2.8 Line up pumps to fill casing during running operation  3. Operate derrick  3.1 Steady casing during stabbing	casing	2.2 Supervise crew in correctly positioning casing on racks		
the hole and its measured length  2.5 Supervise crew to remove thread protectors, rabbit casing, clean and lubricate threads  2.6 Check casing shoe and hanger joints for damage to threads, sealing surfaces and flapper valves where fitted  2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes  2.8 Line up pumps to fill casing during running operation  3. Operate derrick  3.1 Steady casing during stabbing		2.3 Measure and record in writing casing		
clean and lubricate threads  2.6 Check casing shoe and hanger joints for damage to threads, sealing surfaces and flapper valves where fitted  2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes  2.8 Line up pumps to fill casing during running operation  3. Operate derrick  3.1 Steady casing during stabbing		, , , , , , , , , , , , , , , , , , ,		
sealing surfaces and flapper valves where fitted  2.7 Assemble and check operating conditions of casing running equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes  2.8 Line up pumps to fill casing during running operation  3. Operate derrick  3.1 Steady casing during stabbing		1		
equipment, including slips, tongs, elevators, rubber clamp, protector and tailing ropes  2.8 Line up pumps to fill casing during running operation  3. Operate derrick  3.1 Steady casing during stabbing				
3. Operate derrick 3.1 Steady casing during stabbing		equipment, including slips, tongs, elevators, rubber clamp, protectors		
		2.8 Line up pumps to fill casing during running operation		
	-	3.1 Steady casing during stabbing		
15.2 Release DICK-UD elevators	during tripping of	3.2 Release pick-up elevators		
casing  3.3 Correctly align casing for make-up	casing	3.3 Correctly align casing for make-up		
3.4 Latch side door or slip type elevators		3.4 Latch side door or slip type elevators		
3.5 Relieve casing stabber during casing running operations		3.5 Relieve casing stabber during casing running operations		

Approved Page 3 of 4

#### **Foundation Skills**

Foundation skills essential to performance are explicit in the performance criteria of this unit. Further information is available in the Resources and Infrastructure Industry Training Package Companion Volume.

## **Unit Mapping Information**

RIIOGD302A Trip casing

#### Links

SkillsDMC RII Companion Volumes - http://www.skillsdmc.com.au/

Approved Page 4 of 4