

Assessment Requirements for RIISAM305D Repair and splice conveyor belting

Release: 2

Assessment Requirements for RIISAM305D Repair and splice conveyor belting

Modification History

Release	Comment
1	This unit replaces RIISAM305A Repair and splice conveyor belting
	Required frequency and volume of evidence amended in Performance evidence. Substantial amendments made in Assessment Conditions field, including: references to Industry Sectors, assessor and subject matter expert experience requirements, how assessment should be conducted and what it should confirm.

Performance Evidence

Evidence is required to be collected that demonstrates a candidate's competency in this unit. Evidence must be relevant to the roles within this sector's work operations and satisfy all of the requirements of the performance criteria of this unit and include evidence that the candidate:

- locates and applies relevant legislation, documentation, policies and procedures
- implements the requirements, procedures and techniques for the safe, effective and efficient repairing and splicing of conveyor belting including:
 - selecting and using the required tools and equipment
 - accessing, interpreting and applying technical information
 - applying site safety information
 - using hand and power tools
 - applying marking out techniques
 - disposing of environmentally sensitive oils, fluids and materials
- works effectively with others to repair and splice conveyor belting that meets all of the required outcomes including:
 - complying with written and verbal reporting requirements and procedures
 - communicating clearly and concisely with others to receive and clarify work instructions
 - communicating clearly and concisely with others to coordinate work activities
- demonstrates completion of the repairing and splicing of conveyor belting that safely, effectively and efficiently meets all of the required outcomes on more than one (1) occasion including:
 - sharpening knives
 - operating pulling and lifting equipment

Approved Page 2 of 4

- · completing splicing operation
- completing belt repairs
- locating, positioning, making safe and cleaning the belting
- · inspecting conveyor and auxiliary equipment
- testing conveyor belting
- · returning conveyor to service

Knowledge Evidence

The candidate must demonstrate knowledge in repairing and splicing conveyor belting:

- accessing, interpreting and applying organisation and site requirements and procedures for:
 - site operations
 - · slinging and lifting
 - hazardous chemicals
 - site equipment and maintenance
 - site inventory (parts) systems
 - marking out
 - site environmental issues and constraints
- identifying operations, characteristics, capabilities and limitations of vulcanising presses
- identifying and using specialised cutting tools and conveyor belt types

Assessment Conditions

- An assessor of this unit must satisfy the requirements of the NVR/AQTF or their successors; and Industry regulations for certification and licensing; and,
- this unit is best assessed in the context of this sector's work environment;
- where personal safety or environmental damage are limiting factors, assessment may
 occur in a simulated environment provided it is realistic and sufficiently rigorous to cover
 all aspects of this sector's workplace performance, including environment, task skills, task
 management skills, contingency management skills and job role environment skills; and,
- this unit must be assessed in compliance with relevant legislation/regulation and using
 policies, procedures, processes and operational manuals directly related to the industry
 sector for which it is being assessed; and,
- assessment may be conducted in conjunction with the assessment of other Units of Competency; and,
- assessment must confirm consistent performance can be applied in a range of relevant workplace circumstances; and,
- assessors must demonstrate the performance evidence, and knowledge evidence as
 outlined in this Unit of Competency, and through the minimum years of current* work
 experience specified below in an Industry sector relevant to the outcomes of the unit; or,

Approved Page 3 of 4

- where the assessor does not meet experience requirements a co-assessment or partnership arrangement must exist between the qualified assessor and an Industry subject matter expert. The Industry subject matter expert should hold the unit being assessed (or an equivalent unit) and/or demonstrate equivalence of skills and knowledge at the unit level. An Industry technical expert must also demonstrate skills and knowledge from the minimum years of current work experience specified below in the Industry sector, including time spent in roles related to the unit being assessed; and,
- assessor and Industry subject matter expert requirements differ depending on the Australian Qualifications Framework Level (AQF) of the qualification being assessed and/or Industry Sector as follows:

Industry sector	AQF** Level	Required assessor or Industry subject matter expert experience
Drilling, Metalliferous Mining, Coal Mining, Extractive (Quarrying) and Civil	1	1 Year
Construction	2	2 Years
Drilling, Coal Mining and Extractive (Quarrying)	3-6	3 Years
Metalliferous Mining and Civil Construction	3-6	5 Years
Other sectors	Where this Unit is being assessed outside of the Resources and Infrastructure Sectors assessor and/or Industry subject matter expert experience should be in-line with industry standards for the sector in which it is being assessed and where no Industry standard is specified should comply with any relevant regulation.	

^{*}Assessors can demonstrate current work experience through employment within Industry in a role relevant to the outcomes of the Unit; or, for external assessors this can be demonstrated through exposure to Industry by conducting frequent site assessments across various locations.

Links

Companion Volume implementation guides are found in VETNet - https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=88a61002-9a21-4386-aaf8-69c76e675272

Approved Page 4 of 4

^{**}Where a unit is being delivered outside of a Qualification the first numeric character in the Unit code should be considered to indicate the AQF level