



Australian Government

Assessment Requirements for RIIUMM203D Prepare and perform manual scaling operations

Release: 2

Assessment Requirements for RIIUMM203D Prepare and perform manual scaling operations

Modification History

Not applicable.

Performance Evidence

Evidence is required to be collected that demonstrates a candidate's competency in this unit. Evidence must be relevant to the roles within this sector's work operations and satisfy all of the requirements of the performance criteria of this unit and include evidence that the candidate:

- locates and applies relevant documentation, policies and procedures
- implements the requirements, procedures and techniques for the safe, effective and efficient completion of manual scaling preparation and performance including:
 - using inspection techniques
 - using appropriate dust suppression and extraction methods
- works effectively with others to undertake and complete the preparation and performance of manual scaling that meets all of the required outcomes including:
 - communicating clearly and concisely with others to receive and clarify work instructions, and convey work progress
- demonstrates consistent timely completion of manual scaling operations that safely, effectively and efficiently meet all of the required outcomes on a minimum of three (3) separate occasions including:
 - conducting inspections on:
 - applying exclusion zone control measures
 - identifying and using required ancillary equipment
 - applying dust suppression and extraction
 - conducting manual scaling
 - conducting housekeeping activities
 - maintaining written and verbal reporting requirements and procedures

Knowledge Evidence

The candidate must demonstrate knowledge in preparing and perform manual scaling operations through:

- risk assessment and hazard management
- site conditions including:
 - geological and technical data
 - environmental issues
 - ground control
 - ventilation and dust controls
 - equipment safety requirements
 - work area inspections
- dealing with misfires
- being prepared for fire/accident/emergency

Assessment Conditions

- An assessor of this unit must satisfy the requirements of the NVR/AQTF or their successors; and Industry regulations for certification and licensing; and,
- this unit must be assessed in the context of this sector's work environment; and,
- this unit must be assessed using Resources and Infrastructure Industry sector specific policies, procedures, processes and operational manuals; and,
- an assessor must demonstrate the skills and knowledge of this unit through five (5) years of current and continuous work with the Industry sector and must hold the TAE Assessor Skill Set or equivalent.

Links

SkillsDMC RII Companion Volumes - <http://www.skillsdmc.com.au/>