

RIIBHD305 Conduct down-hole hammer drilling

Release: 1



RIIBHD305 Conduct down-hole hammer drilling

Modification History

Not applicable.

Unit Descriptor

This unit covers the conduct of down-hole hammer drilling and blast hole drilling in the drilling industry. It includes planning and preparing for down-hole hammer drilling, operating down-hole hammer drilling, using drilling fluids, maintaining equipment, and responding to problems. Licensing, legislative, regulatory and certification requirements that apply to this unit can vary between states, territories, and industry sectors. Relevant information must be sourced prior to application of the unit.

Application of the Unit

This unit is appropriate for those working in an operational role at worksites within:

- Drilling
- Metalliferous mining

•

Licensing/Regulatory Information

Not applicable.

Pre-Requisites

Not applicable.

Employability Skills Information

This unit contains employability skills.

Elements and Performance Criteria Pre-Content

Not applicable.

Approved Page 2 of 9

Elements and Performance Criteria

1. Plan and prepare for down-hole hammer drilling 1. Access, interpret and apply compliance documentation relevant to the work activity 1. 2. Obtain, confirm and apply work instructions for the allocated task 1.3 Identify, manage and report all potential hazards and risks 1.4 Resolve coordination requirements with others at the site prior to commencing and during work activities 1.5 Select tools and equipment to carry out tasks consistent with driller's duties and the requirements of the job, check for serviceability and rectify or report any faults 1. 6 Check restraining devices on all pressure hoses 1.7 Fit/replace restraining devices on pressure hoses as required 1. 8 Raise alarm/report as required 2. 1 Select appropriate rod type, thread form and drill string components for job 2. 2 Measure and select appropriate bit for the job 2. 3 Collar hole 2. 4 Use rod handling equipment safely and correctly 2. 5 Add/break out and remove drill rods/pipes and down hole equipment 2.6 Weight/feed/rotate drill at right rate for optimum penetration 2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 3.1 Identify hole conditions requiring the use of dust control fluids 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		
1. 3 Identify, manage and report all potential hazards and risks 1.4 Resolve coordination requirements with others at the site prior to commencing and during work activities 1.5 Select tools and equipment to carry out tasks consistent with driller's duties and the requirements of the job, check for serviceability and rectify or report any faults 1.6 Check restraining devices on all pressure hoses as required 1.8 Raise alarm/report as required 1.8 Raise alarm/report as required 2.1 Select appropriate rod type, thread form and drill string components for job 2.2 Measure and select appropriate bit for the job 2.3 Collar hole 2.4 Use rod handling equipment safely and correctly 2.5 Add/break out and remove drill rods/pipes and down hole equipment 2.6 Weight/feed/rotate drill at right rate for optimum penetration 2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 1. 3. Use drilling fluids 3.1 Identify hole conditions requiring the use of dust control fluids 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4. 1 Monitor wear 4. 2 Check all equipment and hoses 4. 3 Disassemble, inspect and reassemble down hole hammers 4. 4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 4.5 Undertake bit sharpening as required 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes	1	± ± • • =
1.4 Resolve coordination requirements with others at the site prior to commencing and during work activities 1.5 Select tools and equipment to carry out tasks consistent with driller's duties and the requirements of the job, check for serviceability and rectify or report any faults 1.6 Check restraining devices on all pressure hoses 1.7 Fit/replace restraining devices on pressure hoses as required 1.8 Raise alarm/report as required 1.8 Raise alarm/report as required 2.1 Select appropriate rod type, thread form and drill string components for job 2.2 Measure and select appropriate bit for the job 2.3 Collar hole 2.4 Use rod handling equipment safely and correctly 2.5 Add/break out and remove drill rods/pipes and down hole equipment 2.6 Weight/feed/rotate drill at right rate for optimum penetration 2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 1. 3. Use drilling fluids 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 4.5 Undertake bit sharpening as required 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes	hammer drilling	
to commencing and during work activities 1.5 Select tools and equipment to carry out tasks consistent with driller's duties and the requirements of the job, check for serviceability and rectify or report any faults 1.6 Check restraining devices on all pressure hoses 1.7 Fit/replace restraining devices on pressure hoses as required 1.8 Raise alarm/report as required 2.1 Select appropriate rod type, thread form and drill string components for job 2.2 Measure and select appropriate bit for the job 2.3 Collar hole 2.4 Use rod handling equipment safely and correctly 2.5 Add/break out and remove drill rods/pipes and down hole equipment 2.6 Weight/feed/rotate drill at right rate for optimum penetration 2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 3.1 Identify hole conditions requiring the use of dust control fluids 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		1.3 Identify, manage and report all potential <i>hazards</i> and risks
driller's duties and the requirements of the job, check for serviceability and rectify or report any faults 1. 6 Check restraining devices on all pressure hoses 1.7 Fit/replace restraining devices on pressure hoses as required 1. 8 Raise alarm/report as required 2.1 Select appropriate rod type, thread form and drill string components for job 2.2 Measure and select appropriate bit for the job 2.3 Collar hole 2.4 Use rod handling equipment safely and correctly 2.5 Add/break out and remove drill rods/pipes and down hole equipment 2.6 Weight/feed/rotate drill at right rate for optimum penetration 2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 1. 3. Use drilling fluids 3.1 Identify hole conditions requiring the use of dust control fluids 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		<u>-</u>
1.7 Fit/replace restraining devices on pressure hoses as required 1.8 Raise alarm/report as required 2.1 Select appropriate rod type, thread form and drill string components for job 2.2 Measure and select appropriate bit for the job 2.3 Collar hole 2.4 Use rod handling equipment safely and correctly 2.5 Add/break out and remove drill rods/pipes and down hole equipment 2.6 Weight/feed/rotate drill at right rate for optimum penetration 2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 3.1 Identify hole conditions requiring the use of dust control fluids 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 4.5 Undertake bit sharpening as required 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		driller's duties and the requirements of the job, check for
1. 2. Operate down hole hammer drill 2.1 Select appropriate rod type, thread form and drill string components for job 2.2 Measure and select appropriate bit for the job 2.3 Collar hole 2.4 Use rod handling equipment safely and correctly 2.5 Add/break out and remove drill rods/pipes and down hole equipment 2.6 Weight/feed/rotate drill at right rate for optimum penetration 2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 1. 3. Use drilling fluids 3.1 Identify hole conditions requiring the use of dust control fluids 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		1.6 Check <i>restraining devices</i> on all pressure hoses
1. 2. Operate down hole hammer drill 2.1 Select appropriate rod type, thread form and drill string components for job 2.2 Measure and select appropriate bit for the job 2.3 Collar hole 2.4 Use rod handling equipment safely and correctly 2.5 Add/break out and remove drill rods/pipes and down hole equipment 2.6 Weight/feed/rotate drill at right rate for optimum penetration 2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 1. 3. Use drilling fluids 3.1 Identify hole conditions requiring the use of dust control fluids 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		1.7 Fit/replace restraining devices on pressure hoses as required
hole hammer drill components for job 2.2 Measure and select appropriate bit for the job 2.3 Collar hole 2.4 Use rod handling equipment safely and correctly 2.5 Add/break out and remove drill rods/pipes and down hole equipment 2.6 Weight/feed/rotate drill at right rate for optimum penetration 2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 1. 3. Use drilling fluids 3.1 Identify hole conditions requiring the use of dust control fluids 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		1.8 Raise alarm/report as required
2.3 Collar hole 2.4 Use rod handling equipment safely and correctly 2.5 Add/break out and remove drill rods/pipes and down hole equipment 2.6 Weight/feed/rotate drill at right rate for optimum penetration 2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 1. 3. Use drilling fluids 3.1 Identify hole conditions requiring the use of dust control fluids 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 4.5 Undertake bit sharpening as required 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes	_	
2.4 Use rod handling equipment safely and correctly 2.5 Add/break out and remove drill rods/pipes and down hole equipment 2.6 Weight/feed/rotate drill at right rate for optimum penetration 2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 1. 3. Use drilling fluids 3.1 Identify hole conditions requiring the use of dust control fluids 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		2.2 Measure and select appropriate bit for the job
2.5 Add/break out and remove drill rods/pipes and down hole equipment 2.6 Weight/feed/rotate drill at right rate for optimum penetration 2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 1. 3. Use drilling fluids 3.1 Identify hole conditions requiring the use of dust control <i>fluids</i> 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		2.3 Collar hole
equipment 2.6 Weight/feed/rotate drill at right rate for optimum penetration 2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 1. 3. Use drilling fluids 3.1 Identify hole conditions requiring the use of dust control <i>fluids</i> 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		2.4 Use rod handling equipment safely and correctly
2.7 Adjust air pressure to achieve required hole clearance 2.8 Measure line string and calculate depth of hole 1. 3. Use drilling fluids 3.1 Identify hole conditions requiring the use of dust control <i>fluids</i> 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/ <i>sample</i> /air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and <i>maintenance tasks</i> needing action 5.5 Determine possible fault causes		
2.8 Measure line string and calculate depth of hole 1. 3. Use drilling fluids 3.1 Identify hole conditions requiring the use of dust control <i>fluids</i> 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		2.6 Weight/feed/rotate drill at right rate for optimum penetration
1. 3. Use drilling fluids 3.1 Identify hole conditions requiring the use of dust control <i>fluids</i> 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/ <i>sample</i> /air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and <i>maintenance tasks</i> needing action 5.5 Determine possible fault causes		
fluids 3.2 Select suitable ingredients/fluids 3.3 Prepare/monitor the preparation of required fluids 3.4 Use dust control fluids to achieve required result 1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		2.8 Measure line string and calculate depth of hole
3.4 Use dust control fluids to achieve required result 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		
1. 4. Maintain equipment 4.1 Monitor wear 4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		3.3 Prepare/monitor the preparation of required fluids
4.2 Check all equipment and hoses 4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		3.4 Use dust control fluids to achieve required result
4.3 Disassemble, inspect and reassemble down hole hammers 4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes	1. 4. Maintain	4.1 Monitor wear
4.4 Replace/adjust and report damaged/worn parts as required 4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes	equipment	4.2 Check all equipment and hoses
4.5 Undertake bit sharpening as required 1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		4.3 Disassemble, inspect and reassemble down hole hammers
1. 5. Respond to problems 5.1 Monitor operation and chips/sample/air return 5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and maintenance tasks needing action 5.5 Determine possible fault causes		4.4 Replace/adjust and report damaged/worn parts as required
5.2 Identify possible problems in equipment or process 5.3 Clear blockages 5.4 Determine other problems and <i>maintenance tasks</i> needing action 5.5 Determine possible fault causes		4.5 Undertake bit sharpening as required
 5.3 Clear blockages 5.4 Determine other problems and <i>maintenance tasks</i> needing action 5.5 Determine possible fault causes 	1. 5. Respond to	5.1 Monitor operation and chips/sample/air return
5.3 Clear blockages5.4 Determine other problems and <i>maintenance tasks</i> needing action5.5 Determine possible fault causes	problems	5.2 Identify possible problems in equipment or process
action 5.5 Determine possible fault causes		
		<u> </u>
		5.5 Determine possible fault causes
5.6 Rectify problem using appropriate solution within area of		5.6 Rectify problem using appropriate solution within area of

Approved Page 3 of 9

responsibility
5.7 Follow through items initiated until final resolution has occurred
5.8 Report problems outside area of responsibility to designated
person

•

Required Skills and Knowledge

This section describes the skills and knowledge required for this unit.

Required skills

Specific skills are required to achieve the Performance Criteria of this unit, particularly for its application in the various circumstances in which this unit may be used. This includes the ability to carry out the following, as required to conduct down-hole hammer drilling:

- apply legislative, organisation and site requirements and procedures for conducting down-hole hammer drilling
- identify various thread types on the equipment at site and the application of prescribed torque
- identify worn drill pipe and damaged threads
- identify and measure various bits in use
- correctly use the various rod/pipe handling equipment on site
- correctly and competently add/remove rods/pipe from the string
- correctly apply rotation speed and weight on the bit to maintain optimum performance
- correctly measure line string components and calculate hole depth
- utilise the correct combination of air volume and pressure to maintain productivity and sample integrity
- collar holes
- ensure that samples are correctly collected and handled
- ensure that all string components are correctly maintained
- correctly measure bits and related components to ensure compatibility
- ensure that bit sharpening equipment, used to sharpen TC bits are used correctly and safely and that bits are sharpened to correct tolerances
- correctly select various bit types for differing ground conditions
- disassemble describing the function of components, inspect components, replace unserviceable parts and reassemble a DTH hammer
- use prescribed techniques to safely clear sample delivery hose blockages
- monitor sample quality and correctly interpret changes
- accept responsibility for the correct installation and maintenance of restraining devices to pressure and sample delivery hoses
- communicate the hazards of cuttings in the return air stream to all crew members
- ensure that drill pipe is inspected regularly and wear rates monitored
- ensure that threads are inspected and maintained as required

Approved Page 4 of 9

Required knowledge

Specific knowledge is required to achieve the Performance Criteria of this unit, particularly for its application in the various circumstances in which this unit may be used. This includes knowledge of the following, as required to conduct down-hole hammer drilling:

- critical need to match like threads with like threads on all tubular components and make up torque requirements
- parameters relating to wear of drill pipe and integrity of threads
- function of hole collaring
- methods required to limit the contamination of samples
- theory behind TC bit sharpening
- bit selection for different types of drilling and different ground conditions
- problems related to inaccurate measurement of bits and other related components
- importance of monitoring sample quantity
- role that blockages play in affecting sample quality
- methods commonly used to clear down hole blockages in air drilled holes and the hazards associated with clearing blockages
- methods used to clear a blockage in a sample delivery hose and the hazards associated with clearing blockages
- critical need for restraining devices to be fitted to all pressure delivery hoses and sample delivery hoses, the devices available and their methods of attachment
- dangers of drilled samples being returned to the surface at high velocity in air drilling operations and the parameters involved
- importance of checking gauges and monitoring pressures, flow rates and temperatures

•

Evidence Guide

The evidence guide provides advice on assessment and must be read in conjunction with the performance criteria, required skills and knowledge, range statement and the Assessment Guidelines for the Training Package.

Overview of assessment	
Critical aspects for assessment and evidence required to demonstrate competency in this unit	The evidence required to demonstrate competency in this unit must be relevant to worksite operations and satisfy all of the requirements of the performance criteria, required skills and knowledge and the range statement of this unit and include evidence of the following:
	 knowledge of the requirements, procedures and instructions for down-hole hammer drilling implementation of requirements, procedures and techniques for the safe, effective and efficient

Approved Page 5 of 9

	7
	 completion of down-hole hammer drilling working with others to undertake and complete the conduct of down-hole hammer drilling that meets all of the required outcomes consistent timely completion of down-hole hammer drilling that safely, effectively and efficiently meets the required outcomes
Context of and specific resources for assessment	 This unit must be assessed in the context of the work environment. Where personal safety or environmental damage are limiting factors, assessment may occur in a simulated environment provided it is realistic and sufficiently rigorous to cover all aspects of workplace performance, including task skills, task management skills, contingency management skills and job role environment skills. Assessment of this competency requires typical resources normally used in a resources and infrastructure sector environment. Selection and use of resources for particular worksites may differ due to the site circumstances. The assessment environment should not disadvantage the participant. For example, language, literacy and numeracy demands of assessment should not be greater than those required on the job. Customisation of assessment and delivery environment to sensitively accommodate cultural diversity. Aboriginal people and other people from a non English speaking background may have second language issues. Where applicable, physical resources should include equipment modified for people with disabilities. Access must be provided to appropriate learning
Method of assessment	and/or assessment support when required. This unit may be assessed in a holistic way with other units of competency. The assessment strategy for this unit must verify required knowledge and skill and practical application using more than one of the following assessment methods:
	 written and/or oral assessment of the candidate's required knowledge observed, documented and/or first hand testimonial evidence of the candidate's: implementation of appropriate requirement,

Approved Page 6 of 9

	 procedures and techniques for the safe, effective and efficient achievement of required outcomes consistent achievement of required outcomes first hand testimonial evidence of the candidate's: working with others to undertake and complete the conduct of down-hole hammer drilling
Guidance information for assessment	Consult the SkillsDMC User Guide for further information on assessment including access and equity issues.

Range Statement

Relevant compliance documentation may include:	 legislative, organisational and site requirements and procedures manufacturer's guidelines and specifications Australian standards code of practice Employment and workplace relations legislation Equal Employment Opportunity and Disability Discrimination legislation
Work instructions may come from briefings, handovers, plans and work orders and may be written or verbal, formal or informal and may include:	 nature and scope of tasks specifications quality of finished works achieved targets operational conditions obtaining of required permits site layout out of bounds areas worksite inspection requirements lighting conditions plant of equipment defects coordination requirements or issues contamination control requirements environmental control requirements barricade and signage requirements
Hazards may include:	 working in proximity to drilling rig injuries to fingers, hands and back incorrect speed of operation inadequate maintenance heat, dust, fatigue, dehydration

Approved Page 7 of 9

	T
	 high pressure air discharge
	 leakage of couplings
	 flailing components
	 flailing couplings
	• fire
	 rock fall
	 void ground
Coordination requirements may	other equipment operators
include:	 maintenance personnel
	 supervisors
	 site personnel
Tools and equipment may include:	drill rods and drill pipe including:
Tools and equipment may include.	• conventional drill pipe
	• API threads
	BECO threads
	 thread protectors
	• drill bits including:
	DTH hammer concave, convex and flat face bits
	• rod handling equipment:
	 manual handling
	 mechanised rod handlers
	 hydraulic pipe/rod/clamps
	hydraulic pipe/rod/spinner
	make and break:
	 stillsons
	 hydraulic tongs
	 pipe wrenches
	• pipe/rod spinners
	 hydraulic make/break devices
	make up torque requirements
	 bit break out plates
Drillar's duties may include:	using correct rod to hole diameters
Driller's duties may include:	 selecting best bit configuration for ground and hole
	conditions
	• maintaining correct rotation speed and weight on bit
	for optimum penetration
	 calculating line string and hole depth
	• using correct combination of air volume and pressure to suit drilling conditions
	 monitoring collection, splitting and bagging of samples
	ensuring all equipment is kept clean and stored

Approved Page 8 of 9

	 correctly ensuring principles of good housekeeping are
	followed
	measuring bit diameters
Restraining devices may include:	internal/external whip checks
	• full 'sock' whip checks
	anchor points
	hose fittings
Fluids may include:	dust control additives
	• water
Sample and sampling tasks may	air core samples
include:	DTH samples
Maintenance tasks may include:	sharpening button bits, cross bits
iviameerance tasks may merade.	• using grinders, bit sharpening machines
	• line string components (e.g. drill rods, subs,
	stabilisers, couplings, air swivels)
	• drill bits

•

Unit Sector(s)

Blast Hole Drilling

Custom Content Section

Not applicable.

Approved Page 9 of 9