

RIIBLA301A Conduct surface shotfiring operations

Release: 1



RIIBLA301A Conduct surface shotfiring operations

Modification History

Not applicable.

Unit Descriptor

This unit covers the conduct of surface shotfiring operations in resources and infrastructure industries. It includes planning and preparing for surface shotfiring operations; supervising the storage and transport of explosives and accessories; preparing for charging and charge holes; conducting the blast; completing post-blast activities; and carrying out equipment maintenance.

Application of the Unit

This unit is appropriate for those working in shotfirer roles, at worksites within:

- Civil construction
- Coal mining
- Drilling
- Extractive industries
- Metalliferous mining

Licensing/Regulatory Information

Refer to Unit Descriptor.

Pre-Requisites

Not applicable.

Employability Skills Information

This unit contains employability skills.

Approved Page 2 of 15

Elements and Performance Criteria Pre-Content

Elements describe the essential outcomes of a unit of competency.

Performance criteria describe the performance needed to demonstrate achievement of the element. Where bold italicised text is used, further information is detailed in the required skills and knowledge section and the range statement. Assessment of performance is to be consistent with the evidence guide.

Approved Page 3 of 15

Elements and Performance Criteria

EI	LEMENT	PERFORMANCE CRITERIA
1.	Plan and prepare for surface shotfiring operations	1.1. Access, interpret and apply <i>compliance</i> documentation relevant to the conducting of surface shotfiring operations
		1.2. Obtain, confirm and apply <i>work instructions</i> for the allocated task
		1.3. Identify, manage and report all potential <i>hazards</i> and ensure work area is safe
		1.4. Coordinate vehicle, <i>equipment</i> and personnel <i>support requirements</i> for the work
		1.5. Arrange and/or ensure <i>survey of blast area</i> is complete and reported to appropriate personnel and records are maintained
		1.6. Access, interpret and apply <i>geological data</i> and weather conditions required to complete the work
		1.7. Carry out <i>calculations</i> to enable pattern design, loading and tying in of shots
		1.8. Identify and confirm the <i>explosives and accessories</i> required for the work
2.	Supervise the store and transport explosives and accessories	2.1.Ensure explosives and accessories are safely and correctly stored in appropriate facilities
		2.2. Ensure <i>inventory control systems</i> are accurately and correctly maintained
		2.3. Ensure explosives and accessories are transported to blast area and segregate correctly
		2.4. Ensure that explosives are not left unattended
		2.5. Identify and <i>dispose</i> of any deteriorated or out of date explosives and accessories correctly
3.	Prepare for charging	3.1.Identify, manage and report potential hazards and risks
		3.2. Secure shot area in accordance with procedures and blast plan
		3.3. Establish and communicate access routes to shot area for authorised persons and vehicle
		3.4. Identify hole locations and any

Approved Page 4 of 15

	non-conforming conditions in preparation for charging 3.5. Establish stemming stockpile and
	accessories on shot site
4. Charge holes	4.1. Supervise blast personnel during loading operations
	4.2. Prime and charge holes in accordance with the blast plan
	4.3. Ensure blast holes are charged in accordance with loading plan and identify non-conforming conditions
	4.4. Ensure blast holes are stemmed in accordance with blast plan
	4.5. Test equipment and accessories
	4.6. Maintain records
	4.7. Conduct blast monitoring
5. Conduct the blast	5.1. Carry out <i>pre blasting procedures</i> and establish exclusion zone
	5.2. Carry out tying in, in accordance with the blast plan
	5.3. Supervise all personnel within the blast area during tie-in and initiation
	5.4.Initiate the blast
	5.5. Carry out and record activities in accordance with the blast plan
6. Complete post blast activities	6.1. Carry out post blast inspection
	6.2. Deal with <i>misfires</i>
	6.3. Declare area safe for re-entry
	6.4. Carry out <i>post-blast coordination</i>
	6.5. Dispose of damaged, deteriorated and surplus explosives and detonators
	6.6. Complete reports
7. Carry out equipment maintenance	7.1. Carry out inspection and required maintenance after shotfiring operations
	7.2. Maintain maintenance records

Approved Page 5 of 15

Required Skills and Knowledge

This section describes the skills and knowledge required for this unit.

Required skills

Specific skills are required to achieve the performance criteria in this unit, particularly for the application in the various circumstances in which this unit may be applied. This includes the ability to carry out the following as required to conduct surface shotfiring operations:

- apply legislative, organisation and site requirements and procedures
- apply operational safety requirements
- read, interpret and apply technical information
- apply operational planning skills
- apply work coordination skills
- apply mathematical calculations using addition, subtraction, multiplication and division
- apply workplace communication techniques
- apply explosives preparation and mixing procedures
- apply diagnostic techniques
- apply explosives storage, handling and transport procedures
- apply hazard identify procedures
- apply procedures for identifying non-conformities
- apply records and reports maintenance procedures
- apply environmental compliance requirements

Required knowledge

Specific knowledge is required to achieve the Performance Criteria of this unit, particularly its application in a variety of circumstances in which the unit may be used. This includes knowledge of the following, as required to conduct surface shotfiring operations:

- Australian standards and code of practice
- site and equipment safety procedures
- environmental requirements, including vibration, noise, dust and chemicals
- site environmental requirements and constraints
- types, physical and technical characteristics, uses and limitations of explosives and protection measures associated with their use
- site operational procedures
- planning processes
- explosive handling, transportation and storage requirements
- equipment characteristics, technical capabilities and limitations
- equipment maintenance procedures
- isolation and lock out procedures

Approved Page 6 of 15

- analysis of site geological and survey data
- selection of appropriate explosives to meet site/ground conditions
- monitoring and review processes and techniques

Approved Page 7 of 15

Evidence Guide

The evidence guide provides advice on assessment and must be read in conjunction with the performance criteria, required skills and knowledge, range statement and the Assessment Guidelines for the Training Package.

Overview of assessment	
Critical aspects for assessment and evidence required to demonstrate competency in this unit	The evidence required to demonstrate competency in this unit must be relevant to worksite operations and satisfy all of the requirements of the performance criteria, required skills and knowledge and the range statement of this unit and include evidence of the following:
	knowledge of the requirements, procedures and instructions for the conducting surface shotfiring operations
	implementation of requirements, procedures and techniques for the safe, effective and efficient completion of surface shotfiring operations
	working with others to undertake and complete surface shotfiring operations that meets all of the required outcomes
	consistent timely completion of surface shotfiring operations that safely, effectively and efficiently meets the required outcomes
Context of and specific resources for assessment	This unit must be assessed in the context of the work environment. Where personal safety or environmental damage are limiting factors, assessment may occur in a simulated environment provided it is realistic and sufficiently rigorous to cover all aspects of workplace performance, including task skills, task management skills, contingency management skills and job role environment skills.
	The assessment environment should not disadvantage the participant. For example, language, literacy and numeracy demands of assessment should not be greater than those required on the job.
	Customisation of assessment and delivery environment to sensitively accommodate cultural diversity.
	Aboriginal people and other people from a non English speaking background may have second

Approved Page 8 of 15

	 language issues. Assessment of this competency requires typical resources normally used in the work environment. Selection and use of resources for particular worksites may differ due to site circumstances. Where applicable, physical resources should include equipment modified for people with disabilities. Access must be provided to appropriate learning and/or assessment support when required.
Method of assessment	This unit may be assessed in a holistic way with other units of competency. The assessment strategy for this unit must verify required knowledge and skill and practical application using more than one of the following assessment methods: • written and/or oral assessment of the candidate's required knowledge • observed, documented and/or first hand testimonial evidence of the candidate's: • implementation of appropriate requirement, procedures and techniques for the safe, effective and efficient achievement of required outcomes • consistently achieving the required outcomes • first hand testimonial evidence of the candidate's: • working with others to undertake and
Guidance information for assessment	Consult the SkillsDMC User Guide for further information on assessment including access and equity issues.

Approved Page 9 of 15

Range Statement

The range statement relates to the unit of competency as a whole. It allows for different work environments and situations that may affect performance. Bold italicised wording, if used in the performance criteria, is detailed below. Essential operating conditions that may be present with training and assessment (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) may also be included.

Relevant compliance documentation may include:	 legislative, organisation and site requirements and procedures manufacturers' guidelines and specifications Australian standards code of practice Employment and workplace relations legislation Equal Employment Opportunity and Disability Discrimination legislation briefings, handovers, plans and work orders
Work instructions may come from:	 briefings, handovers, plans and work orders and may be written or verbal, formal or informal and may include: nature and scope of tasks and achievement targets site location and layout out of bounds areas operational conditions coordination requirements or issues hazards and potential hazards waste management requirements environmental control requirements worksite inspection requirements barricade and signage requirements obtaining of permits required type and quantity of explosives and accessories equipment availability and/or requirements plant or equipment defects transport arrangements and/or requirements safe storage requirements public relations requirements
Hazards may include:	chemical energy, including:premature explosion
	 deterioration of explosives

Approved Page 10 of 15

	stored energy
	working environment, including:
	weather conditions
	insufficient illumination
	• methane
	• coal dust
	• NO _x gases
	 poor road or rail conditions
	 strata conditions
	 fire/flames/ignition sources
	 atmospheric contaminants
	 dust and fumes
	• noise
	 ground conditions, including hot ground
	 lack of ventilation
	 extraneous electricity e.g. static electricity, lightning
	• equipment and materials, including:
	faulty explosives
	• misfires
	faulty vehicle
	faulty equipment
	 broken detonation leads
	 high voltage electricity
	radio frequencies and transmitters
	hot exhaust system
	high air and water pressures
	hydraulic oil pressure
	• people, including those:
	• speeding
	 unauthorised persons
	committing theft
	• trespassers
	processes and procedures, including:
	 back injuries
	drilling in butts
	• lost holes
	• siren
Equipment may include:	• radios
	• signs

Approved Page 11 of 15 SkillsDMC

Support requirements may include	 vehicles approved for carrying dangerous goods and explosives explosives mixers pumps plugs (to seal finished holes prior to loading) measuring tape cutting implements blast monitoring systems video camera other equipment and their operators vehicles
	public and site notification locate position direction and incline of block
Survey of blast area includes:	 locate position, direction and incline of blast holes survey reports
Geological data may include: Calculations may include:	 rock type structures faults intrusions weathering wet and dry holes hot ground reactive ground hot and reactive ground depth of holes temperatures water problems pattern design types of explosive BCM
	 explosives quantity powder factor high explosives
Explosives may include:	 high explosives low explosives bulk and packaged explosives deflagrating explosives permitted explosives wet or dry variable density
Accessories may include:	primersdelays

Approved Page 12 of 15

	T
	• down lines
	• trunk lines
	• lead-in lines
	 detonators and detonator assemblies
	• detonation mechanisms including:
	 bell wire and firing lines
	 delay mechanisms
	 blasting machines or mains firing equipment
	 explosives tester
	 binding tape
	fuses and igniter cords
	detonators and detonating cord
	• gas bags
	• decking
	• stemming
	hole liner
	blast monitoring equipment
	firing cables/bell wire
	 exploders and testers
	electronic firing equipment
	specialist tools
	• initiators
Inventory control systems may	types and quantities of explosives
include:	• shelf life
merade.	distribution records
Dispage of explosives may	burning by the shotfirers on site
Dispose of explosives may include:	 detonation in a production drill hole
merade.	detonation in a controlled manner
	• return to supplier or delivery or surrender to an
	explosives
Secure shot area may include:	• signage
secure shot area may merude.	• windrow
	• bund wall
	• ribbon
	• tape
	witches hats
	• ropes
	• flags or pegs
	• sentries
	• gates

Approved Page 13 of 15

Pre-blasting procedures may	• warnings
include:	• sentries
	area clearance
Initiating blast systems may	• safety fuse
include:	 detonating cord
	non-electric detonator
	electric detonator
	electronic detonator
	 remote firing
Misfires may be caused by:	faulty explosives or accessories
1.125112 es may se causea ey.	 damaged or deteriorated explosives or accessories
	 improperly assembled explosives components
	• inappropriate or incomplete combinations of components
	 operator error or inexperience
	 inattention to detail or ignorance
	 environmental influences, e.g. wet weather or poor visibility
Post-blast coordination may	the return of unused explosives
include:	• the return of other equipment
	 the withdrawing sentries
	 collection of environmental monitoring
	equipment
	 recording of environmental monitoring data
	• maintenance, which may include:
	 testing of exploders
	 servicing of mixing equipment
	 maintenance of hand tools
	 operational maintenance of bulk delivery equipment

Unit Sector(s)

Blasting

Competency field

Refer to Unit Sector(s).

Approved Page 14 of 15

Co-requisite units

Not applicable.

Approved Page 15 of 15