

RIIMPO310A Conduct grader operations

Release: 1



RIIMPO310A Conduct grader operations

Modification History

Not applicable.

Unit Descriptor

This unit covers conducting grader operations in the mining and extractive industries. It includes planning and preparing for operations, operating graders, carrying out post-operational procedures.

Application of the Unit

This unit is appropriate for those working in mobile plant operator roles, at worksites within:

- Coal mining
- Extractive industries
- · Metalliferous mining

Licensing/Regulatory Information

Refer to Unit Descriptor.

Pre-Requisites

Not applicable.

Employability Skills Information

This unit contains employability skills.

Elements and Performance Criteria Pre-Content

Elements describe the	Performance criteria describe the performance needed to
essential outcomes of a	demonstrate achievement of the element. Where bold
unit of competency.	italicised text is used, further information is detailed in the
	required skills and knowledge section and the range
	statement. Assessment of performance is to be consistent
	with the evidence guide.

Approved Page 2 of 13

Elements and Performance Criteria

ELEMENT	PERFORMANCE CRITERIA
Plan and prepare for operations	1.1. Access, interpret and apply <i>compliance</i> documentation relevant to conducting grader operations
	1.2. Obtain, interpret and clarify <i>work</i> requirements and procedures for the satisfactory completion of the allocated job
	1.3. Access, interpret and apply <i>geological</i> and <i>survey data</i> required to complete the allocated job
	1.4. <i>Inspect and prepare work area</i> in coordination with others
	1.5. Identify, manage and report <i>potential</i> hazards and risks
	1.6. Resolve <i>coordination requirements</i> with others at the site prior to commencing and during work activities
	1.7. Select personal protective equipment appropriate for work activities
2. Operate grader	2.1. Carry out pre-start, start-up, park-up and shutdown procedures
	2.2. Select and modify the <i>operating technique</i> to appropriately meet <i>changing work conditions</i>
	2.3. Conduct, control and monitor operations within the equipment limitations
	2.4. Connect and tow equipment and plant safely and in accordance with the authorised equipment and connection capacity
	2.5. Act on or report <i>monitoring systems and</i> alarms
	2.6. Recognise and respond to <i>hazardous and emergency situations</i>
	2.7. Complete work in accordance with the agreed work requirements and within the operating capacity of the allocated equipment
3. Carry out post-operational procedures	3.1. Inspect, fault find and report faults 3.2. Carry out routine <i>operator servicing</i> ,
F	maintenance and housekeeping tasks

Page 3 of 13 SkillsDMC

3.3. Maintain and process <i>records and reports</i>
--

Approved Page 4 of 13

Required Skills and Knowledge

This section describes the skills and knowledge required for this unit.

Required skills

Specific skills are required to achieve the performance criteria in this unit, particularly for the application in the various circumstances in which this unit may be applied. This includes the ability to carry out the following as required to conduct grader operations:

- apply legislative, organisation and site requirements and procedures
- apply levelling techniques
- apply drain construction techniques
- apply windrow form and carry techniques
- apply equipment and plant towing procedures
- apply diagnostic techniques
- apply driving techniques
- apply hazardous goods handling techniques
- interpret plans, reports, maps, specifications
- apply lifting techniques
- organise work tasks
- apply defect reporting requirements
- apply safe work practices
- apply communications equipment procedures
- apply computer systems procedures
- use hand and power tools

Required knowledge

Specific knowledge is required to achieve the Performance Criteria of this unit, particularly its application in a variety of circumstances in which the unit may be used. This includes knowledge of the following, as required to conduct grader operations:

- emergency procedures
- environmental and heritage procedures
- equipment processes, technical capability and limitations
- equipment safety requirements
- towing techniques
- geological and technical data
- grading procedures
- hazardous goods procedures and consequences of spills
- isolation procedures
- mine operational system
- night and day working procedures
- OHS procedures
- open cut procedures

Approved Page 5 of 13

- operational procedures and checks
- road rules
- shutdown procedures
- site procedures
- site safety requirements
- start-up procedures
- surface maintenance techniques

Approved Page 6 of 13

Evidence Guide

The evidence guide provides advice on assessment and must be read in conjunction with the performance criteria, required skills and knowledge, range statement and the Assessment Guidelines for the Training Package.

Overview of assessment	
Critical aspects for assessment and evidence required to demonstrate competency in this unit	The evidence required to demonstrate competency in this unit must be relevant to worksite operations and satisfy all of the requirements of the performance criteria, required skills and knowledge and the range statement of this unit and include evidence of the following:
	 knowledge of the requirements, procedures and instructions for conducting grader operations implementation of requirements, procedures and techniques for the safe, effective and efficient completion of grader operations working with others to undertake and complete grader operations that meet all of the required outcomes
	consistent timely completion of grader operations that safely, effectively and efficiently meets the required outcomes
Context of and specific resources for assessment	 This unit must be assessed in the context of the work environment. Where personal safety or environmental damage are limiting factors, assessment may occur in a simulated environment provided it is realistic and sufficiently rigorous to cover all aspects of workplace performance, including task skills, task management skills, contingency management skills and job role environment skills. The assessment environment should not disadvantage the participant. For example, language, literacy and numeracy demands of assessment should not be greater than those required on the job.
	 Customisation of assessment and delivery environment to sensitively accommodate cultural diversity. Aboriginal people and other people from a non English speaking background may have second language issues.

Approved Page 7 of 13

	 Assessment of this competency requires typical resources normally used in the work environment. Selection and use of resources for particular worksites may differ due to site circumstances. Where applicable, physical resources should include equipment modified for people with disabilities. Access must be provided to appropriate learning and/or assessment support when required.
Method of assessment	This unit may be assessed in a holistic way with other units of competency. The assessment strategy for this unit must verify required knowledge and skill and practical application using more than one of the following assessment methods:
	 written and/or oral assessment of the candidate's required knowledge observed, documented and/or first hand testimonial evidence of the candidate's: implementation of appropriate requirement, procedures and techniques for the safe, effective and efficient achievement of required outcomes consistently achieving the required outcomes first hand testimonial evidence of the candidate's: working with others to undertake and complete grader operations
Guidance information for assessment	Consult the SkillsDMC User Guide for further information on assessment including access and equity issues.

Approved Page 8 of 13

Range Statement

The range statement relates to the unit of competency as a whole. It allows for different work environments and situations that may affect performance. Bold italicised wording, if used in the performance criteria, is detailed below. Essential operating conditions that may be present with training and assessment (depending on the work situation, needs of the candidate, accessibility of the item, and local industry and regional contexts) may also be included.

Relevant compliance documentation may include: Work requirements and procedures may come from briefings, handovers, and work orders and may be written or verbal, formal or informal, depending on the complexity of the process and may include:	 legislative, organisation and site requirements and procedures manufacturer's guidelines and specifications Australian standards codes of practice Employment and workplace relations legislation Equal Employment Opportunity and Disability Discrimination legislation product identification nature and scope of tasks, quality of finished works achievement targets, operational conditions, obtaining permits required site layout, out of bounds areas, worksite inspection requirements, lighting conditions, plant or equipment defects, hazards and potential hazards coordination requirements or issues contamination control requirements environmental control requirements barricade and signage requirements
Geological data may include relevant site-specific information in relation to:	 rock type and characteristics faults and joints broken ground water tables or other water sources wet and dry areas degree of compaction
Survey data may include relevant site-specific information in relation to:	floor heightsbench heights and widthsramp and floor grades

Approved Page 9 of 13

	underground workings and voids
Inspect and prepare work area	identification of hazards
may include:	selection and implementation of control
	measures for the hazards identified
	• safeguarding site and non-site personnel by:
	 erection of barricades and posting of signs
	 selection of appropriate equipment to ensure personnel safety and protection
	• determination of appropriate path of movement for loads and equipment/vehicles
	floor clean up to specified levels and grade requirements
	selection and implementation of environmental control measures
Potential hazards and risks may	installed services
include:	damaged or defective pressurise hoses and
	fastenings
	abandoned equipment
	adjoining pit walls or structures
	• adverse weather conditions (electrical storms, floods, fires)
	• chemicals
	• contaminants
	ancillary equipment
	• fences
	holes and pot holes
	over-hanging rocks
	• personnel
	• unsafe ground
	• unstable faces
	• vehicles
	powerlinesdust and noise
	conveyors and other fixed plantoverhead structures and services
	. 1 111 11
	stored energy which may include:engine components
	radiators and cooling systems
	 radiators and cooming systems hydraulic tanks and reservoirs
	 nydraunc tanks and reservoirs air tanks and reservoirs
	hydraulic hoses ir hoses
	• air hoses

Approved Page 10 of 13

	• tires
	air conditioning components
	electrical components
	 braking systems
	 centrifugal forces
Coordination requirements may	other mobile plant operators
include with:	 processing plant operators
	maintenance personnel
	water truck operators
	service vehicle operators
	crane and float operators
	• contractors
	• inspectors
	• supervisors
	• visitors
Pre-start and start-up	external check of the machine
procedure may include:	• inspection of attachments to ensure security
	and identify defects
	• selection, removing and fitting of attachments
	checking of fluid levels (windscreen washer
	tank, hydraulic oil, coolant, grease, water,
	engine oil, fuel)
	• carry out lubrication
	• checking of display instrumentation and gauges
	(indicators, gauges, laser levels), computer systems
	 inspection of air filter restriction indicator
	• inspection and checking of cab (horn, lights, air
	conditioner)
	• testing of engine and stop engine lights
	testing visual and audio warning devices and
	lights
	checking instruments and control lever
	reporting of defects and damage
Park-up and shutdown	secure equipment as required by site
cocedure may include:	procedures
	render attachments safe
	clear access ways
Operating techniques may	manoeuvring
nclude:	• braking
	blade control and application
	ripper control and application
	11

Approved Page 11 of 13

attaching, securing, lifting, carrying and placing materials driving machines on to floats towing observing site speed limits working safely around: overhead powerlines other machines and personnel live stockpiles Changing work conditions may include variations in: materials, contamination traffic conditions weather conditions weather conditions light conditions (including day and night) brake air pressure brake oil temperature computer indicators engine oil pressure fuel filter parking brake retarder service meter service meter service meter service meter service meter service meter torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents		
towing bosserving site speed limits working safely around: overhead powerlines other machines and personnel live stockpiles changing work conditions may include variations in: materials, contamination traffic conditions weather conditions light conditions (including day and night) brake air pressure brake oil temperature computer indicators engine oil pressure fuel filter parking brake retarder service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents		
observing site speed limits working safely around: overhead powerlines other machines and personnel live stockpiles Changing work conditions may include variations in: Monitoring systems and alarms may include: Monitoring systems and alarms engine oil pressure fuel filter parking brake retarder service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents		2 0
working safely around: overhead powerlines other machines and personnel live stockpiles Changing work conditions may include variations in: materials, contamination traffic conditions weather conditions light conditions (including day and night) Monitoring systems and alarms may include: brake air pressure brake oil temperature computer indicators engine oil pressure fuel filter parking brake retarder service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature Hazardous and emergency motor vehicle accidents		• towing
overhead powerlines other machines and personnel live stockpiles Changing work conditions may include variations in: materials, contamination traffic conditions weather conditions light conditions (including day and night) Monitoring systems and alarms may include: brake air pressure brake oil temperature computer indicators engine oil pressure fuel filter parking brake retarder service meter service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature water temperature Hazardous and emergency motor vehicle accidents		• observing site speed limits
- other machines and personnel - live stockpiles Changing work conditions may include variations in: - materials, - contamination - traffic conditions - weather conditions - light conditions (including day and night) Monitoring systems and alarms may include: - brake air pressure - brake oil temperature - computer indicators - engine oil pressure - fuel filter - parking brake - retarder - service meter - speedometer/odometer - steering filters - tachometer - torque converter - oil temperature - transmission filter - voltmeter - water temperature - motor vehicle accidents		• working safely around:
Changing work conditions may include variations in: materials, contamination traffic conditions weather conditions light conditions (including day and night) Monitoring systems and alarms may include: brake air pressure brake oil temperature computer indicators engine oil pressure fuel filter parking brake retarder service meter service meter service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents		 overhead powerlines
Changing work conditions may include variations in: materials, contamination traffic conditions weather conditions light conditions (including day and night) Monitoring systems and alarms may include: brake air pressure brake oil temperature computer indicators engine oil pressure fuel filter parking brake retarder service meter service meter service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents		 other machines and personnel
Changing work conditions may include variations in: - materials, - contamination - traffic conditions - weather conditions - light conditions (including day and night) Monitoring systems and alarms may include: - brake air pressure - brake oil temperature - computer indicators - engine oil pressure - fuel filter - parking brake - retarder - service meter - speedometer/odometer - steering filters - tachometer - torque converter - oil temperature - transmission filter - voltmeter - water temperature - motor vehicle accidents		-
• contamination • traffic conditions • weather conditions • light conditions (including day and night) Monitoring systems and alarms may include: • brake air pressure • brake oil temperature • computer indicators • engine oil pressure • fuel filter • parking brake • retarder • service meter • speedometer/odometer • steering filters • tachometer • torque converter • oil temperature • transmission filter • voltmeter • water temperature • motor vehicle accidents		-
traffic conditions weather conditions light conditions (including day and night) Monitoring systems and alarms may include: brake air pressure brake oil temperature computer indicators engine oil pressure fuel filter parking brake retarder service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature Hazardous and emergency traffic conditions weather conditions including day and night) brake air pressure brake air pressure tracke oil temperature ture of the parking brake retarder service meter speedometer/odometer steering filters torque converter oil temperature water temperature motor vehicle accidents	•	
 weather conditions light conditions (including day and night) brake air pressure brake oil temperature computer indicators engine oil pressure fuel filter parking brake retarder service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents 	include variations in:	
 light conditions (including day and night) brake air pressure brake oil temperature computer indicators engine oil pressure fuel filter parking brake retarder service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents 		
Monitoring systems and alarms may include: brake air pressure brake oil temperature computer indicators engine oil pressure fuel filter parking brake retarder service meter service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents		
brake oil temperature computer indicators engine oil pressure fuel filter parking brake retarder service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents		
 computer indicators engine oil pressure fuel filter parking brake retarder service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents 	~ ·	-
 engine oil pressure fuel filter parking brake retarder service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents 	may include:	-
 fuel filter parking brake retarder service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents 		-
 parking brake retarder service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents 		
 retarder service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents 		
 service meter speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents 		
 speedometer/odometer steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature motor vehicle accidents 		
 steering filters tachometer torque converter oil temperature transmission filter voltmeter water temperature Hazardous and emergency motor vehicle accidents 		
 tachometer torque converter oil temperature transmission filter voltmeter water temperature Hazardous and emergency motor vehicle accidents 		-
 oil temperature transmission filter voltmeter water temperature Hazardous and emergency motor vehicle accidents 		
 oil temperature transmission filter voltmeter water temperature Hazardous and emergency motor vehicle accidents 		 torque converter
 transmission filter voltmeter water temperature Hazardous and emergency motor vehicle accidents 		<u> </u>
• water temperature Hazardous and emergency • motor vehicle accidents		
Hazardous and emergency • motor vehicle accidents		• voltmeter
Hazardous and emergency		 water temperature
	Hazardana and amananan	
• powerlines and other overhead services	situations may include:	 powerlines and other overhead services
• dust and noise	situations may merade.	1
• face overhangs		
• lighting strikes (potential tyre explosion)		_
• tyre fires (isolation procedures)		
Operator service maintenance • cleaning,	Operator service, maintenance	• cleaning,
operator service, maintenance	and housekeeping tasks are those	
	established and authorised for the	
	site and may include:	
1		 provision of assistance to maintenance

Approved Page 12 of 13

		personnel during maintenance and repair activities
Records and reports may	•	fuel usage
include:	•	computer readings
	•	end of shift documentation
	•	supplies logs
	•	work logs stockpile information
	•	quality information

Unit Sector(s)

Mobile Plant Operations

Competency field

Refer to Unit Sector(s).

Co-requisite units

Not applicable.

Approved Page 13 of 13