



Australian Government

TLID0009 Shift loads using cranes

Release: 1

TLID0009 Shift loads using cranes

Modification History

Release 1. This is the first release of this unit of competency in the TLI Transport and Logistics Training Package.

Application

This unit involves the skills and knowledge required to shift loads using cranes in accordance with workplace and regulatory requirements as part of work activities in the transport and logistics industry.

It includes planning work for the current working conditions, using controls and crane operating systems, locating and identifying load characteristics and safely moving loads. It also includes monitoring controls and stopping, shutting down and securing the crane after the completion of operations.

Work is performed under some supervision generally within a team environment.

No licensing, legislative or certification requirements apply to this unit at the time of publication.

Pre-requisite Unit

Not applicable.

Competency Field

D – Load Handling

Unit Sector

Not applicable.

Elements and Performance Criteria

ELEMENTS

Elements describe the essential outcomes.

1 Prepare work for the current working conditions

PERFORMANCE CRITERIA

Performance criteria describe the performance needed to demonstrate achievement of the element.

1.1 Traffic flow and work area conditions are constantly assessed and adjusted to allow safe operations

- | | | |
|----------|--|---|
| | 1.2 | Load characteristics are taken into account to ensure appropriate attachments/gear are used to move load in accordance with lift plan |
| | 1.3 | Occurrences in the work area that may affect the safety and efficiency of operations are reported to relevant personnel in accordance with workplace procedures |
| 2 | Use controls and crane operating systems | |
| | 2.1 | Pre-operational checks are conducted in accordance with manufacturer specifications and workplace procedures |
| | 2.2 | Crane is started and operated in accordance with manufacturer specifications |
| | 2.3 | Instruments and gauges are monitored to ensure operation is within manufacturer specifications and workplace procedures |
| | 2.4 | Engine power is managed for efficiency of crane movement and economy of crane operations |
| | 2.5 | Crane operations are conducted within manufacturer specified torque range |
| | 2.6 | Faults or damage to crane are immediately reported to relevant personnel in accordance with workplace procedures |
| 3 | Locate load and identify load characteristics | |
| | 3.1 | Load is located and identified in accordance with workplace procedures |
| | 3.2 | Working load limit (WLL) of the crane is identified and communicated to relevant personnel |
| | 3.3 | Load characteristics, weight and dimensions are checked to ensure lifting capacity is not exceeded |
| | 3.4 | Loading and unloading plans are followed to ensure efficiency and safety of operations |
| | 3.5 | Load characteristics are taken into account to ensure appropriate loading and unloading procedures are followed |
| | 3.6 | Hazardous cargo is identified and relevant workplace procedures are taken into account when planning and conducting work |
| 4 | Safely move load | |
| | 4.1 | Crane is operated using smooth and controlled |

movements

- | | | |
|----------|---------------------------------------|---|
| | 4.2 | Equipment is operated and positioned using smooth and controlled movements |
| | 4.3 | Movements are within crane limits and in line with manufacturer specifications |
| | 4.4 | Load is moved ensuring no injury to personnel or damage to crane or cargo |
| | 4.5 | Continuous communication is maintained with personnel assisting the operator in the load movement operations using appropriate communications technology and procedures |
| | 4.6 | In an incident or emergency, crane is immediately stopped, and workplace emergency procedures are followed |
| | 4.7 | Safety incidents and emergencies are reported in accordance with workplace procedures and regulatory requirements |
| 5 | Monitor controls | |
| | 5.1 | Crane controls are monitored and operated in accordance with manufacturer operating instructions |
| | 5.2 | Control systems are confirmed and acted on in accordance with regulatory requirements, manufacturer guidelines and workplace procedures |
| | 5.3 | Control faults are identified and reported in accordance with workplace procedures |
| 6 | Shut down and secure equipment | |
| | 6.1 | Crane is shut down in accordance with manufacturer specifications and workplace procedures |
| | 6.2 | Crane is secured after operations in accordance with manufacturer instructions and workplace procedures |

Foundation Skills

Foundation skills essential to performance are explicit in the performance criteria of this unit of competency.

Range of Conditions

Range is restricted to essential operating conditions and any other variables essential to the work

environment.

Unit Mapping Information

This unit replaces and is equivalent to TLID3044 Shift loads using cranes.

Links

Companion Volume Implementation Guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=df441c6e-213d-43e3-874c-0b3f7036d851>