



Australian Government

Department of Education, Employment and Workplace Relations

UEENEEI146A Diagnose and rectify faults in d.c. motor drive systems

Release: 1

UEENEEI146A Diagnose and rectify faults in d.c. motor drive systems

Modification History

Not applicable.

Unit Descriptor

Unit Descriptor

1) Scope:

1.1) Descriptor

This unit covers diagnosing and rectifying faults in systems controlling starting, speed, torque, power output, efficient running and braking of d.c. motors. The unit encompasses safe working practices, interpreting technical data, applying knowledge of d.c. motors operating parameters to logical fault finding processes, implementing fault rectification, safety and functional testing and reporting work activities and outcomes.

Application of the Unit

Application of the Unit 2)

This unit is intended as an additional competency to relevant competencies previously acquired. It is suitable for employment-based programs under an approved contract of training at the aligned AQF 5 level or higher.

Licensing/Regulatory Information

License to practice 3)

The skills and knowledge described in this unit require a license to practice in the workplace where plant and equipment operate at voltage above 120 V d.c. However other conditions may apply in some jurisdictions subject to regulations related to electrical work. Practice in the workplace and during training is also subject to regulations directly related to occupational health and

License to practice**3)**

safety and where applicable contracts of training such as apprenticeships.

Note:

1. Compliance with permits may be required in various jurisdictions and typically relates to the operation of plant, machinery and equipment such as elevating work platforms, powder operated fixing tools, power operated tools, vehicles, road signage and traffic control and lifting equipment. Permits may also be required for some work environments such as confined spaces, working aloft, near live electrical apparatus and site rehabilitation.

2. Compliance may be required in various jurisdictions relating to currency in First Aid, confined space, lifting and risk safety measures.

Pre-Requisites**Prerequisite Unit(s)****4)****Competencies****4.1)**

Granting competency in this unit shall be made only after competency in the following unit(s) has/have been confirmed.

UEENEEG1 01A Solve problems in electromagnetic devices and related circuits

UEENEE I149A Provide solutions to polyphase electronic power control problems

For the full prerequisite chain details for this unit please refer to Table 2 in Volume 1, Part 2

Literacy and numeracy skills**4.2)**

Participants are best equipped to achieve competency in this unit if they have reading, writing and numeracy skills indicated by the following scales. Description of each scale is given in Volume 2, Part 3 'Literacy and

Numeracy'

Reading 4 Writing 4 Numeracy 4

Employability Skills Information

Employability Skills 5)

This unit contains Employability Skills

The required outcomes described in this unit of competency contain applicable facets of Employability Skills. The Employability Skills Summary of the qualification in which this unit of competency is packaged will assist in identifying Employability Skill requirements.

Elements and Performance Criteria Pre-Content

6) Elements describe the essential outcomes of a competency standard unit Performance Criteria describe the required performance needed to demonstrate achievement of the element. Assessment of performance is to be consistent with the Evidence Guide.

Elements and Performance Criteria

ELEMENT

PERFORMANCE CRITERIA

- | | | | |
|---|---|-----|--|
| 1 | Prepare to diagnose and rectify faults. | 1.1 | OHS procedures for a given work area are identified, obtained and understood. |
| | | 1.2 | Established OHS risk control measures and procedures in preparation for the work are followed. |
| | | 1.3 | Safety hazards that have not previously been identified are documented and risk control measures devised and implemented in consultation with appropriate personnel. |
| | | 1.4 | The extent of faults is determined from reports and other documentation and from discussion |

ELEMENT	PERFORMANCE CRITERIA
	with appropriate personnel.
	1.5 Appropriate personnel are consulted to ensure the work is coordinated effectively with others involved on the work site.
	1.6 Tools, equipment and testing devices needed to diagnose faults are obtained in accordance with established procedures and checked for correct operation and safety.
2 Diagnose and rectify faults.	2.1 OHS risk control measures and procedures for carrying out the work are followed.
	2.2 The need to test or measure live is determined in strict accordance with OHS requirements and when necessary conducted within established safety procedures.
	2.3 Circuits/machines/plant are checked as being isolated where necessary in strict accordance OHS requirements and procedures.
	2.4 Logical diagnostic methods are applied to diagnose a.c. motor control system faults employing measurements and estimations of system operating parameters referenced to system operational requirements.
	2.5 Suspected fault scenarios are tested as being the source of system problems.
	2.6 Causes of the faults are identified and appropriately competent persons are engaged to rectify the fault where it is outside the scope of the control system.
	2.7 Faults in the control components of the system are rectified to raise a.c. motor control system to its operation standard.
	2.8 System is tested to verify that the system operates as intended and to specified requirements.
	2.9 Decisions for dealing with unexpected situations are made from discussions with appropriate

ELEMENT	PERFORMANCE CRITERIA
	persons and job specifications and requirements.
	2.10 Methods for dealing with unexpected situations are selected on the basis of safety and specified work outcomes.
	2.11 Diagnosis and rectification activities are carried out efficiently without unnecessary waste of materials or damage to apparatus and the surrounding environment or services and using sustainable energy practices.
3 Complete and report fault diagnosis and rectification activities.	3.1 OHS work completion risk control measures and procedures are followed.
	3.2 Work site is made safe in accordance with established safety procedures.
	3.3 Rectification of faults is documented in accordance with established procedures.
	3.4 Appropriate person or persons notified, in accordance with established procedures, that the system faults have been rectified.

Required Skills and Knowledge

REQUIRED SKILLS AND KNOWLEDGE

8) This describes the essential skills and knowledge and their level, required for this unit.

Evidence shall show that knowledge has been acquired of safe working practices and diagnosing and rectifying faults in d.c. motor drive systems.

All knowledge and skills detailed in this unit should be contextualised to current industry practices and technologies.

KS01-EI146A Variable speed drives for d.c. motors

Evidence shall show an understanding of d.c. variable speed drive to an extent indicated by the following aspects:

REQUIRED SKILLS AND KNOWLEDGE

- Methods and operating principles
- Installation requirements
- Filtering
- Performance characteristics
- Set up and commissioning
- Common faults their symptoms and causes.

Evidence Guide

EVIDENCE GUIDE

9) The evidence guide provides advice on assessment and must be read in conjunction with the Performance Criteria, Required Skills and Knowledge, the Range Statement and the Assessment Guidelines for this Training Package.

The Evidence Guide forms an integral part of this unit. It must be used in conjunction with all parts of this unit and performed in accordance with the Assessment Guidelines of this Training Package.

Overview of Assessment 9.1)

Longitudinal competency development approaches to assessment, such as Profiling, require data to be reliably gathered in a form that can be consistently interpreted over time. This approach is best utilised in Apprenticeship programs and reduces assessment intervention. It is the Industry's preferred model for apprenticeships. However, where summative (or final) assessment is used it is to include the application of the competency in the normal work environment or, at a minimum, the application of the competency in a realistically simulated work environment. It is recognised that, in some circumstances, assessment in part or full can occur outside the workplace. However, it must be in accordance with industry and regulatory policy.

Methods chosen for a particular assessment will be influenced by various factors. These include the extent of the assessment, the most effective locations for the assessment activities to take place, access to physical resources, additional safety measures that may

be required and the critical nature of the competencies being assessed.

The critical safety nature of working with electricity, electrical equipment, gas or any other hazardous substance/material carries risk in deeming a person competent. Sources of evidence need to be 'rich' in nature to minimise error in judgment.

Activities associated with normal every day work have a bearing on the decision as to how much and how detailed the data gathered will contribute to its 'richness'. Some skills are more critical to safety and operational requirements while the same skills may be more or less frequently practised. These points are raised for the assessors to consider when choosing an assessment method and developing assessment instruments. Sample assessment instruments are included for Assessors in the Assessment Guidelines of this Training Package.

Critical aspects of evidence required to demonstrate competency in this unit 9.2)

Before the critical aspects of evidence are considered all prerequisites shall be met.

Evidence for competence in this unit shall be considered holistically. Each element and associated performance criteria shall be demonstrated on at least two occasions in accordance with the 'Assessment Guidelines – UEE11'. Evidence shall also comprise:

- A representative body of work performance demonstrated within the timeframes typically expected of the discipline, work function and industrial environment. In particular this shall incorporate evidence that shows a candidate is able to:
 - Implement Occupational Health and Safety workplace procedures and practices including the use of risk control measures as specified in the performance criteria and range statement
 - Apply sustainable energy principles and practices as specified in the performance criteria and range statement
 - Demonstrate an understanding of the essential knowledge and associated skills as described in this unit. It may be required by some jurisdictions that RTOs provide a percentile graded result for the purpose of regulatory or

licensing requirements.

- Demonstrate an appropriate level of skills enabling employment
- Conduct work observing the relevant Anti Discrimination legislation, regulations, polices and workplace procedures
- Demonstrated consistent performance across a representative range of contexts from the prescribed items below:
 - Diagnosing and rectifying faults in d.c. motor drive systems as described in 8) and including:

A Applying logical diagnostic methods.

B Using fault scenarios to test the cause of system faults.

C Identifying faults and competency needed to rectify them.

D Rectifying faults in system controls.

E Verifying that the system operates correctly.

F Documenting fault rectification.

G Dealing with unplanned events by drawing on essential knowledge and skills to provide appropriate solutions incorporated in the holistic assessment with the above listed items.

Note:

Successful completion of relevant vendor training may be used to contribute to evidence on which competency is deemed. In these cases the alignment of outcomes of vendor training with performance criteria and critical aspects of evidence shall be clearly identified.

Context of and specific resources for assessment 9.3)

This unit should be assessed as it relates to normal work practice using procedures, information and resources typical of a workplace. This should include:

- OHS policy and work procedures and instructions.
- Suitable work environment, facilities, equipment and

materials to undertake actual work as prescribed by this unit.

These should be part of the formal learning/assessment environment.

Note:

Where simulation is considered a suitable strategy for assessment, conditions must be authentic and as far as possible reproduce and replicate the workplace and be consistent with the approved industry simulation policy.

The resources used for assessment should reflect current industry practices in relation to diagnosing and rectifying faults in d.c. motor drive systems.

Method of assessment

9.4)

This unit shall be assessed by methods given in Volume 1, Part 3 'Assessment Guidelines'.

Note:

Competent performance with inherent safe working practices is expected in the industry to which this unit applies. This requires assessment in a structured environment which is primarily intended for learning/assessment and incorporates all necessary equipment and facilities for learners to develop and demonstrate the essential knowledge and skills described in this unit.

Concurrent assessment and relationship with other units

9.5)

There are no concurrent assessment recommendations for this unit.

The critical aspects of occupational health and safety covered in unit UEENEEE101A and other discipline specific occupational health and safety units shall be incorporated in relation to this unit.

Range Statement

RANGE STATEMENT

10) This relates to the unit as a whole providing the range of contexts and conditions to which the performance criteria apply. It allows for different work environments and situations that will affect performance.

This unit shall be demonstrated in relation to diagnosing and rectifying at least four faults in a d.c. motor control system.

Generic terms used throughout this Vocational Standard shall be regarded as part of the Range Statement in which competency is demonstrated. The definition of these and other terms that apply are given in Volume 2, Part 2.1.

Unit Sector(s)

Not applicable.

Competency Field

Competency Field	11)
	Instrumentation and control