



Australian Government

UEENEEK109A Attend to breakdowns in remote area power supplies (RAPS)

Release: 2

UEENEEK109A Attend to breakdowns in remote area power supplies (RAPS)

Modification History

Not applicable.

Unit Descriptor

Unit Descriptor

1) Scope:

1.1) Descriptor

This unit covers attending to a breakdown of remote area power supplies. It encompasses working safely, ascertaining the nature of a breakdown, the extent of repairs required and the personnel needed to repair the breakdown, and reporting so arrangements can be made for the repair work to be carried out. It also encompasses undertaking specified minor repairs.

Application of the Unit

Application of the Unit 2)

This unit must apply to indigenous persons entering work in remote area power supply (RAPS) servicing. The unit may also apply to renewable energy service work in general and be used in school-based vocational programs.

Licensing/Regulatory Information

License to practice 3)

The skills and knowledge described in this unit do not require a license to practice in the workplace. However they are subject to regulations directly related to occupational health and safety and contracts of training such as new apprenticeships.

Pre-Requisites

Prerequisite Unit(s) 4)

Competencies 4.1)

Granting competency in this unit shall be made only after competency in the following unit(s) has/have been confirmed.

UEENEEE1 01A Apply Occupational Health and Safety regulations, codes and practices in the workplace

UEENEEE1 02A Fabricate, assemble and dismantle utilities industry components

UEENEEE1 03A Solve problems in ELV single path circuits

UEENEEK1 01A Maintain safety and tidiness of remote area power supply systems

Literacy and numeracy skills 4.2)

Participants are best equipped to achieve competency in this unit if they have reading, writing and numeracy skills indicated by the following scales. Description of each scale is given in Volume 2, Part 3 'Literacy and Numeracy'

Reading 3 Writing 3 Numeracy 3

Employability Skills Information

Employability Skills 5)

The required outcomes described in this unit of competency contain applicable facets of Employability Skills. The Employability Skills Summary of the qualification in which this unit of competency is packaged will assist in identifying Employability Skill requirements.

Elements and Performance Criteria Pre-Content

- 6) Elements describe the essential outcomes of a competency standard unit
Performance Criteria describe the required performance needed to demonstrate achievement of the element.
Assessment of performance is to be consistent with the Evidence Guide.

Elements and Performance Criteria

ELEMENT	PERFORMANCE CRITERIA
1 Prepare to undertake maintenance work	<p>1.1 OHS procedures for a given work area are identified, obtained and understood through established routines and procedures</p> <p>1.2 Established OHS risk control measures and procedures in preparation for the work are followed</p> <p>1.3 Safety hazards which have not previously been identified are reported and advice on risk control measures is sought from the work supervisor</p> <p>1.4 The nature of maintenance work is obtained from documentation or from work supervisor to establish the scope of work to be undertaken</p> <p>1.5 Advice is sought from the work supervisor to ensure the work is coordinated effectively with others</p> <p>1.6 Sources of materials that may be required for the work are identified and accessed in accordance with established routines and procedures</p> <p>1.7 Tools, equipment and testing devices needed to carry out the work are obtained and checked for correct operation and safety</p>
2 Carry out maintenance work	<p>2.1 Established OHS risk control measures and procedures for carrying out the work are followed</p> <p>2.2 The need to test or measure live is determined in strict accordance with OHS requirements and when necessary conducted within established</p>

ELEMENT	PERFORMANCE CRITERIA
	safety procedures
	2.3 Circuits/machines/plant are checked as being isolated where necessary in strict accordance OHS requirements and procedures
	2.4 Procedures are followed for referring non-routine events to immediate supervisor for directions
	2.5 Work is done efficiently without waste of materials and energy
	2.6 Work is done without damage to apparatus, circuits, the surrounding environment or services
	2.7 Routine quality checks are carried out in accordance with work instructions.
3 Complete work and report	3.1 OHS risk control work completion measures and procedures are followed
	3.2 Work site is cleaned and made safe in accordance with established procedures
	3.3 Work supervisor is notified of the completion of maintenance in accordance with established procedures and documented

Required Skills and Knowledge

REQUIRED SKILLS AND KNOWLEDGE

8) This describes the essential skills and knowledge and their level, required for this unit.

Evidence must show that knowledge has been acquired of safe working practices and attending to breakdowns in remote area power supplies.

All knowledge and skills detailed in this unit should be contextualised to current industry practices and technologies.

KS01-EK109 Remote area essential services facilities

A

Evidence shall show an understanding of remote area essential

REQUIRED SKILLS AND KNOWLEDGE

service facilities breakdowns to an extent indicated by the following aspects:

Remote area essential services facilities repairs encompassing:

- windows repairs
- fences repairs
- gate repairs
- locks and catches repairs

Power generation components repairs encompassing:

- Diesel engine minor repairs
- Generator minor repairs
- Batteries minor repairs
- photovoltaic arrays minor repairs
- wind generators minor repairs
- auxiliary equipment minor repairs

Electrical lighting services minor repair encompassing:

- Incandescent light globes
- Fluorescent tubes
- Fluorescent light starters
- Diffusion devices
- Safety awareness

Essential services facilities safety and security and emergency checks encompassing:

- Broken windows
- Faulty lighting
- Damaged gates
- Logging the inspections
- Notification of the situation
- Safety awareness

Telephone encompassing:

- Answer calls promptly and clearly.
- Using designated business protocol procedures.
- Making and receiving telephone calls in a workplace related context.
- Obtain accurate telephone numbers from an appropriate source.
- Establish contact using designated business protocol

REQUIRED SKILLS AND KNOWLEDGE

- procedures.
- Convey purpose all call clearly and concisely.

Electrical encompassing:

- Identification and basic function of electrical components used
- for generating and distributing.
- Electricity safety procedures when working with electricity.
- Identification of faulty electrical components.
- Reporting of faulty electrical components.

Evidence Guide

EVIDENCE GUIDE

9) This provides essential advice for assessment of the unit and must be read in conjunction with the performance criteria and the range statement of the unit and the Training Package Assessment Guidelines.

The Evidence Guide forms an integral part of this unit. It must be used in conjunction with all parts of this unit and performed in accordance with the Assessment Guidelines of this Training Package.

Overview of Assessment 9.1)

Longitudinal competency development approaches to assessment, such as Profiling, require data to be reliably gathered in a form that can be consistently interpreted over time. This approach is best utilised in Apprenticeship programs and reduces assessment intervention. It is the industry-preferred model for apprenticeships. However, where summative (or final) assessment is used it is to include the application of the competency in the normal work environment or, at a minimum, the application of the competency in a realistically simulated work environment. In some circumstances, assessment in part or full can occur outside the workplace. However, it must be in accordance with industry and regulatory policy.

Methods chosen for a particular assessment will be influenced by various factors. These include the extent of the assessment, the most effective locations for the assessment activities to take place, access to physical resources, additional safety measures that may

be required and the critical nature of the competencies being assessed.

The critical safety issues inherent in working with electricity, electrical equipment, gas or any other hazardous substance/material present a challenge for those determining competence. Sources of evidence need to be 'rich' in nature to minimise error in judgment.

Activities associated with normal everyday work have a bearing on the decision as to how much and how detailed the data gathered will contribute to its 'richness'. Some skills are more critical to safety and operational requirements while the same skills may be more or less frequently practised. These points are raised for the assessors to consider when choosing an assessment method and developing assessment instruments. Sample assessment instruments are included for Assessors in the Assessment Guidelines of this Training Package.

**Critical aspects
of evidence
required to
demonstrate
competency in
this unit** **9.2)**

Before the critical aspects of evidence are considered all prerequisites must be met.

Evidence for competence in this unit must be considered holistically. Each element and associated performance criteria must be demonstrated on at least two occasions in accordance with the 'Assessment Guidelines – UEE11'. Evidence must also comprise:

- A representative body of work performance demonstrated within the timeframes typically expected of the discipline, work function and industrial environment. In particular this must incorporate evidence that shows a candidate is able to:
 - Implement Occupational Health and Safety workplace procedures and practices including the use of risk control measures as specified in the performance criteria and range statement
 - Apply sustainable energy principles and practices as specified in the performance criteria and range statement
 - Demonstrate an understanding of the essential knowledge and associated skills as described in this unit. It may be required by some jurisdictions that RTOs provide a percentile graded result for the purpose of regulatory or

licensing requirements.

- Demonstrate an appropriate level of skills enabling employment
- Conduct work observing the relevant Anti Discrimination legislation, regulations, policies and workplace procedures
- Demonstrated consistent performance across a representative range of contexts from the prescribed items below:
 - Attend to breakdowns in remote area power supplies as described in 8) and including:

- | | |
|---|---|
| A | Working safely |
| B | Ascertaining the nature of a breakdown |
| C | Ascertaining the extent of repairs required and the personnel needed to repair the breakdown |
| D | Reporting so arrangements can be made for the repair work to be carried out |
| E | Undertaking specified minor repairs |
| F | Dealing with unplanned events by drawing on essential knowledge and skills to provide appropriate solutions incorporated in a holistic assessment with the above listed items |

Context of and specific resources for assessment **9.3)**

This unit should be assessed as it relates to normal work practice using procedures, information and resources typical of a workplace. This should include:

- OHS policy and work procedures and instructions.
- Suitable work environment, facilities, equipment and materials to undertake actual work as prescribed by this unit.

These should be part of the formal learning/assessment environment.

Note:

Where simulation is considered a suitable strategy for assessment, conditions must be authentic and as far as possible reproduce and replicate the workplace and be consistent with the approved

industry simulation policy.

The resources used for assessment should reflect current industry practices in relation to attending to breakdowns in remote area power supplies.

**Method of
assessment**

9.4)

This unit shall be assessed by methods given in Volume 1, Part 3 'Assessment Guidelines'.

Note:

Competent performance with inherent safe working practices is expected in the Industry to which this unit applies. This requires assessment in a structured environment which is intended primarily for learning/assessment and incorporates all necessary equipment and facilities for learners to develop and demonstrate the essential knowledge and skills described in this unit.

**Concurrent
assessment and
relationship with
other units**

9.5)

For optimisation of training and assessment effort, competency development in this unit may be arranged concurrently with unit:

UEENEEK10 3A Conduct periodic maintenance of remote area power supply battery banks

UEENEEK10 4A Conduct periodic maintenance of remote area power supply generator sets

UEENEEK10 6A Conduct periodic maintenance of remote area power supply wind generators

Range Statement

RANGE STATEMENT

10) This relates to the unit as a whole providing the range of contexts and conditions to which the performance criteria apply. It allows for different work environments and situations that will affect performance.

This unit may be demonstrated in relation to attending to breakdowns in remote area power supplies.

Generic terms used throughout this Vocational Standard shall be regarded as part of the Range Statement in which competency is demonstrated. The definition of these and other terms that apply are given in Volume 2, Part 2.1.

Unit Sector(s)

Not applicable.

Competency Field

Competency Field **11)**

Renewable and Sustainable Energy