



Australian Government

UEGNSG134 Establish a utilities infrastructure work site

Release: 1

UEGNSG134 Establish a utilities infrastructure work site

Modification History

Release 1: This is the first release of this unit of competency in the UEG Gas Industry Training Package.

Application

This unit involves the skills and knowledge required to establish utilities infrastructure work sites.

It includes planning and scheduling work, organising resources, materials, procedures and the site for required utilities work activities in accordance with relevant legislation, industry standards, codes of practice and workplace procedures and complete work and relevant documentation.

No licensing, legislative or certification requirements apply to this unit at the time of publication.

Pre-requisite Unit

Not applicable.

Competency Field

Cross Discipline

Unit Sector

Gas Industry

Elements and Performance Criteria

ELEMENTS

Elements describe the essential outcomes.

1 Prepare to establish a utilities work site

PERFORMANCE CRITERIA

Performance criteria describe the performance needed to demonstrate achievement of the element.

- 1.1** Work health and safety (WHS)/occupational health and safety (OHS), environmental and sustainable energy control measures and workplace policies and procedures for the site are identified, obtained and applied

- 1.2 Job requirements for the work site are obtained and discussed with relevant persons/ to confirm the work schedule
 - 1.3 Hazards are identified and reported to relevant person/s to assess risks and control measures implemented in accordance with workplace procedures
 - 1.4 Work is confirmed with relevant person/s in accordance with job requirements and workplace procedures
 - 1.5 Resources, equipment, tools, materials, drawings, notices and personal protective equipment (PPE) required for the work are identified, obtained and checked for correct operation and safety in accordance with workplace procedures and manufacturer instructions
 - 1.6 Responsibilities for work site safety and emergency response procedures for an incident at the work site are checked and confirmed with relevant person/s in accordance with workplace procedures
 - 1.7 Client issues are referred to relevant person/s in accordance with industry standards and workplace procedures
 - 1.8 Site preparation, safety plan and work schedule are confirmed with relevant person/s in accordance with workplace procedures
- 2 **Establish a utilities work site**
 - 2.1 WHS/OHS risk control measures, schedule of work and workplace procedures for carrying out work are followed
 - 2.2 Machines/plant/equipment are confirmed as being safe in accordance with WHS/OHS requirements and workplace procedures
 - 2.3 Relevant tools and equipment required for the work are selected and used correctly and safely in accordance with manufacturer instructions and workplace procedures
 - 2.4 Work is carried out to the required standard, without waste of materials or damage to equipment, the surrounding environment or services and using sustainable energy principles

- | | | |
|---|------------|---|
| | 2.7 | Unplanned events or conditions are referred to relevant person/s for instructions in accordance with workplace procedures |
| | 2.8 | Quality and safety checks of work are carried out in accordance with workplace procedures |
| 3 Complete work and relevant documentation | 3.1 | WHS/OHS risk control measures for work completion are followed |
| | 3.2 | Work site is tidied and made safe in accordance with workplace procedures |
| | 3.3 | Tools, equipment and any surplus resources/materials are cleaned, checked and securely stored in accordance with workplace procedures |
| | 3.4 | Relevant person/s are notified of work completion in accordance with workplace procedures |
| | 3.5 | Work completion documentation is completed accurately and provided to relevant person/s in accordance with workplace procedures |

Foundation Skills

Foundation skills essential to performance are explicit in the performance criteria of this unit of competency.

Range of Conditions

Range is restricted to essential operating conditions and any other variables essential to the work environment.

Non-essential conditions may be found in the UEG Gas Industry Training Package Companion Volume Implementation Guide.

Unit Mapping Information

This unit replaces and is equivalent to UEGNSG134A Establish a utilities infrastructure work site.

Links

Companion Volume Implementation Guides are found in VETNet - <https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=6a6c032e-ffcb-4f3d-8063-415efbd261e8>

