



Australian Government

UEGNSG710 Read and record meter readings

Release: 1

UEGNSG710 Read and record meter readings

Modification History

Release 1: This is the first release of this unit of competency in the UEG Gas Industry Training Package.

Application

This unit involves the skills and knowledge required to plan meter reading routines/sequences, carry out meter readings, complete the reading and record utilities industries meter reading data.

It includes efficient planning and scheduling of routes that include availability of competent meter readers, vehicles and relevant meter reading equipment. It also includes scheduling, sequencing a route for others, accessing account information and records relating to previous readings, recording meter readings, determining damage or faults to meters and updating records to show new and changed information.

The application of the skills and knowledge described in this unit may require a licence/registration to practise in the workplace.

Other conditions may apply under state and territory legislative and regulatory licensing requirements which must be confirmed prior to commencing this unit.

Pre-requisite Unit

Not applicable.

Competency Field

Support Services

Unit Sector

Gas Industry

Elements and Performance Criteria

ELEMENTS

Elements describe the essential outcomes.

1 Plan and record meter

PERFORMANCE CRITERIA

Performance criteria describe the performance needed to demonstrate achievement of the element.

1.1 Work instructions are obtained and confirmed with

- reading routine/sequence** relevant person/s and routes planned and mapped to correspond with schedule requirements in accordance with workplace procedures
- 1.2** Relevant previous records, if applicable, are reviewed
 - 1.3** Work health and safety (WHS)/occupational health and safety (OHS) procedures, environmental and sustainable energy measures and workplace policies and procedures for the work are obtained and applied
 - 1.4** Suggestions to assist with the route planning, reading and recording of meters are made to others involved in the work as required
 - 1.5** Hazards are identified, WHS/OHS risks are assessed and control measures prioritised, implemented and monitored in accordance with workplace procedures
 - 1.6** Resources, including equipment, tools, personal protective equipment (PPE) and route sequences, are obtained and checked for correct working operation and safety in accordance with manufacturer instructions and workplace procedures
 - 1.7** Issues are referred to relevant person/s in accordance with industry and community standards and workplace procedures
 - 1.8** Records are maintained in accordance with job instructions and work schedule for a quality outcome and to minimise risk and damage to property, commerce and individuals in accordance with workplace procedures
- 2 Carry out meter reading**
- 2.1** WHS/OHS and risk control measures, schedule of work and workplace procedures are followed
 - 2.2** Relevant materials, tools, equipment and devices are selected and used correctly and safely in accordance with manufacturer instructions and workplace procedures
 - 2.3** Meter reading is carried out to the required quality standard, without damage to apparatus, equipment, and the surrounding environment or services using sustainable energy principles
 - 2.4** Meter reading and data recording is carried out in accordance with job instructions and workplace

- procedures
- 2.5 Hazard warnings and safety signs are recognised, and newly identified hazards WHS/OHS risks assessed and reported to authorised person/s for directions in accordance with workplace procedures
 - 2.6 Unplanned events or conditions are dealt with in accordance with workplace procedures
- 3 Complete meter reading and record meter readings**
- 3.1 WHS/OHS risk control measures for work completion are followed
 - 3.2 Accidents and incidents are actioned and reported to relevant person/s in accordance with workplace procedures
 - 3.3 Tools, equipment and any surplus resources/materials are cleaned, checked and stored securely in accordance with workplace procedures
 - 3.4 Relevant person/s are notified of work completion in accordance with workplace procedures
 - 3.5 Work completion records, report forms and data sheets are completed accurately, with unusually high or low meter readings noted and new or changed information updated in accordance with job instructions and workplace procedures

Foundation Skills

Foundation skills essential to performance are explicit in the performance criteria of this unit of competency.

Range of Conditions

Range is restricted to essential operating conditions and any other variables essential to the work environment.

Non-essential conditions may be found in the UEG Gas Industry Training Package Companion Volume Implementation Guide.

Unit Mapping Information

This unit replaces and is equivalent to UEGNSG712 Read and record meter readings.

Links

Companion Volume Implementation Guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=6a6c032e-ffcb-4f3d-8063-415efbd261e8>