



Australian Government

Assessment Requirements for AMPA2028 Operate vacuum blood collection process

Release: 1

Assessment Requirements for AMPA2028 Operate vacuum blood collection process

Modification History

Release	TP Version	Comment
1	AMPv2.0	Initial release

Performance Evidence

The candidate must operate a vacuum blood collection system.

The candidate must:

- operate vacuum blood collection system in accordance with work instructions
- explain, identify and manage sources of contamination according to workplace requirements
- comply with workplace health and safety requirements
- apply relevant workplace and regulatory requirements

Knowledge Evidence

The candidate must demonstrate a basic factual, technical and procedural knowledge of:

- steps in blood collection
- uses and markets for blood collected
- consequences of contamination and resulting damage to blood
- requirements related to blood collection:
 - hygiene and sanitation
 - workplace health and safety QA
 - regulatory
 - customer specifications

Assessment Conditions

Assessment must occur in the workplace under normal production conditions.

Competency must be demonstrated at chain speed.

As a minimum, the following here forms of assessment must be used:

- quiz of underpinning knowledge
- workplace demonstration

- workplace referee or third-party report of performance over time

Assessors must satisfy the current standards for RTOs.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=5e2e56b7-698f-4822-84bb-25adbb8443a7>