



Australian Government

Assessment Requirements for AMPA2048 Inspect forequarter and remove contamination

Release: 1

Assessment Requirements for AMPA2048 Inspect forequarter and remove contamination

Modification History

Release	TP Version	Comment
1	AMPv2.0	Initial release

Performance Evidence

The candidate must inspect the forequarter of the carcase and remove contamination.

The candidate must:

- trim forequarter to remove contamination according to work instructions
- comply with hygiene and sanitation requirements
- identify and apply relevant regulatory requirements
- identify and fulfil workplace health and safety requirements when trimming
- use communication skills relevant to work instructions and Standard Operating Procedures (SOPs)

Knowledge Evidence

The candidate must demonstrate a basic factual, technical and procedural knowledge of:

- the steps involved in scanning the carcase
- hygiene and sanitation requirements
- sources of contamination and cross-contamination
- types of contamination

Assessment Conditions

Assessment must be demonstrated in meat processing plants, boning rooms, food services or wholesaling operations.

Competency must be demonstrated at normal chain speed.

As a minimum, the following three forms of assessment must be used:

- quiz of underpinning knowledge
- workplace demonstration
- workplace referee or third-party report of performance over time

Assessors must satisfy the current standards for RTOs.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=5e2e56b7-698f-4822-84bb-25adbb8443a7>