



Australian Government

Assessment Requirements for AMPA2065 Wash carcase

Release: 1

Assessment Requirements for AMPA2065 Wash carcase

Modification History

Release	TP Version	Comment
1	AMPv2.0	Initial release

Performance Evidence

The candidate must decontaminate a carcase by washing, operating and monitoring a wash cabinet or any post trim contamination process.

The candidate must:

- wash the carcase to workplace requirements
- wash the carcase without causing contamination to the carcase

Knowledge Evidence

The candidate must demonstrate a basic factual, technical and procedural knowledge of:

- purpose of washing the carcase
- regulatory requirements applicable to washing carcasses
- potential for contaminating the carcase during washing
- workplace requirements for washing the carcase
- why water usage should be kept to a minimum whilst washing the carcase

Assessment Conditions

Assessment must be conducted in a registered meat processing plant.

Competency must be demonstrated at the normal rate of production.

As a minimum, the following three forms of assessment must be used:

- quiz of underpinning knowledge
- workplace demonstration
- workplace referee or third-party report of performance over time

Assessors must satisfy the current standards for RTOs.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=5e2e56b7-698f-4822-84bb-25adbb8443a7>