



**Australian Government**

# **AMPA2076 Operate automatic CL determination machine**

**Release: 1**

# AMPA2076 Operate automatic CL determination machine

## Modification History

| Release | TP Version | Comment         |
|---------|------------|-----------------|
| 1       | AMPv2.0    | Initial release |

## Application

This unit describes the skills and knowledge required to set up and monitor the operation of an automatic chemical lean (CL) percentage determination machine for carton meat.

This unit is applicable to boning room operations.

All work should be carried out to comply with workplace and hygiene requirements.

This unit applies to individuals who work under general supervision, exercise limited autonomy and have some accountability for their own work.

No occupational licensing, legislative or certification requirements are known to apply to this unit at the time of publication.

This unit must be delivered and assessed in the context of Australian meat processing standards and regulations.

## Pre-requisite Unit

Nil.

## Unit Sector

## Elements and Performance Criteria

| Element                                         | Performance criteria                                                                                                                                                                                       |
|-------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Elements describe the essential outcomes.       | Performance criteria describe the performance needed to demonstrate achievement of the element.                                                                                                            |
| 1. Operate and monitor CL determination machine | 1.1 Operate and monitor CL determination machine in accordance with workplace requirements<br>1.2 Monitor and report out-of-specification performance of machine in accordance with workplace requirements |
| 2. Maintain CL determination machine            | 2.1 Perform routine maintenance of CL determination machine in accordance with manufacturer specifications and workplace                                                                                   |

| Element | Performance criteria                                                                                     |
|---------|----------------------------------------------------------------------------------------------------------|
|         | requirements<br>2.2 Report major maintenance problems promptly in accordance with workplace requirements |

## Foundation Skills

Foundation Skills essential to performance are explicit in the performance criteria of this unit of competency.

## Range of Conditions

## Unit Mapping Information

This unit is equivalent to MTMP2085C Operate automatic CL determination machine.

## Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=5e2e56b7-698f-4822-84bb-25adbb8443a7>