



Australian Government

Assessment Requirements for AMPA2125 Remove thick skirts

Release: 1

Assessment Requirements for AMPA2125 Remove thick skirts

Modification History

Release	TP Version	Comment
1	AMPv2.0	Initial release

Performance Evidence

The candidate must remove thick skirts (diaphragm).

The candidate must:

- remove thick skirts in accordance with workplace, health and safety and Quality Assurance (QA) requirements
- identify and manage defects, contamination and cross-contamination in accordance with workplace requirements
- dispose of trimmed skirts to workplace requirements
- apply relevant regulatory requirements
- use communication skills relevant to work instructions

Knowledge Evidence

The candidate must demonstrate a basic factual, technical and procedural knowledge of:

- cutting lines for thick skirts
- purpose of skirt removal indicator
- uses and further processing of thick skirts
- workplace, health and safety and QA requirements for removing thick skirts
- possible sources of contamination and cross-contamination

Assessment Conditions

Assessment must occur in the workplace under normal production conditions.

Competency must be demonstrated at normal chain speed.

As a minimum, the following three forms of assessment must be used:

- quiz of underpinning knowledge
- workplace demonstration
- workplace referee or third-party report of performance over time

Assessors must satisfy the current standards for RTOs.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=5e2e56b7-698f-4822-84bb-25adbb8443a7>