



Australian Government

Assessment Requirements for AURVTG005 Remove and install framed type windscreens

Release: 1

Assessment Requirements for AURVTG005 Remove and install framed type windscreens

Modification History

Release	Comment
Release 1	New unit of competency.

Performance Evidence

Before competency can be determined, individuals must demonstrate they can perform the following according to the standard defined in this unit's elements, performance criteria, range of conditions and foundation skills:

- remove and install framed type windscreens on two different vehicles.

Knowledge Evidence

Individuals must be able to demonstrate knowledge of:

- work health and safety (WHS) and occupational health and safety (OHS) requirements relating to removing and installing framed type windscreens, including procedures for:
 - selecting and using personal protective equipment (PPE)
 - using tools and lifting equipment
 - using safety data sheets (SDS) for sealants
 - material handling and storage
- environmental requirements, including procedures for trapping, storing and disposing of waste materials and chemicals
- location and content of windscreen, vehicle manufacturer, and specific workplace technical specifications
- removal and installation methods and techniques for removing and installing framed type windscreens, including:
 - types of framed windscreens
 - type and use of windscreen specialist tools and equipment
 - windscreen handling techniques
 - sealing methods
- procedures for protecting vehicle and components during windscreen removal and installation

- procedures for final inspection of fitted framed type windscreens.

Assessment Conditions

Assessors must satisfy NVR/AQTF assessor requirements.

Competency is to be assessed in the workplace or a simulated environment that accurately reflects performance in a real workplace setting.

Assessment must include direct observation of task.

Where assessment of competency includes third-party evidence, individuals must provide evidence that links them to the framed type windscreens they have removed and installed, e.g. work orders.

Assessors must verify performance evidence through questioning on skills and knowledge to ensure correct interpretation and application.

The following resources must be made available:

- automotive glazing workplace, off-site workplace location or simulated workplace
- workplace instructions
- SDS for sealants
- PPE required to remove and install framed type windscreens
- vehicle manufacturer, windscreen supplier, and specific workplace technical specifications
- frame type windscreens
- two different vehicles or frames requiring framed type windscreen to be fitted
- vehicle protection covers
- tools, equipment and materials appropriate for removing and installing framed type windscreens.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=b4278d82-d487-4070-a8c4-78045ec695b1>

Companion Volume implementation guides are found in VETNet -

<https://vetnet.education.gov.au/Pages/TrainingDocs.aspx?q=b4278d82-d487-4070-a8c4-78045ec695b1>