



Australian Government

Assessment Requirements for AURVTP006 Apply refinishing primers to vehicle surfaces

Release: 1

Assessment Requirements for AURVTP006 Apply refinishing primers to vehicle surfaces

Modification History

Release	Comment
Release 1	New unit of competency.

Performance Evidence

Before competency can be determined, individuals must demonstrate they can perform the following according to the standard defined in this unit's elements, performance criteria, range of conditions and foundation skills:

- prepare and apply the following refinishing primers according to paint manufacturer specifications on two different vehicle panels or substrates to a minimum area of 300 mm x 200 mm:
 - epoxy
 - acid-based
 - ultraviolet (UV) cured
 - sealant
 - non-sandable
 - adhesion promoters.

Knowledge Evidence

Individuals must be able to demonstrate knowledge of:

- work health and safety (WHS) and occupational health and safety (OHS) requirements relating to applying refinishing primers to vehicle surfaces, including procedures for:
 - selecting and using personal protective equipment (PPE)
 - using technical data sheets (TDS) and safety data sheets (SDS) for paint primers
 - handling and storing paint materials
 - using tools and equipment
- environmental requirements, including procedures for trapping, storing and disposing of waste materials
- paint manufacturer specifications
- types and uses of primers specified in the performance evidence

- surface preparation and primer mixing and application techniques, including:
 - cleaning paint repair areas
 - wet and dry rubbing procedures
 - correct use of positive air feed masks
 - masking techniques
 - primer application methods
 - paint drying methods
- types of abrasives and grading
- types and use of spray painting equipment and maintenance requirements
- procedures for protecting undamaged vehicle and components when applying refinishing primers
- procedures for final inspection of completed primed surface.

Assessment Conditions

Assessors must satisfy NVR/AQTF assessor requirements.

Competency is to be assessed in the workplace or a simulated environment that accurately reflects performance in a real workplace setting.

Assessment must include direct observation of task.

Where assessment of competency includes third-party evidence, individuals must provide evidence that links them to the vehicle surfaces they have prepared and primed, e.g. repair orders.

Assessors must verify performance evidence through questioning on skills and knowledge to ensure correct interpretation and application.

The following resources must be made available:

- automotive repair workplace or simulated workplace
- workplace instructions
- TDS and SDS for primers
- PPE to apply primers for paint repairs
- primers and materials, including:
 - epoxy primer
 - acid-based primer
 - UV cured primer
 - sealant
 - non-sandable
 - adhesion promoters
- two different vehicles or substrates requiring preparation and primer application
- tools, equipment and materials appropriate for preparing vehicle surfaces and mixing and applying primers.

Links

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=b4278d82-d487-4070-a8c4-78045ec695b1>

Companion Volume implementation guides are found in VETNet -

<https://vetnet.gov.au/Pages/TrainingDocs.aspx?q=b4278d82-d487-4070-a8c4-78045ec695b1>